

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
13 3/4"	10 3/4"	174	65	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material..... Length..... Depth Set.....
 Adapters — Material..... Size.....

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment.....

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from..... 0..... feet to..... 4036..... feet, and from..... feet to..... feet
 Cable tools were used from..... feet to..... feet, and from..... feet to..... feet.

PRODUCTION

Put to producing....., 19.....
 The production of the first 24 hours was..... barrels of fluid of which..... % was oil; % emulsion; % water; and..... % sediment. Gravity, Be.....
 If gas well, cu. ft. per 24 hours..... Gallons gasoline per 1,000 cu. ft. of gas.....
 Rock pressure, lbs. per sq. in.....

EMPLOYEES

....., Driller Driller
, Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this..... 12.....
 day of..... January....., 19..... 50.....

Coal S. Jenkins
 Coal S. Jenkins Notary Public

My Commission expires..... January 1, 1951.....

Wichita Falls, Texas 1-12-50
 Place Date
 Name..... E. W. Moran
 Position.....
 Representing..... A. R. Dillard
 Company or Operator
 Address..... Wichita Falls, Texas

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	70	70	Lime
70	161	91	Lime, sand & shale streaks
161	180	19	Lime
180	290	110	Lime & shale
290	586	296	Red Bed & lime streaks
586	950	364	Red shale & lime strks
950	1723	773	Shale & Lime
1723	1866	143	Shale & gyp
1866	1901	35	Lime, anhydrite, gyp and shale
1901	2057	156	Lime & shale
2057	2090	33	Lime, shale and hard sand
2090	2587	497	Shale & Lime
2587	3799	1212	Granite Wash
3799	3820	21	Granite wash and red shale
3820	4036	216	Granite wash (Hard)
	4036		Total Depth S.L.M.