

NM1 - 7

MONITORING REPORTS

YEAR(S):

ENVIROTECH INC.

Kathy Brown

UNDERGROUND TANK TESTING • SITE ASSESSMENT • SITE REMEDIATION

5796 U.S. HIGHWAY 64 - 3014
FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615

OIL CONSERVATION DIVISION
RECEIVED

53 MAY 2 AM 9 10

January ^{OK} 8, 1992 ³

RECEIVED

JAN - 6 1993

OIL CON. DIV.)
DIST. 3

Mr. Denny Foust
State of New Mexico Oil Conservation Division
1000 Rio Brazos Rd.
Aztec, New Mexico 87410

Re: Request to Receive
Riley Industrial Service
Contaminated Soils
TCLP Analysis

Project No. 92250

Dear Mr. Foust:

Envirotech Inc. request authorization to receive soil resulting painting oilfield equipment and other equipment at their Farmington New Mexico yard. The solids contain no free liquid as defined by the OCD's Paint Filter Test.

A TCLP Analysis was performed on the solids to determine if they could be accepted at Envirotech's Soil Remediation Facility. No pesticide or herbicide analysis was preformed in-as-much as there is no reason to believe they could be present.

The attached laboratory analysis show that the concentration of the TCLP target constituents are all below the RCRA regulatory levels for hazardous waste. Therefore, the soils are classified as non-hazardous per RCRA (40CFR 261).

Than you for your assistance in this matter, if you have any questions please contact us.


Respectfully submitted,
Envirotech Inc.

Morris D. Young
Morris D. Young
President

cc: Sonny Riley, Riley Industrial Service

MDY/cj169

OK
1/6/93



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHODS 8010/8020 AROMATIC VOLATILE ORGANICS/HALOGENATED VOLATILE ORGANICS

Client:	Riley Industrial	Project #:	92258
Sample ID:	Composite	Date Reported:	12-23-92
Laboratory Number:	3711	Date Sampled:	12-11-92
Sample Matrix:	Solids	Date Received:	12-11-92
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool and Intact	Date Analyzed:	12-22-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det Limit (mg/L)	Regulatory Limits (mg/L)
Vinyl Chloride	0.02	0.005	0.2
1,1-Dichloroethene	0.08	0.006	0.7
Benzene	36.4	0.006	0.5
Chloroform	0.07	0.010	0.5
1,2-Dichloroethene	ND	0.005	0.5
2-Butanone MEK	ND	0.005	200
Carbon Tetrachloride	ND	0.006	0.5
Trichloroethene	0.03	0.005	0.5
Tetrachloroethene	0.06	0.006	0.7
Chlorobenzene	ND	0.005	100
1,4-Dichlorobenzene	0.15	0.005	7.5

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	85 %
	Bromfluorobenzene	95 %

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986

Method 5030, Purge-and-Trap, Test Methods for Evaluating
Solid Waste, SW-846, USEPA, Sept. 1986

Method 8010, Halogenated Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments: Riley Industrial Service, Riley Yard

Kevin L. Gerner
Analyst

Maria D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401

PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHOD 8090 NITROAROMATICS AND CYCLIC KETONES

Client:	Riley Industrial	Project #:	92258
Sample ID:	Composite	Date Reported:	12-30-92
Laboratory Number:	3711	Date Sampled:	12-11-92
Sample Matrix:	Solids	Date Received:	12-11-92
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool and Intact	Date Analyzed:	12-29-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
Pyridine	ND	0.020	5.0
Hexachloroethane	ND	0.020	5.0
Nitrobenzene	ND	0.020	5.0
Hexachlorobutadiene	ND	0.020	0.5
2,4-Dinitrotoluene	ND	0.020	0.13
HexachloroBenzene	ND	0.020	0.13

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.


Method 8090, Nitroaromatics and Cyclic Ketones,
Test Methods for Evaluating Solid Waste, SW-846,
USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: Riley Industrial Service, Riley Yard

David L. Brewer
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHOD 1311
TOXICITY CHARACTERISTIC LEACHING PROCEDURE
TRACE METAL ANALYSIS

Client:	Riley Industrial	Project #:	92258
Sample ID:	Composite	Date Reported:	11-16-92
Laboratory Number:	3711	Date Sampled:	11-03-92
Sample Matrix:	Solids	Date Received:	11-03-92
Preservative:	Cool	Date Analyzed:	11-16-92
Condition:	Cool & Intact	Date Extracted:	11-09-92
		Analysis Needed:	TCLP metals

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Level (mg/L)
ARSENIC	ND	0.001	5.000
BARIUM	2.6	0.1	100.0
CADMIUM	0.011	0.001	1.000
CHROMIUM	2.02	0.001	5.000
LEAD	0.415	0.001	5.000
MERCURY	ND	0.002	0.200
SELENIUM	ND	0.001	1.000
SILVER	ND	0.01	5.00

Method: Methods 3010, 3020, Acid Digestion of Aqueous Samples and Extracts for Total Metals, SW-846, USEPA, Sept. 1986

Methods 7060A, 7080A, 7131A, 7191, 7470A, 7421, 7740, 7760A
Analysis of Metals by GFAA and FLAA, SW-846, USEPA

Method 1311, Toxicity Characteristic Leaching Procedure
SW-846, USEPA, Nov. 1990


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments: Riley Industrial Service, Riley Yard

Dennis L. Giesman
Analyst

Margaret D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401

PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV
DIST. 3

EPA METHOD 8040 PHENOLS

Client:	Riley Industrial	Project #:	92258
Sample ID:	Composite	Date Reported:	12-30-92
Laboratory Number:	3711	Date Sampled:	12-11-92
Sample Matrix:	Solids	Date Received:	12-11-92
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool & Intact	Date Analyzed:	12-30-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
o-Cresol	0.181	0.020	200.0
p,m-Cresol	0.070	0.040	200.0
2,4,6-Trichlorophenol	0.058	0.020	2.0
2,4,5-Trichlorophenol	ND	0.020	400.0
Pentachlorophenol	22.516	0.106	100.0

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 8040, Phenols, Test Methods for Evaluating Solid
Waste, SW-846, USEPA, Sept. 1986.

Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments: Riley Industrial Service, Riley Yard

Devin L. Clemen
Analyst

Monica D. Young
Review

ENVIROTECH LABORATORIES

5796 U.S. HIGHWAY 64-3014
FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615


R E C E I V E D

JAN - 6 1993

OIL CON. DIV
DIST. 3

QUALITY ASSURANCE/QUALITY CONTROL

DOCUMENTATION



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHODS 8010/8020
AROMATIC VOLATILE ORGANICS/HALOGENATED VOLATILE ORGANICS

Client:	NA	Project #:	NA
Sample ID:	Lab Blank	Date Reported:	12-23-92
Laboratory Number:	1222tv.blk	Date Sampled:	NA
Sample Matrix:	Water	Date Received:	NA
Preservative:	NA	Date Analyzed:	12-22-92
Condition:	NA	Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limits (mg/L)
Vinyl Chloride	ND	0.005	0.2
1,1-Dichloroethene	ND	0.006	0.7
Benzene	ND	0.006	0.5
Chloroform	ND	0.010	0.5
1,2-Dichloroethene	ND	0.005	0.5
2-Butanone	ND	0.005	200
Carbon Tetrachloride	ND	0.006	0.5
Trichloroethene	ND	0.005	0.5
Tetrachloroethene	ND	0.006	0.7
Chlorobenzene	ND	0.005	100
1,4-Dichlorobenzene	ND	0.005	7.5

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	106 %
	Bromfluorobenzene	113 %

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986

Method 5030, Purge-and-Trap, Test Methods for Evaluating
Solid Waste, SW-846, USEPA, Sept. 1986

Method 8010, Halogenated Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986


Regulatory Limits based on 40 CFR part 261 Subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments:

Dennis L. Apemau
Analyst

Maria D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED
JAN - 61993
OIL CON. DIV.
DIST. 3

EPA METHODS 8010/8020 AROMATIC VOLATILE ORGANICS/HALOGENATED VOLATILE ORGANICS

Client:	NA	Project #:	NA
Sample ID:	TCLP Vol Extr Blk	Date Reported:	12-23-92
Laboratory Number:	TCLPV.BLK	Date Sampled:	NA
Sample Matrix:	Soil	Date Received:	NA
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool and Intact	Date Analyzed:	12-22-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det Limit (mg/L)	Regulatory Limits (mg/L)
Vinyl Chloride	ND	0.005	0.2
1,1-Dichloroethene	ND	0.006	0.7
Benzene	ND	0.006	0.5
Chloroform	ND	0.010	0.5
1,2-Dichloroethene	ND	0.005	0.5
2-Butanone	ND	0.005	200
Carbon Tetrachloride	ND	0.006	0.5
Trichloroethene	ND	0.005	0.5
Tetrachloroethene	ND	0.006	0.7
Chlorobenzene	ND	0.005	100
1,4-Dichlorobenzene	ND	0.005	7.5

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	Trifluorotoluene	83 %
	Bromfluorobenzene	104 %

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986

Method 5030, Purge-and-Trap, Test Methods for Evaluating
Solid Waste, SW-846, USEPA, Sept. 1986

Method 8010, Halogenated Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986

Method 8020, Aromatic Volatile Organics, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, Sept. 1986


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments: TCLP Volatiles Extraction Blank

Shawn L. Jensen
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHOD 8040 PHENOLS

Client:	NA	Project #:	NA
Sample ID:	Method Blank	Date Reported:	12-30-92
Laboratory Number:	TCA-MB	Date Sampled:	NA
Sample Matrix:	Soil	Date Received:	NA
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool & Intact	Date Analyzed:	12-30-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
o-Cresol	ND	0.020	200.0
p,m-Cresol	ND	0.040	200.0
2,4,6-Trichlorophenol	ND	0.020	2.0
2,4,5-Trichlorophenol	ND	0.020	400.0
Pentachlorophenol	ND	0.106	100.0

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 8040, Phenols, Test Methods for Evaluating Solid
Waste, SW-846, USEPA, Sept. 1986.


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments: TCLP - Extraction Method Blank

Rene L. Apem
Analyst

Marie D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 61993

OIL CON. DIV.
DIST. 2

EPA METHOD 8040 PHENOLS

Client:	NA	Project #:	NA
Sample ID:	Laboratory Blank	Date Reported:	12-30-92
Laboratory Number:	1230a.blk	Date Sampled:	NA
Sample Matrix:	2-Propanol	Date Received:	NA
Preservative:	NA	Date Analyzed:	12-30-92
Condition:	NA	Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
o-Cresol	ND	0.020	200.0
p,m-Cresol	ND	0.040	200.0
2,4,6-Trichlorophenol	ND	0.020	2.0
2,4,5-Trichlorophenol	ND	0.020	400.0
Pentachlorophenol	ND	0.106	100.0

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 8040, Phenols, Test Methods for Evaluating Solid
Waste, SW-846, USEPA, Sept. 1986.


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments:

Kevin L. Clemen
Analyst

Margaret Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

**OIL CON. DIV.
DIST. 3**

EPA METHOD 8090 NITROAROMATICS AND CYCLIC KETONES

Client:	NA	Project #:	NA
Sample ID:	Method Blank	Date Reported:	12-30-92
Laboratory Number:	MB-12-17-92	Date Sampled:	NA
Sample Matrix:	Soil	Date Received:	NA
Preservative:	Cool	Date Extracted:	12-17-92
Condition:	Cool and Intact	Date Analyzed:	12-29-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
Pyridine	ND	0.020	5.0
Hexachloroethane	ND	0.020	5.0
Nitrobenzene	ND	0.020	5.0
Hexachlorobutadiene	ND	0.020	0.5
2,4-Dinitrotoluene	ND	0.020	0.13
HexachloroBenzene	ND	0.020	0.13

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.


Method 8090, Nitroaromatics and Cyclic Ketones,
Test Methods for Evaluating Solid Waste, SW-846,
USEPA, Sept. 1986

ND - Parameter not detected at the stated detection limit.

Comments: TCLP Extraction Method Blank

Denis L. Givner
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

EPA METHOD 8090 NITROAROMATICS AND CYCLIC KETONES

Client:	NA	Project #:	NA
Sample ID:	Laboratory Blank	Date Reported:	12-30-92
Laboratory Number:	1229bn.blk	Date Sampled:	NA
Sample Matrix:	Hexane	Date Received:	NA
Preservative:	NA	Date Extracted:	NA
Condition:	NA	Date Analyzed:	12-29-92
		Analysis Requested:	TCLP

Parameter	Concentration (mg/L)	Det. Limit (mg/L)	Regulatory Limit (mg/L)
Pyridine	ND	0.020	5.0
Hexachloroethane	ND	0.020	5.0
Nitrobenzene	ND	0.020	5.0
Hexachlorobutadiene	ND	0.020	0.5
2,4-Dinitrotoluene	ND	0.020	0.13
HexachloroBenzene	ND	0.020	0.13

Method: Method 1311, Toxicity Characteristic Leaching Procedure
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 3510, Separatory Funnel Liquid-Liquid Extraction,
Test Methods for Evaluating Solid Waste, SW-846, USEPA,
Sept. 1986.

Method 8090, Nitroaromatics and Cyclic Ketones,
Test Methods for Evaluating Solid Waste, SW-846,
USEPA, Sept. 1986


Regulatory Limits based on 40 CFR part 261 subpart C
section 261.24, July 1, 1990

ND - Parameter not detected at the stated detection limit.

Comments:

Shirley R. Chene
Analyst

Morris D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401

PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

**OIL CON. DIV.
DIST. 3**

EPA METHOD 1311
TOXICITY CHARACTERISTIC LEACHING PROCEDURE
TRACE METAL ANALYSIS - BLANKS

Client:	NA	Project #:	NA
Sample ID:	Blanks	Date Reported:	11-16-92
Laboratory Number:	NA	Date Sampled:	NA
Sample Matrix:	TCLP Extract	Date Received:	NA
Analysis Requested:	TCLP	Date Analyzed:	11-16-92
Condition:	NA	Date Extracted:	NA

Parameter	Instrument Blank (mg/L)	Extraction Sol. Blank (mg/L)	Det. Limit (mg/L)
ARSENIC	ND	ND	0.001
BARIUM	ND	ND	0.1
CADMIUM	ND	ND	0.001
CHROMIUM	ND	ND	0.001
LEAD	ND	ND	0.001
MERCURY	ND	ND	0.002
SELENIUM	ND	ND	0.001
SILVER	ND	ND	0.01

Method: Methods 3010, 3020, Acid Digestion of Aqueous Samples and Extracts for Total Metals, SW-846, USEPA, Sept. 1986

Methods 7060A, 7080A, 7131A, 7191, 7470A, 7421, 7740, 7760A
Analysis of Metals by GFAA and FLAA, SW-846, USEPA


Method 1311, Toxicity Characteristic Leaching Procedure
SW-846, USEPA, Nov. 1990

ND - Parameter not detected at the stated detection limit.

Comments:

Kevin L. Green
Analyst

Maria D. Young
Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

RECEIVED

JAN - 6 1993

OIL CON. DIV.
DIST. 3

QUALITY ASSURANCE REPORT
EPA METHOD 1311
TOXICITY CHARACTERISTIC LEACHING PROCEDURE
TRACE METAL ANALYSIS - MATRIX SPIKE

Client:	NA	Project #:	NA
Sample ID:	NA	Date Reported:	11-16-92
Laboratory Number:	NA	Date Sampled:	NA
Sample Matrix:	TCLP Extract	Date Received:	NA
Analysis Requested:	TCLP	Date Analyzed:	11-16-92
Condition:	NA	Date Extracted:	NA

Parameter	Spike Added (mg/L)	Sample Result (mg/L)	Spiked Sample Result (mg/L)	Percent Recovery
ARSENIC	0.100	0.001	0.094	93.0
BARIUM	10.0	0.4	10.5	101.0
CADMIUM	0.100	ND	0.101	101.0
CHROMIUM	0.100	0.054	0.158	104.0
LEAD	0.100	0.060	0.152	92.0
MERCURY	0.025	ND	0.024	96.0
SELENIUM	0.100	ND	0.088	88.0
SILVER	1.00	ND	0.98	98.0

QA ACCEPTANCE CRITERIA:	Parameter	Acceptance Range %
	TCLP Metals	80 - 120

Method: Methods 3010, 3020, Acid Digestion of Aqueous Samples and Extracts for Total Metals, SW-846, USEPA, Sept. 1986

Methods 7060A, 7080A, 7131A, 7191, 7470A, 7421, 7740, 7760A
Analysis of Metals by GFAA and FLAA, SW-846, USEPA

Method 1311, Toxicity Characteristic Leaching Procedure
SW-846, USEPA, Nov. 1990

ND - Parameter not detected at the stated detection limit.

Comments:

Analyst

Review

CHAIN OF CUSTODY RECORD

San Juan repro Form 578-81

VENDOR CODE 850388333 D	SELLER FUND CA0129
VENDOR NAME AND ORDER ADDRESS CAMERA & DARKROOM 216 GALISTEO SANTA FE, NM 87501	
SELLER AGENCY CODE	

STATE OF
NEW MEXICO
PURCHASE DOCUMENT

PAGE 1 OF 1	DATE 07/22/94	FOR	PC
AGENCY CODE 521	DOCUMENT NUMBER	95-199-000558	
TERMS	DELIVERY DATE		

S OIL CONSERVATION DIVISION STATE LAND OFFICE BLDG. RM 206 310 OLD SANTA FE TRAIL SANTA FE, NM 87503	B OIL CONSERVATION DIVISION P. O. BOX 2088 SANTA FE, NM 87504
--	--

AGENCY CONTACT
Kathy Valdes
PHONE NUMBER
(505) 824-5400

LN	FUND	AGCY	ORG	OBJECT	AMOUNT	FOR AGENCY USE
01	199	521	0700	0592	12.60	89400590 07010100 12.60
TOTAL					12.60	

MAXIMUM OF SIX ACCOUNTING LINES PER PURCHASE ORDER

FOR PURCHASE REQUISITIONS THE FOLLOWING APPROVAL IS CERTIFICATION OF CASH AND BUDGET AVAILABILITY - PER DATE

AGENCY AUTHORIZED SIGNATURE
Jorge F. Mueller Jr. 07/22/94

DATE APPROVAL 1

DATE APPROVAL 2

DATE APPROVAL 3

DATE APPROVAL 4

DATE

CONTRACT ORDER (Approved vendors must be used for items under contract)
CO/PA NO. SPD 10-000-00-00175 EXPIRES: 07/28/94

PURCHASE REQUISITION (Bids must be requested for items over \$500.00)

BUYER:

RECOMMENDED SOURCE & SPECIAL REMARKS:

ESTABLISH ☐ RENEWAL NO. ☐

DIRECT PURCHASE ORDER (only valid for purchases \$500.00 and under)

EXEMPT FROM THE NM PROCUREMENT CODE

Submit to Section

FOR ENCUMBERING PURPOSES ONLY

NMSA, 1978

COMM LN	QUANTITY	UNIT	COMMODITY CODE	ACCT LN	ARTICLE AND DESCRIPTION	UNIT COST	TOTAL COST
01	1	Each			Develop 1611 1912 color film - 24 exposures	12.60	12.60
TOTAL							12.60


















































ENVIROTECH LANDFARM #1
1995

08 73400 14911-16 846



ATTENTION

PARTIALLY FULL OR TIGHTLY CLOSED CONTAINER IS
HAZARDOUS. MAY CONTAIN PRODUCT UNDER
IN LIQUID OR VAPOR FORM WHICH MAY BE
HARMFUL OR EXPLOSIVE. KEEP AWAY FROM FIRE
OR OTHER IGNITION SOURCE. DO NOT CUT,
WELD, BRAZE OR SOLDER ON OR NEAR THIS
CONTAINER. DO NOT REUSE THIS CONTAINER.

ENVIROTECH LANDFARM # 1
1995

930 6041111 60102 60
93 03182 1111111 606



ENVIROTECH LANDFARM #1
1995-

USE PLANTING GUIDE OF



~~ENVIRONMENT~~
ENVIROTECH LANDFARM #1
1995

11-02-95 11:11:17 046



ENVIROTECH LANDFARM # 1
1995

00 731070 11/11/99 0000



ENVIROTECH LANDFARM #1
1995-

19 23:00 11/11/14 000



ENVIROTECH LANDFARM #1

1995

NOV 23 1995 14:11:00



ENVIROTECH LANDFARM # 1

1995

990 50-111111 0000 2



ENDROTECH LANDFARM #1

1995

16 23 05 11 44 09 065



ENVIROTECH LANDFARM #1

1995

15 23185 11111111 066



ENVIROTECH LANDFARM #1

1995

2000 10/11/04 066



ENVIROTECH LANDEARM

~~###~~
#1

1995

26 23+00 11111 19 060



ENVIROTECH LANDFARM #1

1995

25 23180 11/11/95 BSE



ENVIROTECH LANDFARM #1

1995

950 26 10000 00102 26





ENVIROTECH LANDEARM

~~###~~
#1

1995

26 23408 11111 19 DEC



ENVIROTECH LANDFARM #1

1995

25 23100 14411-05 056



ENVIROTECH LANDFARM #1

1995

20 23109 11111 22 044



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LAND FARM #1

1995



ENVIROTEL LAND FARM#1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIRO TECH LAND FARM #1

1995



ENVIROTECH LAND FARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LAND FARM #1

1995



ENVIROTECH LAND FARM #1

1995-



ENVIROTECH LAND FARM #1

1995



ENVIROTECH LAND FARM #1

1995



ENVIROTECH LANDFARM #1

1995-



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



ENVIROTECH LANDFARM #1

1995



Envirotech 1 Land Farm

6/10/97



Envirotech 1 Land Farm

6/10/97



Envirotech 1 Land Farm

6/10/97



Envirotech 1 Land Farm

6/10/97



Envirotech 1 Landfarm

6/10/97



Envirotech 1 Land Farm

6/10/97



Envirotech 1 Land Farm

6/10/97