

From: Patterson, Heather, EMNRD
To: ngladden@diversifiedfsi.com
Cc: [Bratcher, Mike, EMNRD](#); "[Robertson, Jeffery](#)"
Subject: RE: Linn Energy Skelly #134 Remediation Work Plan
Date: Thursday, November 20, 2014 1:36:00 PM

Natalie,

The OCD would still like to see a 4' excavation with a liner on this site.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Heather Patterson
Environmental Specialist
NMOCD District II
(575)748-1283 ext.101

From: Bratcher, Mike, EMNRD
Sent: Wednesday, November 19, 2014 10:04 AM
To: Patterson, Heather, EMNRD
Subject: FW: Linn Energy Skelly #134 Remediation Work Plan
Importance: High

From: Natalie Gladden [<mailto:ngladden@diversifiedfsi.com>]
Sent: Tuesday, November 18, 2014 9:12 AM
To: Robertson, Jeffery; Bratcher, Mike, EMNRD
Cc: Michael Burton; dpotter@linenergy.com; Gonzales, EL; Michael Patterson
Subject: FW: Linn Energy Skelly #134 Remediation Work Plan
Importance: High

Robertson/Bratcher,

Attached is the remediation work plan for the Linn Energy Skelly #134. This site was previously approved for a deep bury. Linn will not be doing the deep bury on this site. We would like to do Option 1. Is there any way that we can change it to 3' with a liner instead of the 4' with the liner? If I need to redo the plan, I can or this email can serve as the communication of the job scope change.

Linn would like to move onto this site as soon as possible. Your help in this matter is greatly appreciated. Please respond to this email if you concur.

Have a great day!

Natalie Gladden

Environmental Director

DFSI Environmental Services

Cell: 575-602-1786

Office: 575-964-8394

Fax: 575-964-8396

Email: ngladden@diversifiedfsi.com

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

From: Robertson, Jeffery [<mailto:jlrobertson@blm.gov>]

Sent: Monday, August 25, 2014 2:04 PM

To: Natalie Gladden

Subject: Re: Linn Energy Skelly #134 Remediation Work Plan

Option 2 is approved

This plan is approved as written with these conditions of approval. Based on the results from Cardinal labs at the point where the liner will be installed you are required to get samples chlorides and conformation samples of BTEX and TPH. Also the soil from the proposed deep bury site must be tested prior to using it to fill the spill location. **This plan still needs to be approved by OCD.** BLM approval of this proposal does not relieve the operator of liability should their operations have failed to adequately investigate and re mediate contamination that may pose a threat to groundwater, surface water, human health, or the environment, or if the location fails to reclaim properly. In such an event that location does not re vegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws/regulations.

Thanks

Jeffery S. Robertson

BLM-CFO

Natural Resource Specialist

Office: 575-234-2230

Cell: 575-361-3568

jlrobertson@blm.gov

On Mon, Aug 25, 2014 at 1:45 PM, Natalie Gladden <ngladden@diversifiedfsi.com> wrote:

We will also test the sidewalls and bottom of the deep bury pit after the pit has been excavated to assure that there is no previous contamination before the pit is lined.

Thank you, I will make sure I have that in future plans.

Natalie Gladden

Environmental Director

DFSI Environmental Services

Cell: 575-602-1786

Office: 575-964-8394

Fax: 575-964-8396

Email: ngladden@diversifiedfsi.com

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

From: Natalie Gladden

Sent: Monday, August 25, 2014 10:36 AM

To: 'Mike Bratcher'; 'Robertson, Jeffery'

Cc: 'Wall, Fred'; Michael Patterson

Subject: Linn Energy Skelly #134 Remediation Work Plan

Importance: High

Bratcher/Robertson,

Attached you will find the attached Remediation Work Plan for Skelly Unit #134. Option 1 is for the dig and haul option and Option 2 is the deep bury option. Please concur if approved.

Again thank you for all of your help in this matter and have a great Monday!

Natalie Gladden

Environmental Director

DFSI Environmental Services

Cell: 575-602-1786

Office: 575-964-8394

Fax: 575-964-8396

Email: ngladden@diversifiedfsi.com

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.

This electronic message, together with any attachments, contains information from LINN Energy that may be confidential and intended solely for the use of the addressee only. If you are not the intended recipient, please note that any disclosure, dissemination, distribution or copying of this message, or any attachment, is strictly prohibited. Also, please notify the

original sender by return e-mail and delete the message, along with any attachments, from your computer. Finally, the recipient should check this email and any attachments for the presence of viruses. The organization accepts no liability for any damage caused by any virus transmitted by this email.