

From: [Amber Cannon](#)
To: [Bratcher, Mike, EMNRD](#); [Patterson, Heather, EMNRD](#); [Jim Amos](#)
Subject: FW: Release Notification (Livingston Ridge SWD Water Line)
Date: Friday, June 12, 2015 6:35:00 AM

This is notice that sampling is scheduled for the release below on Monday, June 15th at 10:00am.

Thanks,
Amber

From: Bob Asher
Sent: Wednesday, June 03, 2015 4:36 PM
To: mike.bratcher@state.nm.us; heather.patterson@state.nm.us; (Randy.Dade@state.nm.us); jamos@blm.gov
Cc: IncidentReportingNM; Joe Palma; Amber Cannon; Chase Settle; Katie Parker; Tanna Adams; Veronica Alvarado
Subject: Release Notification (Livingston Ridge SWD Water Line)

Yates Petroleum Corporation is reporting a release at the following location (6/3/2015, 2:30 PM).

Livingston Ridge SWD Water Line
Approximately 2310 FNL & Approximately 2310 FEL
Section 1, T22S-R31E
Eddy County, New Mexico

Released: >25 B/PW; Recovered: Unknown at this time.

Cause of the release is unclear at this time and was in a YPC tinhorn located east/northeast of the Oxy USA INC, Federal 1 #1 location (2310 FSL & 1980 FWL, Section 1, T22S-R31E, Eddy County, New Mexico). An emergency one-call has been placed and clean-up crews have been called. **A Form C-141 with complete information will be submitted.**

Thank you.

Robert Asher
NM Environmental Regulatory Supervisor
Yates Petroleum Corporation
105 S. 4th Street
Artesia, NM 88210
575-748-4217 (Office)
575-365-4021 (Cell)

This message may contain confidential information and is intended for the named recipient only. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited. E-mail transmission cannot be guaranteed to be secure or error-

free as information could be intercepted, corrupted, lost, destroyed, arrive late or incomplete, or contain viruses. The sender therefore does not accept liability for any errors or omissions in the contents of this message, which arise as a result of e-mail transmission. If verification is required please request a hard-copy version.
