

Bratcher, Mike, EMNRD

From: Walker, Clayton D <CDWalker@dcpmidstream.com>
Sent: Monday, October 19, 2015 8:21 AM
To: Bratcher, Mike, EMNRD
Cc: Blair, Yvonne B; Patterson, Heather, EMNRD
Subject: RE: 20-200 Remediation

Thank you Mike, The previous email from him said it hinged on what OCD wanted to do, We kept a large pile of topsoil to cover the top.

Clay Walker
SENM Gathering Construction Supervisor
5301 Sierra Vista Dr
Carlsbad, NM 88220
Office 575-234-6424
Cell 979-540-9238
CDWalker@DCPmidstream.com

-----Original Message-----

From: Bratcher, Mike, EMNRD [mailto:mike.bratcher@state.nm.us]
Sent: Monday, October 19, 2015 7:56 AM
To: Walker, Clayton D
Cc: Blair, Yvonne B; Patterson, Heather, EMNRD
Subject: RE: 20-200 Remediation

Clay,

I forwarded everything to Randy Pear at BLM.

Mike Bratcher
NMOCD District 2
811 S. First Street
Artesia, NM 88210
O: 575-748-1283 X108
C: 575-626-0857
F: 575-748-9720

-----Original Message-----

From: Walker, Clayton D [mailto:CDWalker@dcpmidstream.com]
Sent: Friday, October 16, 2015 2:32 PM
To: Bratcher, Mike, EMNRD
Cc: Blair, Yvonne B; Patterson, Heather, EMNRD
Subject: Re: 20-200 Remediation

Thank you Mike, Yvonne , can you forward to BLM for their approval? Thanks,Clay

Sent from my iPhone

> On Oct 16, 2015, at 1:10 PM, "Bratcher, Mike, EMNRD" <mike.bratcher@state.nm.us> wrote:

>

> Clay,

>

> As follow up to our phone conversation, OCD will request a sample be obtained at approximately 1-2' deeper in the bottom of the excavation in an attempt to delineate chloride impact to 250 mg/kg. Based on the analytical data provided, and depth of excavation, you are approved to commence backfill operations. Federal sites will require like approval by BLM.

>

> OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

>

> If you have any questions or concerns, please contact me.

>

> Mike Bratcher

> NMOCD District 2

> 811 S. First Street

> Artesia, NM 88210

> O: 575-748-1283 X108

> C: 575-626-0857

> F: 575-748-9720

>

>

>

>

> -----Original Message-----

> From: Walker, Clayton D [mailto:CDWalker@dcpmidstream.com]

> Sent: Thursday, October 15, 2015 7:47 AM

> To: Bratcher, Mike, EMNRD

> Cc: Blair, Yvonne B; Walker, Clayton D

> Subject: RE: 20-200 Remediation

>

> I hit send to quick on that, Mike, Is there any way we can get together on a call this morning about this?

>

> Clay Walker

> SENM Gathering Construction Supervisor

> 5301 Sierra Vista Dr

> Carlsbad, NM 88220

> Office 575-234-6424

> Cell 979-540-9238

> CDWalker@DCPmidstream.com

>

>

> -----Original Message-----

> From: Walker, Clayton D

> Sent: Thursday, October 15, 2015 7:45 AM

> To: mike.bratcher@state.nm.us

> Cc: Walker, Clayton D; Blair, Yvonne B

> Subject: 20-200 Remediation

>
>
>
> Clay Walker
> SENM Gathering Construction Supervisor
> 5301 Sierra Vista Dr
> Carlsbad, NM 88220
> Office 575-234-6424
> Cell 979-540-9238
> CDWalker@DCPmidstream.com
>
>