

Bratcher, Mike, EMNRD

From: Sheldon Hitchcock <slhitchcock@talonlpe.com>
Sent: Tuesday, January 05, 2016 10:53 AM
To: Bratcher, Mike, EMNRD; Billy Doucette; Audra Burton (audra@pyotewatersystems.com)
Cc: Patterson, Heather, EMNRD
Subject: RE: Pyote Water Solutions-Rohmer SWD #1 REVISED Work Plan 30-015-25722 (2RP-1916)
Attachments: 20160105104747978.pdf

Mike,

Please see the revised work plan for the Rohmer. We were able to delineate to 240mg/kg of chloride at 20-feet with the drill rig. Please let me know if you have any questions or concerns.

Respectfully,

Sheldon L. Hitchcock
Project Manager
Talon/LPE
408 West Texas Avenue
Artesia, New Mexico 88210
Office: (575) 746-8768
Direct: (575) 616-4021
Cell: (575) 689-5198
Fax: (575) 746-8905
Email: slhitchcock@talonlpe.com
Web: www.talonlpe.com



Better Business Bureau Torch Award for Marketplace Ethics: 2010 Winner, 2009 Finalist
Staples Foundation for Learning Hall of Fame Recipient: 2010
ICIC and Business Week- Top 100: 2010, 2009, 2008, 2007, 2006
Inc. 500/5000: 2012, 2011, 2010, 2009, 2008, 2007

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

From: Bratcher, Mike, EMNRD [mailto:mike.bratcher@state.nm.us]
Sent: Wednesday, December 9, 2015 2:17 PM
To: Billy Doucette <billy@pyotewatersystems.com>; Sheldon Hitchcock <slhitchcock@talonlpe.com>; Audra Burton (audra@pyotewatersystems.com) <audra@pyotewatersystems.com>
Cc: Patterson, Heather, EMNRD <Heather.Patterson@state.nm.us>
Subject: RE: Pyote Water Solutions-Rohmer SWD #1 Work Plan 30-015-25722 (2RP-1916)

Billy,

After a review of the remediation proposal submitted by Talon (Dated December 1, 2015), OCD does request further delineation in the tank battery area, preferably in the vicinity of the area identified as S-8 on the site diagram. This area may be accessible, with surface owner's approval, on the west side through the barbed wire fence. Based on depth to ground water, proximity to water supply wells, and current OCD policies, the delineation request is for chlorides, with target goal being 250 mg/kg. At least one representative sample will need to be tested for TPH and BTEX. If testing determines non-detect, no more testing for these constituents will be required. Please advise of the feasibility and/or scheduling of this event.

If you have any questions or concerns, please contact me.

Mike Bratcher
NMOCD District 2
811 S. First Street
Artesia, NM 88210
O: 575-748-1283 X108
C: 575-626-0857
F: 575-748-9720

From: Sheldon Hitchcock [<mailto:slhitchcock@talonlpe.com>]
Sent: Tuesday, December 08, 2015 3:29 PM
To: Bratcher, Mike, EMNRD
Cc: Patterson, Heather, EMNRD
Subject: Pyote Water Solutions-Rohmer SWD #1 Work Plan 30-015-25722 (2RP-1916)

Mike,

Did you receive this? I tried to send it to you last week, but it looks like it may have gotten hung up in my outbox.

Thanks,

Sheldon L. Hitchcock
Project Manager
Talon/LPE
408 West Texas Avenue
Artesia, New Mexico 88210
Office: (575) 746-8768
Direct: (575) 616-4021
Cell: (575) 689-5198
Fax: (575) 746-8905
Email: slhitchcock@talonlpe.com
Web: www.talonlpe.com



Better Business Bureau Torch Award for Marketplace Ethics: 2010 Winner, 2009 Finalist
Staples Foundation for Learning Hall of Fame Recipient: 2010
ICIC and Business Week- Top 100: 2010, 2009, 2008, 2007, 2006
Inc. 500/5000: 2012, 2011, 2010, 2009, 2008, 2007

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this email in error please notify the system manager. This message contains confidential information and is intended only for the individual named. If you are not the named addressee you should not disseminate, distribute or copy this e-mail. Please notify the sender immediately by e-mail if you have received this e-mail by mistake and delete this e-mail from your system. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.