



February 18, 2016

Mr. Mike Bratcher
NMOCD District 2
811 S. 1st Street
Artesia, NM 88210

Subject: **Soil Assessment and Remediation Work Plan**
Devon Energy Corporation
Cotton Draw No. 89 SWD
API # 30-015-31381 -- 2RP-3198
AMENDED

Dear Mr. Bratcher,

Devon Energy Corporation (Devon) has contracted Talon/LPE (Talon) to perform soil assessment and remediation services at the referenced Cotton Draw No. 89 location. The results of our soil assessment and proposed remediation activities consist of the following:

Incident Date

August 6, 2015

Background Information

The Cotton Draw No. 89 is located approximately forty-six (46) miles southeast of Carlsbad, New Mexico. The legal location for the site is Section 3, Township 25 South and Range 31 East in Eddy County, New Mexico. More Specifically the latitude and longitude for the release are 32.15263 North and - 103.7634 West. See the site plan in Appendix I.

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of Berino complex with 0 to 3 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology is Holocene to Pleistocene in age and is comprised of eolian sands and piedmont deposits which include silty soils underlain with hard caliche. According to the New Mexico Office of the State Engineer there are 8 wells in the vicinity and they all appear to be dry wells. The Chevron/Texaco Water Trend Map has the ground water in this area greater than 450-feet below ground surface. See Appendix II for the referenced groundwater data.

The ranking for this site is 0 based on the as following:

Depth to ground water	>100'
Wellhead Protection Area	>1000'
Distance to surface water body	>1000'

Incident Description

On August 6, 2015 Black River Trucking was loading out produced water when a high pressure 4-inch connecting hose blew apart causing a release of 35 barrels of fluids onto the location. The well was immediately shut-in and the truck behind him on location recovered 25 barrels of fluid. The area affected was in front of the load-out. A site plan is presented in [Appendix I](#).

Actions Taken

On July 21, 2015 Talon mobilized personnel to begin the site assessment and soil sampling activities for the construction of a work plan. Grab soil samples were collected utilizing a backhoe to a depth of 4-feet below ground surface. Laboratory results from the soil sampling event are summarized in the Table 1 below.

On January 11, 2016 Talon personnel returned to the location per NMOCD to further delineate the release. Grab samples were obtained from location and the laboratory results are summarized in Table 2 below.

All soil samples were collected by Talon personnel wearing clean nitrile gloves. The soil samples were placed in laboratory provided sample containers and transported to Cardinal Laboratories in Hobbs, New Mexico for analysis. The samples were tested for chlorides and analyzed per Method SM4500Cl-B.

Laboratory Results

See [Appendix III](#) for complete report of laboratory results.

September 18, 2015

Table 1

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	1'	--	2800	--	--
	2'	--	160	--	--
	3'	--	144	--	--
	4'	--	64	--	--

--Analyte Not Tested

January 13, 2016

Table 2

Sample ID	Depth (feet)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-2	1'	--	720	--	--
	2'	--	1880	--	--
	3'	--	128	--	--
	4'	--	80	--	--
S-3	1'	--	2600	--	--
	2'	--	2080	--	--
	3'	--	2840	--	--
Refusal	4'	--	2320	--	--
S-4	1'	--	624	--	--
	2'	--	288	--	--
	3'	--	176	--	--
	4'	--	624	--	--

--Analyte Not Tested

Based upon the site ranking of **0**, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, and 5,000 mg/kg for TPH. The chloride standard is considered to be 1,000 mg/kg.

Summary and Conclusions

- Ground water in the project vicinity is greater than 450-feet below land surface.
- Based on the depth to groundwater, it is unlikely that the impacts identified from this release will pose a threat to groundwater after proposed remediation activities are complete.


Proposed Remedial Actions


- At the beginning of the project, a test pit will be excavated for further vertical delineation purposes. The field titration screening results for chlorides will be presented and followed up with laboratory confirmation analysis. The test pit will be backfilled with soil that was excavated until lab results are obtained.
- Upon receipt of the lab analysis for the additional samples, the results will be immediately forwarded to the NMOCD and the client.
- The impact area in the vicinity of sample point S-1 will be excavated to a depth of 1-foot deep.
- The areas in the vicinity of S-2 and S-3 will be excavated to a depth of 2-feet deep due to high traffic volumes at this SWD location.
- All contaminated soil will be transported to Lea Land, LLC and caliche will be backhauled to the location for backfill.
- Once the backfill activities are complete the work area will be compacted and re-contoured to match the surrounding location.
- A final closure report documenting all remedial actions and analytical results will be provided to the NMOCD Artesia Office along with a Final C-141 Form.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768

Respectfully submitted,


TALON/LPE


Kimberly M. Wilson
Project Manager


David J. Adkins
District Manager

APPENDIX I

SITE MAP



0 25 50
Scale in Feet

Legend
◆ - Sample Location



Date: 01/21/2016
Scale: NTS
Drawn By: TJS

Cotton Draw #89
Devon Energy Corporation
Eddy County, New Mexico
Figure 1 - Site Plan

APPENDIX II
GROUNDWATER DATA
INITIAL C-141



New Mexico Office of the State Engineer

Water Column/Average Depth to Water

(A CLW##### in the
POD suffix indicates the
POD has been replaced
& no longer serves a
water right file.)

(R=POD has
been replaced,
O=orphaned,
C=the file is
closed)

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest) (NAD83 UTM in meters) (In feet)

POD Number	POD Sub- Code	basin	County	Q 64	Q 16	Q 4	Sec	T	W	S	Rng	X	Y	Distance	Depth Well	Water Column
C 03830 POD1	CUB	ED		4	2	4	02	25	S		31E	618632	3558432	1773	450	
C 02571		ED		4	1	2	02	25	S		31E	618292	3559294*	1851	860	
C 02574		ED		1	1	2	02	25	S		31E	618092	3559494*	1853		
C 02570		ED		4	2	4	02	25	S		31E	618704	3558489*	1855	895	
C 02573		ED		1	4	2	02	25	S		31E	618499	3559091*	1896		
C 02569		ED		4	4	2	02	25	S		31E	618699	3558891*	1978	1016	
C 02572		ED		4	2	2	02	25	S		31E	618695	3559294*	2171	852	
C 02568		ED		4	3	1	01	25	S		31E	619103	3558892*	2353	1025	

Average Depth to Water: --

Minimum Depth: --

Maximum Depth: --

Record Count: 8

UTMNAD83 Radius Search (in meters):

Easting (X): 616894

Northing (Y): 3558080

Radius: 3000

*UTM location was derived from PLSS - see Help

The data is furnished by the NMOSE/ISC and is accepted by the recipient with the expressed understanding that the OSE/ISC make no warranties, expressed or implied, concerning the accuracy, completeness, reliability, usability, or suitability for any particular purpose of the data.

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 8, 2011

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

Release Notification and Corrective Action

WAB 1522442205 **6137** **OPERATOR** ☒ Initial Report ☐ Final Report

Name of Company Devon Energy Production	Contact Garry Michael
Address 6488 Seven Rivers Hwy Artesia, NM 88220	Telephone No. 575-513-4895
Facility Name Cotton Draw Unit 89	Facility Type SWD

Surface Owner Federal	Mineral Owner Federal	API No. 30-015-31381
-----------------------	-----------------------	----------------------

LOCATION OF RELEASE

Unit Letter O	Section 3	Township 25S	Range 31E	Feet from the 250'	North/South Line FSL	Feet from the 1980'	East/West Line FEL	County Eddy
------------------	--------------	-----------------	--------------	-----------------------	-------------------------	------------------------	-----------------------	----------------

Latitude: 32.1528893

Longitude: -103.7636414

NATURE OF RELEASE

Type of Release Spill	Volume of Release 35bbl	Volume Recovered 25bbl
Source of Release 4" high pressure hose	Date and Hour of Occurrence August 6, 2015 5:04 PM	Date and Hour of Discovery August 6, 2015 5:04 PM
Was Immediate Notice Given? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Not Required	If YES, To Whom? Jim Amos, BLM Mike Bratcher, OCD	
By Whom? Hubert Perry, Production Foreman	Date and Hour Jim Amos, August 6, 2015 7:35 PM Mike Bratcher, August 6, 2015 7:37 PM	
Was a Watercourse Reached? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	If YES, Volume Impacting the Watercourse N/A	
If a Watercourse was Impacted, Describe Fully.* N/A		
Describe Cause of Problem and Remedial Action Taken.* On August 6, 2015 5:04 at the Cotton Draw Unit 89 Truck Driver for Black River Trucking was loading produced water when the connecting high pressure 4" hose blew apart releasing 35bbls onto location. The well was immediately shut in and the next truck in line was Standard Trucking so they started recovering the released produced water immediately.		
Describe Area Affected and Cleanup Action Taken.* The affected area was approximately 80' x 120' x 50' all contained on location with 25bbls produced water recovered. The broken hose will be repaired. And environmental company will be contacted to determine the extent of clean up.		
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Signature: <i>Sheila Fisher</i>	OIL CONSERVATION DIVISION	
Printed Name: Sheila Fisher	Approved by Environmental Specialist: <i>[Signature]</i>	
Title: Field Admin Support	Approval Date: <i>8/11/15</i>	Expiration Date: <i>N/A</i>
E-mail Address: Sheila.Fisher@dvn.com	Conditions of Approval: Remediation per O.C.D. Rules & Guidelines attached <input type="checkbox"/>	
Date: 8/11/15 Phone: 575.748.1829	SUBMIT REMEDIATION PROPOSAL NO LATER THAN: <i>9/11/15</i>	

* Attach Additional Sheets If Necessary

2RP-3198

APPENDIX III
LABORATORY RESULTS



PHONE (575) 393-2326 ° 101 E. MARLAND ° HOBBS, NM 88240

September 18, 2015

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW NO. 89

Enclosed are the results of analyses for samples received by the laboratory on 09/17/15 15:20.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 KIMBERLY WILSON
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

Received:	09/17/2015	Sampling Date:	09/16/2015
Reported:	09/18/2015	Sampling Type:	Soil
Project Name:	COTTON DRAW NO. 89	Sampling Condition:	** (See Notes)
Project Number:	700794.165.01	Sample Received By:	Jodi Henson
Project Location:	EDDY CTY.		

Sample ID: S-1 1' (H502452-01)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2800	16.0	09/18/2015	ND	432	108	400	3.77	

Sample ID: S-1 2' (H502452-02)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	09/18/2015	ND	432	108	400	3.77	

Sample ID: S-1 3' (H502452-03)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	09/18/2015	ND	432	108	400	3.77	

Sample ID: S-1 4' (H502452-04)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: HM					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	64.0	16.0	09/18/2015	ND	432	108	400	3.77	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CARDINAL Laboratories

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Company Name: Valley LPE P.O. #: 114710

Project Manager: Kimberly Wilson Company: Valley

Address: 405 W. 3rd St. Attn:

City: Albuquerque State: NM Zip: 88210 Address:

Phone #: 746-8768 Fax #: City: State: Zip:

Project #: 720 994 16501 Project Owner: Quinn

Project Name: Letitia Davis #89

Project Location: Eddy Co

Sampler Name: Ken Smith Fax #:

FOR LAB USE ONLY

Lab I.D. H502452 Sample I.D.

1 3-1 11 6 (G)RAB OR (C)OMP. # CONTAINERS

2 5-1 21 5 GROUNDWATER

3 5-1 31 5 WASTEWATER

4 5-1 41 5 SOIL

DATE 1/9/15

TIME 11:11

Chlorides

ANALYSIS REQUEST

REMARKS: 265H11

Relinquished By: Date: 1/9/15 Time: 11:30

Received By: Ken Smith Date: 1/9/15 Time: 11:30

Delivered By: (Circle One) 276C Sample Condition: Intact Checked By:

Sampler - UPS - Bus - Other: 276C Cool ☐ Intact ☒ Yes ☐ No ☐ No

Cardinal cannot accept verbal changes. Please fax written changes to 505-393-2476

January 13, 2016

KIMBERLY WILSON

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: COTTON DRAW #89

Enclosed are the results of analyses for samples received by the laboratory on 01/11/16 14:00.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-13-5. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.

Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 01/11/2016
Reported: 01/13/2016
Project Name: COTTON DRAW #89
Project Number: 700794.165.01
Project Location: EDDY COUNTY, NM

Sampling Date: 01/11/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-2 1.0 (H600056-01)

Chloride, SM4500CI-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	720	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-2 2.0 (H600056-02)

Chloride, SM4500CI-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1880	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-2 3.0 (H600056-03)

Chloride, SM4500CI-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	128	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-2 4.0 (H600056-04)

Chloride, SM4500CI-B		mg/kg	Analyzed By: AP						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	01/13/2016	ND	400	100	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 01/11/2016
Reported: 01/13/2016
Project Name: COTTON DRAW #89
Project Number: 700794.165.01
Project Location: EDDY COUNTY, NM

Sampling Date: 01/11/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-3 1.0 (H600056-05)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2600	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-3 2.0 (H600056-06)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2080	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-3 3.0 (H600056-07)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2840	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-3 4.0 (H600056-08)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2320	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-4 1.0 (H600056-09)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	624	16.0	01/13/2016	ND	400	100	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
KIMBERLY WILSON
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 01/11/2016
Reported: 01/13/2016
Project Name: COTTON DRAW #89
Project Number: 700794.165.01
Project Location: EDDY COUNTY, NM

Sampling Date: 01/11/2016
Sampling Type: Soil
Sampling Condition: Cool & Intact
Sample Received By: Jodi Henson

Sample ID: S-4 2.0 (H600056-10)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-4 3.0 (H600056-11)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	01/13/2016	ND	400	100	400	0.00	

Sample ID: S-4 4.0 (H600056-12)

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AP					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	624	16.0	01/13/2016	ND	400	100	400	0.00	

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Notes and Definitions

ND	Analyte NOT DETECTED at or above the reporting limit
RPD	Relative Percent Difference
**	Samples not received at proper temperature of 6°C or below.
***	Insufficient time to reach temperature.
-	Chloride by SM4500Cl-B does not require samples be received at or below 6°C Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.




Celey D. Keene, Lab Director/Quality Manager



Page 7 of 7

ANALYSIS REQUEST

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326 #54



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Mariand, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

ANALYSIS REQUEST

Company Name: Talon/LPE		P.O. #:	
Project Manager: Kimberly M. Wilson		Company: Talon/LPE	
Address: 408 W. Texas Ave.		Attn:	
City: Artesia		State: NIM Zip: 88210	
Phone #: 575-746-8768		Fax #: 575-746-8905	
Project #: 700794/165.01		Project Owner: Aeron	
Project Name: Cotton Draw # 99		City:	
Project Location: Eddy City		State: Zip:	
Sampler Name: bly swin		Phone #:	
FOR LAB USE ONLY		Fax #:	
Lab I.D.		Sample I.D.	
H100006		H100006	
1		S-2 1.0	
2		S-2 2.0	
3		S-2 3.0	
4		S-2 4.0	
5		S-3 1.0	
6		S-3 2.0	
7		S-3 3.0	
8		S-3 4.0	
(G) RAB OR (C) OMP.		# CONTAINERS	
GROUNDWATER		WASTEWATER	
SOIL		OIL	
SLUDGE		OTHER :	
ACID/BASE:		ICE / COOL	
OTHER :		DATE	
11/16		10:53	
11/16		11:01	
11/16		11:05	
11/16		11:10	
11/16		11:39	
11/16		11:40	
11/16		11:43	
11/16		11:45	
Relinquished By:		Received By:	
Date: 11/16		Date: 11/16	
Time: 8:00		Time: 4:00	
Relinquished By:		Received By:	
Date:		Date:	
Time:		Time:	
Delivered By: (Circle One)		Sample Condition	
Sampler - UPS - Bus - Other:		Cool Intact	
4:22		Yes	
#54		No	
CHECKED BY:		CHECKED BY:	
Phone Result:		Phone Result:	
Fax Result:		Fax Result:	
Add'l Phone #:		Add'l Phone #:	
Add'l Fax #:		Add'l Fax #:	

† Cardinal cannot accept verbal changes. Please fax written changes to (575) 393-2326