

**From:** [Groves, Amber](#)  
**To:** [Blaney, Karolina](#)  
**Cc:** [Bratcher, Mike, EMNRD](#); [Patterson, Heather, EMNRD](#)  
**Subject:** RE: WPX Brushy Draw 35-12H - draft remediation plan  
**Date:** Tuesday, July 26, 2016 1:17:24 PM  
**Attachments:** image001.png  
image003.png

---

Karolina,

NMSLO is in agreement with NMOCD on work plan approval with the condition that the BLM #2 mix that is used be the LPC mixture. Please do NOT use the sandy sites mixture. Further, please notify me when you are ready to backfill as well.

Thank you,

**Amber Groves**

*Remediation Specialist*  
*Field Operations Division*  
(575)392-3697  
(575)263-3209 cell  
New Mexico State Land Office  
2827 N. Dal Paso Suite 117  
Hobbs, NM 88260

.....  
**CONFIDENTIALITY NOTICE** - This e-mail transmission, including all documents, files, or previous e-mail messages attached hereto, may contain confidential and/or legally privileged information. If you are not the intended recipient, or a person responsible for delivering it to the intended recipient, you are hereby notified that you must not read this transmission and that any disclosure, copying, printing, distribution, or use of any of the information contained in and/or attached to this transmission is STRICTLY PROHIBITED. If you have received this transmission in error, please immediately notify the sender and delete the original transmission and its attachments without reading or saving in any manner. Thank you.

---

**From:** Blaney, Karolina [mailto:Karolina.Blaney@wpxenergy.com]  
**Sent:** Monday, July 25, 2016 7:16 AM  
**To:** Groves, Amber <agroves@slo.state.nm.us>  
**Subject:** FW: WPX Brushy Draw 35-12H - draft remediation plan

Amber,

I sent the attached remediation plan to OCD as a draft and they approved it. I was going to copy you on the final version but I guess the draft has become the final plan. Will you please take a look at it and let me know if there is anything that I need to change or if there are any additional items that I need to complete in order to start the excavation? We are hoping to get this going after the line locates are completed which should be second half of this week.

Thank you so much for your help.

*Karolina Blaney*

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

[karolina.blaney@wpxenergy.com](mailto:karolina.blaney@wpxenergy.com)

---

**From:** Bratcher, Mike, EMNRD [<mailto:mike.bratcher@state.nm.us>]

**Sent:** Thursday, July 21, 2016 9:04 AM

**To:** Blaney, Karolina <[Karolina.Blaney@wpxenergy.com](mailto:Karolina.Blaney@wpxenergy.com)>; Patterson, Heather, EMNRD  
<[Heather.Patterson@state.nm.us](mailto:Heather.Patterson@state.nm.us)>; 'agroves@slo.state.nm.us' <[agroves@slo.state.nm.us](mailto:agroves@slo.state.nm.us)>

**Subject:** RE: Brushy Draw 35-12H - draft remediation plan

RE: WPX Energy \* North Brushy Draw (PW gathering line) \* **2RP-3684** \* DOR: 5/8/16

Karolina,

Your current proposal for remediation of the above referenced release is approved. Please advise once remedial activities have been scheduled.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, and for notification, please contact me.

Thank you,

**Mike Bratcher**

**NMOCD District 2**

**811 S. First Street**

**Artesia, NM 88210**

**O: 575-748-1283 X108**

**C: 575-626-0857**

**F: 575-748-9720**

---

**From:** Blaney, Karolina [<mailto:Karolina.Blaney@wpxenergy.com>]

**Sent:** Thursday, July 21, 2016 7:50 AM

**To:** Bratcher, Mike, EMNRD; Patterson, Heather, EMNRD

**Subject:** Brushy Draw 35-12H - draft remediation plan

Good morning,

Attached is the draft remediation plan, which we discussed last week, for the brushy draw 35-12H spill. It includes laboratory reports for samples collected from the borehole and from the impacted area. It appears that the chloride impacts are not very deep and groundwater quality was not compromised by this spill. Please let me know if I need to make any changes to this plan. If not, I will send it again with NM SLO copied on the email.

Thank you so much for your help with this project,

*Karolina Blaney*

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

[karolina.blaney@wpxenergy.com](mailto:karolina.blaney@wpxenergy.com)

---

This email has been scanned by the Symantec Email Security.cloud service.  
For more information please visit <http://www.symanteccloud.com>

---

---

This email has been scanned by the Symantec Email Security.cloud service.  
For more information please visit <http://www.symanteccloud.com>

---