

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Tuesday, January 24, 2017 10:28 AM
To: 'Ruth, Amy C.'; Weaver, Crystal, EMNRD
Cc: Tucker, Shelly
Subject: RE: Closure Request - 2RP-3376

RE: BOPCO, LP * BEU Hackberry 34 Fed 1 * 2RP-3376 * DOR: 10/25/15

Amy,

Based on saturated soils removed immediately after release, and analytical data provided, your request for closure of the above referenced release is approved. Federal sites will require like approval from BLM.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

If you have any questions or concerns, please contact me.

Thank you,

Mike Bratcher
NMOCD District 2
811 S. First St.
Artesia NM 88210
575-748-1283 Ext 108
mike.bratcher@state.nm.us

From: Ruth, Amy C. [mailto:ACRuth@BassPet.Com]
Sent: Friday, January 6, 2017 9:52 AM
To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>
Cc: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Subject: Closure Request - 2RP-3376

Hi Crystal,

I hope you had a great transition to our new year! I sure did. My grandbabies are presents in themselves! Anyway... to business now, I guess!

Attached is a closure request for our BEU Hackberry 34 Federal 001 SWD spill that occurred on 10-25-15. On my last visit to your office, December 19, 2016, you, Heather, and I discussed the details of our activities at this site. During the discussion, it was also put forward that BOPCO should go ahead and submit a closure request based on the final lab analysis. The attached report contains a brief summary of activities, data, and photos. Please review at your convenience and feel free to let me know if there are any other details you require.

Thank you, and have a great weekend!!



Amy C. Ruth

BOPCO, L.P.

EH&S Department

522 W. Mermod, Suite 704

Carlsbad, NM 88220

O: (575)689-3380

C: (432)661-0571