

talonlpe.com • 866.742.0742

Work Plan Lime Rock Resources II-A, L.P.:

West Red Lake Unit #56 | 30-015-28451 | 2RP-4184 |

May 18, 2017

Prepared By:

TALON/LPE 408 W. Texas Avenue Artesia, New Mexico 88210

Prepared For:

Lime Rock Resources II-A, L.P.

Mr. Mike Bratcher NMOCD District 2 811 S. 1st Street Artesia, NM 88210

Subject:

Soil Assessment and Remediation Work Plan

Lime Rock Resources II-A, L.P.

West Red Lake Unit #56 |30-015-28451|2RP-4184|

Dear Mr. Bratcher,

Lime Rock Resources (Lime Rock) has contracted Talon/LPE (Talon) to perform site assessment and remediation services at the above referenced location. The results of our soil and surface water assessment along with proposed remediation activities are included herein.

Site Information

The West Red Lake Unit #56 is located approximately twelve (12) miles east of Artesia, New Mexico. The legal location for this release is Unit Letter K, Section 7, Township 18 South and Range 27 East in Eddy County, New Mexico. More specifically the latitude and longitude for the release are 32.76122 North and -104.32071 West. A site plan is presented in Appendix I.

According to the soil survey provided by the United States Department of Agriculture Natural Resources Conservation Service, the soil in this area is made up of Arno-Harkey complex, saline with 0 to 1 percent slopes. Per the New Mexico Bureau of Geology and Mineral Resources, the local surface and shallow geology in the vicinity of the release is comprised of the Salado formation. An evaporate sequence, dominantly halite.

Ground Water and Site Ranking

The New Mexico State Engineer web site indicates that the nearest well is located in Section 1, Township 18 South and Range 26 East. This well has a reported depth to groundwater of 8-feet below ground surface (BGS). However groundwater was not observed during soil sampling activities at this site. See Appendix II for the referenced groundwater data.

Therefore the ranking for this site is a 20 based on the following:

Depth to ground water <50'
Wellhead Protection Area >1000'
Distance to surface water body <1000'

Incident Description and Initial Remedial Actions

On April 17, 2017, a nipple at the manifold fractured due to corrosion. The fracture resulted in the release of approximately 10bbls of produced water. The majority of the fluid flowed southeast across the soil surface. A small amount of overspray impacted the soil and vegetation northwest of the release point. Approximately 0.5bbl of produced water entered the river. There were no visual indicators (sheen, floating product, etc.) of hydrocarbons in the river at the time of discovery. The line was shut in and repaired.

Following discovery of the release a vacuum truck and backhoe were mobilized to the site to recover standing fluid and scrape up saturated soil in order to mitigate the impacts from the release. The impacted area on the river bank where the fluid entered the river was excavated to a depth of 2-feet BGS in order to prevent any further impacts to the river.

Talon mobilized personnel to conduct surface water and soil sampling within the affected area.

Laboratory Results

See Appendix IV for complete report of laboratory results.

April 17, 2017 Surface Water Sampling

Sample ID	Benzene (mg/L)	BTEX (mg/L)	Chlorides (mg/L)	TPH (mg/L) GRO	TPH (mg/L) DRO
W-1	< 0.001	< 0.006	1720	<1.00	<1.00
W-2	< 0.001	< 0.006	1760	<1.00	<1.00
W-3	< 0.001	< 0.006	1640	<1.00	<1.00

April 18, 2017 Soil Sampling

Sample ID	Depth (feet)	Benzene (mg/kg)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-1	2	< 0.50	<0300	240	<10.0	<10.0
S-1	3			272		
S-2	0	< 0.050	< 0.300	104000	<10.0	<10.0
S-2	1			6000		
S-2	2	(1, for <u></u>		3120	الإستاني عليه	
S-2	3			1550		
S-2	4	-		1040		
S-2	6			1500		
S-2	8		T. 14-16-1	944		
S-2	10			256		
S-2	12			128		

April 18, 2017 Soil Sampling Continued

Sample ID	Depth (feet)	Benzene (mg/kg)	BTEX (mg/kg)	Chlorides (mg/kg)	TPH (mg/kg) GRO	TPH (mg/kg) DRO
S-3	0	< 0.50	< 0.300	15000	<10.0	<10.0
S-3	1			2440		
S-3	2			2160		7 7
S-3	3			1380		
S-3	4	1 1 1 2		688		
S-3	6	/		768		
S-3	8		E.E	1300		
S-3	10		Die ber	480		
S-3	12			864		
S-4	0	< 0.50	< 0.300	7460	<10.0	<10.0
S-4	1			288		
S-4	2			608		
S-4	3		_	1440		
S-4	4			2400		
S-4	6	-		1260	74447122545	
S-4	8			1330		
S-4	10			1260		
S-4	12			544		

(--) Analyte Not Tested

Background Soil Sampling

Sample ID	Depth (feet)	Chlorides (mg/kg)
BG-1	0	160
BG-1	1	1600
BG-1	2	2200
BG-1	3	2680
BG-1	4	3160
BG-1	6	1090
BG-1	8	752
BG-1	10	352
BG-1	12	368
BG-2	0	160
BG-2	1	240
BG-2	2	272
BG-2	3	304
BG-2	4	544
BG-2	6	288
BG-2	8	224
BG-2	10	336
BG-2	12	368

Background Soil Sampling Continued

Sample ID	Depth (feet)	Chlorides (mg/kg)
BG-3	2	192
BG-3	4	1390
BG-3	6	1920
BG-3	8	848
BG-3	10	656
BG-3	12	864
BG-4	2	2920
BG-4	4	3320
BG-4	6	1360
BG-4	8	896
BG-4	10	656
BG-4	12	512
BG-5	2	4640
BG-5	4	53360
BG-5	6	1840
BG-5	8	2760
BG-5	10	2800
BG-5	12	2560

Mean background chloride concentration at depth

Depth (feet)	Chlorides (mg/kg)
0	160
1	920
2	2045
3	1492
4	12355
6	1300
8	1096
10	960
12	934

Based upon the site ranking of 20, NMOCD Recommended Remedial Action Levels (RRAL) are 50 mg/kg for BTEX, 10 mg/kg for Benzene, 100 mg/kg for TPH and the recommended guideline for Total Chlorides is 1,000 mg/kg.

Conclusions

A very small amount of brine water (approximately 0.5bbls) entered the river. Based on our analytical results from the surface water sampling and visual observations, there is no evidence that any hydrocarbons impacted the river. Also given the small amount brine water that did enter the river, the naturally high chloride concentrations of the river and analytical results from the surface water sampling event do not indicate that the introduced brine water resulted in any noticeable affect to water quality.

Based on the saline soil type, the proximity of the river which has historically contained high levels of chlorides, the high chloride concentrations discovered from the background soil analysis, vertical delineation to the NMOCD recommended chloride concentration of 250 mg/kg is not possible at every sample location. It is our opinion that the soil within the area that was affected by this release has been fully delineated. Furthermore, due to the high naturally occurring soil chloride concentrations in the project vicinity, remediation to the NMOCD recommended guidelines for total chlorides of 1,000 mg/kg is not practical.

Proposed Remedial Actions

- In order to prevent the potential for further impacts to the river, the flow path leading to the river was excavated to a depth of 2-feet BGS. A soil sample was taken in the bottom of the excavation (sample location S-1). The remaining soil in this area will be excavated to a depth of 1-foot BGS.
- The impacted area in the vicinity of sample location S-2 will be excavated to a depth of 4-feet BGS.
- The impacted area in the vicinity of sample location S-3 will be excavated to a depth of 3-feet BGS.
- The excavated area in the vicinity of sample location S-4 will be excavated to a depth of 1-foot BGS.
- All of the excavated soil will be hauled to a NMOCD approved solid waste disposal facility.
- The excavation will be backfilled with caliche and contoured to match the surrounding terrain.

Should you have any questions or if further information is required, please do not hesitate to contact our office at (575)-746-8768

Respectfully submitted,

TALON/LPE

Sheldon L. Hitchcock Project Manager

David J. Adkins District Manager

Attachments

Appendix I Site Plan


Appendix II Groundwater Data

Appendix III Initial C-141

Appendix IV Laboratory Results

APPENDIX I SITE PLAN







APPENDIX II GROUNDWATER DATA



New Mexico Office of the State Engineer Water Column/Average Depth to Water

(A CLW##### in the POD suffix indicates the POD has been replaced & no longer serves a water right file.)

(R=POD has been replaced, O=orphaned,

C=the file is

(quarters are 1=NW 2=NE 3=SW 4=SE)

(quarters are smallest to largest)

(NAD83 UTM in meters)

(In feet)

closed) POD Sub-QQQ Depth Depth Water **POD Number** Code basin County 64 16 4 Sec Tws Rng Distance Well Water Column RA 05989 3 2 4 01 18S 26E 562774 3626466* 1776 72 RA 02432 ED 2 3 1 12 18S 26E 3625443* 561764 1990 100

Average Depth to Water:

8 feet

Minimum Depth:

8 feet

Maximum Depth:

8 feet

Record Count: 2

Basin/County Search:

County: Eddy

UTMNAD83 Radius Search (in meters):

Easting (X): 563691

Northing (Y): 3624944

Radius: 2000

*UTM location was derived from PLSS - see Help

APPENDIX III INITIAL C-141

NM OIL CONSERVATION

District I 1625 N. French Dr., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources APR 2 1 2017

ARTESIA DISTRICT

Form C-141 Revised October 10, 2003

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

RECEIVED

Submit 2 Copies to appropriate District Office in accordance with Rule 116 on back side of form

Release Notification	on and Corrective Action
NAB1711547925	OPERATOR Initial Report Final Report
Name of Company: LIME ROCK RESOURCES II-A, LP 2775	Contact: Mike Barrett
Address: 1111 Bagby Street Suite 4600, Houston ,TX 77002	Telephone No.: 575-365-9724
Facility Name: WEST RED LAKE UNIT #56	Facility Type: Battery
Surface Owner: Private Mineral Owner	: Private Lease No. 30-015-28451
LOCATIO	ON OF RELEASE
	th/South Line Feet from the East/West Line County Eddy 1980' FWL
K 7 18S 27E 2100' FSI	
	Longitude -104,32066 W
Type of Release : Produced Water	E OF RELEASE Volume of Release : 10 bbls Volume Recovered: 8 bbls
Source of Release : Flowline	Date and Hour of Occurrence: Date and Hour of Discovery:
	4/17/2017 @ 10:00am 4/17/2017 @ 11:00 am
Was Immediate Notice Given? ☐ Yes ☐ No ☐ Not Require	If YES, To Whom? d Mike Bratcher-NMOCD NRC (NRC # 1175922)
By Whom? Sheldon Hitchcock	Date and Hour: 4/17/2017
Was a Watercourse Reached? ☑ Yes □ No	If YES, Volume Impacting the Watercourse. 0.5bbl
If a Watercourse was Impacted, Describe Fully.*	0.500
Approximately 1/2 barrel of produced water entered the Pecos River. No	sheen was observed on the water.
Approximately 11 dance of produced water effected the 1 constitution for	Should thus divisor to the major.
Describe Cause of Problem and Remedial Action Taken.*	
A nipple cracked due to corrosion causing a release of 10 barrels produ	ced water. The line was shut-in and the nipple repaired.
Describe Area Affected and Cleanup Action Taken.	
Approximately Ten (10) barrels of produced water were released due to approximately 8 barrels of produced water. Approximately 0.5 barrel of Talon was called to begin the site assessment.	a cracked nipple. A vac truck was called to the location immediately recovering if produced water entered the Pecos River. No sheen was observed on the water.
regulations all operators are required to report and/or file certain release public health or the environment. The acceptance of a C-141 report by should their operations have failed to adequately investigate and remed	to the best of my knowledge and understand that pursuant to NMOCD rules and enotifications and perform corrective actions for releases which may endanger the NMOCD marked as "Final Report" does not relieve the operator of liability late contamination that pose a threat to ground water, surface water, human health t does not relieve the operator of responsibility for compliance with any other
Signature: Mules B	OIL CONSERVATION DIVISION
Printed Name: Michael Barrett	Approved by District Supervisor:
Title: Production Superintendent	Approval Date: 4 25 17 Expiration Date: NA
E-mail Address: mbarrett@limerockresources.com	Conditions of Approval:
Date: 4/21/2017 Phone: 575-365-9724	see attached

* Attach Additional Sheets If Necessary

2RP-4184

APPENDIX IV LABORATORY RESULTS



April 19, 2017

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: WEST RED LAKE UNIT #56

Enclosed are the results of analyses for samples received by the laboratory on 04/18/17 16:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celeg D. Keine

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

04/18/2017

Reported:

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

04/17/2017

Sampling Type:

Water

Sampling Condition:

Cool & Intact

Sample Received By:

Tamara Oldaker

Sample ID: W-1 (H701027-01)

BTEX 8021B	mg/	L	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	< 0.001	0.001	04/19/2017	ND	0.020	98.1	0.0200	2.17	
Toluene*	<0.001	0.001	04/19/2017	ND	0.020	98.6	0.0200	1.97	
Ethylbenzene*	<0.001	0.001	04/19/2017	ND	0.021	106	0.0200	2.33	
Total Xylenes*	<0.003	0.003	04/19/2017	ND	0.061	102	0.0600	2.07	
Total BTEX	<0.006	0.006	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (PIL	96.0 %	6 72-148							
Chloride, SM4500CI-B	mg/l		Analyze	d By: AC		at the second			
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	1720	4.00	04/19/2017	ND	100	100	100	3.92	
TPH 8015M	mg/l	-	Analyze	d By: MS					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<1.00	1.00	04/19/2017	ND	51.6	103	50.0	4.73	
DRO >C10-C28	<1.00	1.00	04/19/2017	ND	58.9	118	50.0	0.209	
Surrogate: 1-Chlorooctane	143 %	6 37.1-138	3						
Surrogate: 1-Chlorooctadecane	148 %	6 44.6-151	!						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories,

Clay D. Kenne



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

04/18/2017

Reported:

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

04/17/2017

Sampling Type:

Water

Sampling Condition: Sample Received By: Cool & Intact

Tamara Oldaker

Sample ID: W-2 (H701027-02)

BTEX 8021B	mg/l	Ļ	Analyze	ed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.001	0.001	04/19/2017	ND	0.020	98.1	0.0200	2.17	
Toluene*	<0.001	0.001	04/19/2017	ND	0.020	98.6	0.0200	1.97	
Ethylbenzene*	<0.001	0.001	04/19/2017	ND	0.021	106	0.0200	2,33	
Total Xylenes*	<0.003	0.003	04/19/2017	ND	0.061	102	0.0600	2.07	
Total BTEX	<0.006	0.006	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (PIL	99.0 %	6 72-148							
Chloride, SM4500CI-B	mg/l	•	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	1760	4.00	04/19/2017	ND	100	100	100	3.92	
TPH 8015M	mg/l	-	Analyze	d By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<1.00	1.00	04/19/2017	ND	51.6	103	50.0	4.73	
DRO >C10-C28	<1.00	1.00	04/19/2017	ND	58.9	118	50.0	0.209	
Surrogate: 1-Chlorooctane	124 %	37.1-138	3						
Surrogate: 1-Chlorooctadecane	130 %	44.6-151	1						

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's Bability and Client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be lable for incidental or consequential damagas, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celley & Keens



TALON LPE
SHELDON HITCHCOCK
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

DTEV 0031D

04/18/2017

Reported:

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number: Project Location:

701307.098.01

K-7-18S-27E

Sampling Date:

04/17/2017

Sampling Type:

Water

Sampling Condition: Sample Received By: Cool & Intact

Tamara Oldaker

Sample ID: W-3 (H701027-03)

BTEX 8021B	mg/	'L	Analyze	d By: MS			x-,x		
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.001	0.001	04/19/2017	ND	0.020	98.1	0.0200	2.17	
Toluene*	<0.001	0.001	04/19/2017	ND	0.020	98.6	0.0200	1.97	
Ethylbenzene*	<0.001	0.001	04/19/2017	ND	0.021	106	0.0200	2.33	
Total Xylenes*	<0.003	0.003	04/19/2017	ND	0.061	102	0.0600	2,07	
Total BTEX	<0.006	0.006	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (PIL	96.8	% 72-148							
Chloride, SM4500Cl-B	mg/	'L	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride*	1640	4.00	04/19/2017	ND	100	100	100	3.92	
TPH 8015M	mg/	<u>L</u>	Analyze	d By: MS					S-04
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<1.00	1.00	04/19/2017	ND	51.6	103	50.0	4.73	
DRO >C10-C28	<1.00	1.00	04/19/2017	ND	58.9	118	50.0	0.209	
Surrogate: 1-Chlorooctane	139 9	% 37.1-13	8						
Surrogate: 1-Chlorooctadecane	145 %	% 44.6-15	1						

Amplement Des MC

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Uability and Damages. Cardinal's Biability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived urless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be fiable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



Notes and Definitions

S-04 The surrogate recovery for this sample is outside of established control limits due to a sample matrix effect.

BS1 Blank spike recovery above laboratory acceptance criteria. Results for analyte potentially biased high.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Ulability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of or fortis tuncered by dicardinal elaboration and the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Kune



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

ומוסיירו ר			ANALYSIS RECOEST	
Project Manager: う、十十しいんしい		P.O. #:	- 1.	
Address: 408 W. Texas Ave.		Company: Talon/LPE	er.	
City: Artesia state: NM zip: 88210	Zip: 88210	Attn:		
Phone #: 575-746-8768 Fax #: 575-746-8905	46-8905	Address:		
Project #: 70/307,098,0 Project Owner	Project Owner: Lime Rock	City:		
Lan	6	State: Zip:		
Project Location: K - 7 - (85 - 27E		Phone #:		
Sampler Name: 5, 4;+ch, cock		Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV SAMPLING		
Lab I.D. Sample I.D.	OR (C)OMP. TAINERS NDWATER EWATER		H Ex Iorides	
4701027	# COI GROL	ACID/	TF BI	
) W-(/		
	9	1 / 4/17/17 3:46		
3 V-3	₹ -	1 / 4/17/17 4:00		
			4	
PLEASE NOTE: Libbity and Damages. Cardinat's liabity and client's exclusive remedy for any claim arising whether based in contract or tort, shall be limited to the amount paid by the client for the	y claim arising whether based in contract	or tort, shall be limited to the amount paid by the client for t	the	

analyses. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within 30 days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, sillulates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise.

Received By:

Received By: Refinquished By: Delivered By: (Circle One) Time: Date: 18-17 Received By: Elmara (Sample Condition CHECKED BY: (Inftials) Phone Result:
Fax Result:
REMARKS: Rush ☐ Yes ☐ No

> Add'I Fax #: Add'I Phone #:

Sampler - UPS - Bus - Other:

7.50

Cool Intact
Wes Tyes
No No

Page 6 of 6



April 19, 2017

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: WEST RED LAKE UNIT #56

Enclosed are the results of analyses for samples received by the laboratory on 04/18/17 16:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552,2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celeg D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

04/18/2017

04/19/2017

Reported: Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

04/18/2017 Soil

Sampling Type:

Sampling Condition: Sample Received By: Cool & Intact

Tamara Oldaker

Sample ID: BG-1 0' (H701028-01)

Chloride, SM4500Cl-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-1 1' (H701	1028-02)								
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1600	16.0	04/19/2017	ND	464	116	400	14.8	·
Sample ID: BG-1 2' (H701	1028-03)								
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2200	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-1 3' (H701	L028-04)								
Chloride, SM4500Cl-B	mg,	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2680	16.0	04/19/2017	ND	464	116	400	14.8	

Cardinal Laboratories

*=Accredited Analyte

PLESE NOTE: Uability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Kreine



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received: Reported: 04/18/2017

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

Sampling Type:

04/18/2017

Soil

Sampling Condition: Sample Received By: Cool & Intact

Tamara Oldaker

Sample ID: BG-1 4' (H701028-05)

Chloride, SM4500Cl-B	mg,	mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	3160	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-2 0' (H70	1028-06)								
Chloride, SM4500Cl-B	mg	mg/kg		d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	160	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-2 1' (H70	1028-07)								
Chloride, SM4500Cl-B	mg	mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-2 2' (H70	1028-08)								
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	04/19/2017	ND	464	116	400	14.8	
Sample ID: BG-2 3' (H70)1028-09)								
Chloride, SM4500Cl-B	-	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	304	16.0	04/19/2017	ND	464	116	400	14.8	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and PLEASE FOIL: Destroy and behalipes. Carolina's placing and the liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by Client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 04/18/2017

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

Analyte

K-7-18S-27E

Result

544

Sampling Date:

BS

464

Sampling Type:

04/18/2017

Soil

Sampling Condition: Sample Received By:

Cool & Intact

Tamara Oldaker

Sample ID: BG-2 4' (H701028-10)

Chloride, SM4500CI-B

Chloride

mg/kg

Analyzed By: AC

Reporting Limit

16.0

Analyzed

04/19/2017

Method Blank

ND

% Recovery 116

True Value QC 400

RPD

14.8

Qualifier

Sample ID: S-1 2' (H701028-11)

BTEX 8021B	mg,	mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/19/2017	ND	2.35	117	2.00	0.525	
Toluene*	<0.050	0.050	04/19/2017	ND	2.15	107	2.00	0.517	
Ethylbenzene*	<0.050	0.050	04/19/2017	ND	2.12	106	2.00	0.333	
Total Xylenes*	<0.150	0.150	04/19/2017	ND	6.08	101	6.00	0.443	
Total BTEX	<0.300	0.300	04/19/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIL	99.2								
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC				TO A SAFETY CONTRACTOR OF THE SAFETY CONTRACTO	EVERTONIAN LET ENTE DE LECTRONIAN
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	240	16.0	04/19/2017	ND	464	116	400	14.8	
TPH 8015M	8015M mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/19/2017	ND	191	95.5	200	0.774	
	<10.0	10.0	04/19/2017	ND	194	97.0	200	2.40	

Surrogate: 1-Chlorooctane

28.3-164

Surrogate: 1-Chlorooctadecane

119%

34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210

Fax To:

(575) 745-8905

Received:

04/18/2017

Sampling Date:

04/18/2017

Reported:

04/19/2017

Sampling Type:

Soil

Project Name:

WEST RED LAKE UNIT #56

Sampling Condition:

Cool & Intact

Project Number:

701307.098.01

Sample Received By:

Tamara Oldaker

Project Location:

K-7-18S-27E

Sample ID: S-1 3' (H701028-12)

Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						WORKS CAN TO THE REAL PROPERTY OF THE PARTY
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	272	16.0	04/19/2017	ND	464	116	400	14.8	

Sample ID: S-2 0' (H701028-13)

BTEX 8021B	mg/kg		Analyzed By: MS						MANAGERO SOME PATHONERING SHAME HELDERS MANAGERO SOME
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/19/2017	ND	2.35	117	2.00	0.525	
Toluene*	<0.050	0.050	04/19/2017	ND	2.15	107	2.00	0.517	
Ethylbenzene*	<0.050	0.050	04/19/2017	ND	2.12	106	2.00	0.333	
Total Xylenes*	<0.150	0.150	04/19/2017	ND	6.08	101	6.00	0.443	
Total BTEX	<0.300	0.300	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (P1E	98.3	% 72-148	•						

Surrogate: 4-Bromofluorobenzene (P1L)	98.3	% 72-148							
Chloride, SM4500Cl-B	mg	/kg	Analyze	ed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	10400	16.0	04/19/2017	ND	464	116	400	14.8	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/19/2017	ND	191	95.5	200	0.774	
DRO >C10-C28	<10.0	10.0	04/19/2017	ND	194	97.0	200	2.40	
Surrogate: 1-Chlorooctane	117	% 28.3-164	4						

Surrogate: 1-Chlorooctadecane

123 %

34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Kenne



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received: Reported: 04/18/2017

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

6000

Result

3120

Sampling Date:

Sampling Type:

04/18/2017

Soil

Sampling Condition: Sample Received By:

Cool & Intact

Tamara Oldaker

Sample ID: S-2 1' (H701028-14)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Result Reporting Limit

16.0

Reporting Limit

16.0

Reporting Limit

Reporting Limit

16.0

Analyzed 04/19/2017 Method Blank ND

BS 464 % Recovery 116

% Recovery

116

True Value QC 400

RPD 14.8 Qualifier

Chloride

Sample ID: S-2 2' (H701028-15)

Chloride, SM4500Cl-B

Analyte

Analyte

Analyte

Analyte

mg/kg

Analyzed By: AC

Method Blank

ND

BS

464

True Value QC

RPD

Qualifier

Chloride

Sample ID: S-2 3' (H701028-16)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyzed

Analyzed

04/19/2017

Method Blank

% Recovery True Value QC RPD

Qualifier

Chloride

Result 1550

Result

1040

16.0

116

400

14.8

04/19/2017

ND

464

BS

464

400

14.8

Sample ID: S-2 4' (H701028-17)

Chloride, SM4500Cl-B

mg/kg

Analyzed

Analyzed By: AC

Method Blank

True Value QC % Recovery

RPD

Chloride

Chloride

16.0 04/19/2017

ND

116

400

14.8

RPD

14.8

Oualifier

Sample ID: S-2 6' (H701028-18)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Result Reporting Limit

1500

Analyzed

Method Blank 04/19/2017

ND

BS

464

% Recovery

116

True Value QC 400

Qualifier

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and arry other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or conseq Including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, effiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

04/18/2017

Reported:

04/19/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number: Project Location:

K-7-18S-27E

701307.098.01

Sampling Date:

Sampling Type:

04/18/2017

Soil

Sampling Condition: Sample Received By:

Cool & Intact

Tamara Oldaker

Sample ID: S-2 8' (H701028-19)

Chloride, SM4500Cl-B

Chloride

Chloride

mg/kg

944

Result

256

Analyzed By: AC

Analyte

Result Reporting Limit

16.0

Analyzed 04/19/2017 Method Blank ND

BS 432

True Value QC % Recovery

RPD

0.00

Qualifier QM-07

Sample ID: S-2 10' (H701028-20)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Reporting Limit

16.0

Analyzed 04/19/2017 Method Blank ND

Method Blank

ND

BS 432

% Recovery 108

108

True Value QC 400

400

RPD

Qualifier

Sample ID: S-2 12' (H701028-21)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit
Chloride	128	16.0

Analyzed 04/19/2017

432

108

% Recovery

True Value QC 400

RPD 0.00

0.00

Qualifier

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequ including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg Ditiene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received: Reported: 04/18/2017

04/19/2017

Project Name: Project Number: WEST RED LAKE UNIT #56

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

04/18/2017

Sampling Type:

Soil

Sampling Condition: Sample Received By: Cool & Intact

Tamara Oldaker

Sample ID: S-3 0' (H701028-22)

BTEX 8021B	mg/kg		Analyzed By: MS					·····	
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/19/2017	ND	2.35	117	2.00	0.525	
Toluene*	<0.050	0.050	04/19/2017	ND	2.15	107	2.00	0.517	
Ethylbenzene*	<0.050	0.050	04/19/2017	ND	2.12	106	2.00	0.333	
Total Xylenes*	<0.150	0.150	04/19/2017	ND	6.08	101	6.00	0.443	
Total BTEX	<0.300	0.300	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (PIL	98.9 %	6 72-148	}						
Chloride, SM4500Cl-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	15000	16.0	04/19/2017	ND	432	108	400	0.00	
TPH 8015M	mg/	kg	Analyze	Analyzed By: MS		100			···············
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/19/2017	ND	191	95.5	200	0.774	
DRO >C10-C28	<10.0	10.0	04/19/2017	ND	194	97.0	200	2.40	
Surrogate: 1-Chlorooctane	101 %	6 28.3-16	··4						
Surrogate: 1-Chlorooctadecane	105 %	6 34.7-15	7						

Sample ID: S-3 1' (H701028-23)

Chloride, SM4500Cl-B mg/kg		Analyzed By: AC							
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2440	16.0	04/19/2017	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Ulability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed walved unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be lable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dalm is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keine



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

04/18/2017

Sampling Date:

04/18/2017

Reported:

04/19/2017

Sampling Type:

Soil

Project Name:

WEST RED LAKE UNIT #56

Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sample ID: S-3 2' (H701028-24)

Chloride,	M4500Cl-B
-----------	-----------

mg/kg

Analyzed By: AC

Analyte

Result Reporting Limit

Reporting Limit

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

Analyzed

Method Blank

BS % Recovery

108

True Value QC 400

Qualifier

Chloride

2160

04/19/2017 16.0

ND

432

RPD 0.00

Sample ID: S-3 3' (H701028-25)

Analyte

Analyte

Analyte

Analyte

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyzed

Analyzed

Analyzed

04/19/2017

Analyzed

04/19/2017

Method Blank

% Recovery

108

True Value QC

Qualifier

Chloride

Result 1380

04/19/2017 16.0

ND

BS 432

400

RPD 0.00

Sample ID: S-3 4' (H701028-26)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Method Blank

% Recovery

Chloride

Result 688

Result

768

Result

1300

04/19/2017 16.0

ND

BS

True Value QC

RPD

Qualifier

432

108

400

0.00

Sample ID: S-3 6' (H701028-27)

Chloride,	SM4500Cl-B

mg/kg

Analyzed By: AC

Method Blank

ND

BS

432

BS

432

% Recovery

108

True Value QC

RPD

Qualifier

Chloride

Chloride

mg/kg

Analyzed By: AC

Method Blank

ND

400

0.00

Sample ID: S-3 8' (H701028-28)

Chloride, SM4500Cl-B

% Recovery

108

True Value QC

400

RPD Qualifier

0,00

Cardinal Laboratories

*=Accredited Analyte

All claims, including those for negligence and PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dalm is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Frene

Celey D. Keene, Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210

Fax To:

(575) 745-8905

Received:

04/18/2017

Sampling Date:

04/18/2017

Reported:

04/19/2017

Sampling Type:

Soil

Project Name:

WEST RED LAKE UNIT #56

Sampling Condition:

Cool & Intact

Project Number:

701307.098.01

Sample Received By:

Tamara Oldaker

Project Location:

K-7-18S-27E

Sample ID: S-3 10' (H701028-29)

Chloride, SM4500Cl-B	mg,	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	480	16.0	04/19/2017	ND	432	108	400	0.00	

Sample ID: S-3 12' (H701028-30)

Chloride, SM4500Cl-B	mg	/kg	Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	864	16.0	04/19/2017	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its substidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal laboratories.

Celey & Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210

Fax To:

(575) 745-8905

Received:

04/18/2017

Sampling Date:

04/18/2017

Reported:

04/19/2017

Sampling Type:

Soil

Project Name:

WEST RED LAKE UNIT #56

Sampling Condition: Sample Received By: Cool & Intact Tamara Oldaker

Project Number:

701307.098.01

123 %

34.7-157

Project Location:

K-7-18S-27E

Sample ID: S-4 0' (H701028-31)

BTEX 8021B	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	04/19/2017	ND	2.35	117	2.00	0.525	
Toluene*	<0.050	0.050	04/19/2017	ND	2.15	107	2.00	0.517	
Ethylbenzene*	<0.050	0.050	04/19/2017	ND	2.12	106	2.00	0.333	
Total Xylenes*	<0.150	0.150	04/19/2017	ND	6.08	101	6.00	0.443	
Total BTEX	<0.300	0.300	04/19/2017	ND					
Surrogate: 4-Bromofluorobenzene (PIL	99.0	% 72-148							
Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	7460	16.0	04/19/2017	ND	432	108	400	0.00	
TPH 8015M	mg/kg		Analyzed By: MS						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	04/19/2017	ND	191	95.5	200	0.774	
DRO >C10-C28	<10.0	10.0	04/19/2017	ND	194	97.0	200	2.40	
Surrogate: 1-Chlorooctane	113 %	6 28.3-16	4			-			

Sample ID: S-4 1' (H701028-32)

Surrogate: 1-Chlorooctadecane

Chloride, SM4500CI-B	mg/kg		Analyzed By: AC						
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	288	16.0	04/19/2017	ND	432	108	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Keine



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received:

04/18/2017

Sampling Date:

04/18/2017

Reported:

04/19/2017

Sampling Type:

Soil

Project Name:

WEST RED LAKE UNIT #56

Sampling Condition:

Cool & Intact

Project Number: Project Location:

701307.098.01 K-7-18S-27E

Sample Received By:

Tamara Oldaker

Sample ID: S-4 2' (H701028-33)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Reporting Limit

16.0

Reporting Limit

Reporting Limit

Reporting Limit

16.0

Reporting Limit

16.0

Analyzed

Method Blank

BS % Recovery

108

True Value QC

Qualifier RPD

Chloride

Result 608

04/19/2017

ND

432

400

0.00

Sample ID: S-4 3' (H701028-34)

Chloride, SM4500Cl-B

Analyte

Analyte

mg/kg

Analyzed By: AC

BS

True Value QC % Recovery

RPD

Qualifier

Chloride

1440

Result

16.0 04/19/2017

Analyzed

Method Blank ND

432

108

108

% Recovery

108

400

0.00

Sample ID: S-4 4' (H701028-35)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyzed

Analyzed

04/19/2017

Method Blank

BS

% Recovery True Value QC RPD

Chloride

Result 2400

Result

04/19/2017 16.0

ND

432

BS

432

BS

432

400

0.00

Qualifier

Sample ID: S-4 6' (H701028-36)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AC

Method Blank

ND

True Value QC

400

RPD

0.00

Qualifier

Chloride

Chloride

1260

Sample ID: S-4 8' (H701028-37)

Analyte

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Result

1330

Analyzed

04/19/2017

Method Blank ND

% Recovery

108

True Value QC

400

RPD 0.00 Qualifier

Cardinal Laboratories

*=Accredited Analyte

Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and PLEASE NOTE: Liability and Damages, any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequ including, without limitation, business interruptions, loss of use, or loss of profits incurred by dient, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such dalm is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg Diene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Reported: 04/19/2017

Project Name: Project Number:

Received:

Chloride

Chloride

WEST RED LAKE UNIT #56

16.0

Reporting Limit

16.0

Project Location:

701307.098.01 K-7-18S-27E

04/18/2017

Sampling Date:

04/18/2017 Soil

Sampling Type: Sampling Condition:

Cool & Intact

Sample Received By:

Tamara Oldaker

Sample ID: S-4 10' (H701028-38)

Chloride, SM4500Cl-B

mg/kg

Analyte Result Reporting Limit 1260

Result

544

Analyzed 04/19/2017 Method Blank ND

BS 432 % Recovery

108

True Value QC 400

RPD Qualifier

0.00

Sample ID: S-4 12' (H701028-39)

Analyte

Chloride, SM4500CI-B mg/kg

Analyzed By: AC

Analyzed By: AC

Analyzed

04/19/2017

Method Blank ND

BS 432 % Recovery 108

True Value QC 400

RPD

0.00

Qualifier

Cardinal Laboratories

*=Accredited Analyte

PLEASE, NOTE: Uability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinel, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg Ditiene



Notes and Definitions

QM-07 The spike recovery was outside acceptance limits for the MS and/or MSD. The batch was accepted based on acceptable LCS

recovery.

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keene



101 East Marland, Hobbs, NM 88240

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

(5/5) 393-2326 FAX (575) 393-2476 Company Name: Talon/LPE		
Project Manager: S, Hitch coch	P.O. #	ANALYSIS REQUEST
W. T	Company: Talon/LPF	
City: Artesia State: NM Zip: 88210	ı	
575-746-8768 Fax #: 575-7	Address:	
307,096,0 Project Owner: 1 Me	Rock city:	
15st Red Larcount #56		
Project Location: K ~ / ~ (\$5 ~ 27E	*	
Sampler Name: 5. + +Ch/och		
2. Colono	Fax #:	
IP.	MATRIX PRESERV SAMPLING	
Sample I.D. Sample I.D. AB OR (C)OM NTAINERS JINDWATER TEWATER	R: BASE: COOL	
(G)F	OTH DATE TIME	
00, - 0	/ 4/18/17 gioc	
286-1	7 20,8	
06-10	1 30.8	
	/ 87.8	
	7 9:10	
000	8:36/	
0 0/-2 3	8:32	
200	8:36	
00-3 1	8:38	
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remody for any rigin matrice whether	/ 8hi8	
analyses. All claims including those for negligence and any other cause whatsoever shall be demonsted waived unless made in writing and received by Cardinal within 30 days after completion of the applicable	evo in contract of tort, shall be limited to the amount paid by the client for the in writing and received by Cardinal within 30 days after completion of the applicable	
affishers or successors arising out of or related to the performance of services hereunder by Carlina, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Refinquished By: Date:	Interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, er such claim is based upon any of the above stated reasons or otherwise.	
1	Phone Result:	□ No Add'i Phone #: □ No Add'i Fax #:
Time; 3<	Mille Rack	
()	CHECKED BY:	
Sampler - UPS - Bus - Other: 490 Gool		
+ Cardinal cannot account worked chances Diagrams	o L I wo	

Page 15 of 18

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

Company Name: Talon/LPE			
Project Manager:		P.O. #:	AINTI UIS REQUEST
Address: 408 W. Texas Ave.		Company: Talon/LPE	
City: Artesia	State: NM Zip: 88210	l l	
Phone #: 575-746-8768		Address:	
Project #:		City:	
Project Name:		State: Zin:	
	こよて、		
Semilar Location: Webt Fox Lake	aust 456	Phone #:	
Sampler Name:		Fax #:	
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING	5
Lab I.D. Sample I.D.	RAB OR (C)OM ONTAINERS OUNDWATER STEWATER IL	HER: D/BASE: / COOL HER:	-PH 3TEX Worlde
11 5-1 2		Ż	7
125-13'	6	1 (4.02	
135-20	1 2	1 9:10	
19 5-2 "	\$\script{\script{\color{1}}{\color{1}{\color{1}}}}	21.6	
15 6-2 2	C	M:6 / /	
165-23	6	7) ib / /	
176-24	<u>c</u>	0100	
185-26	61	92:50	
5-2	[] 5	7 \ 0:22	
2012-510	6.	1/ 4:2u	
Lessos (not let. Labully and clemages, Cardinal's lability and cleen naisyes. All claims including those for negligence and any other carevice. In no event shall Cardinal be lable for incidental or consequitions or successors arising out of or related to the performance o	-Lipace (not let. Library and Darriages, Cardinal's babilty and client's exclusive remedy for any claim arising whether based in contract or fort, shall be limited to the africant paid by the client for the analysis s. All claims including those for negligence and any other cause whatsoever shall be deemed walved unless rade in writing and received by Cardinal within 30 days after completion of the applicable in one event shall Cardinal be liable for incidental or consequential damages, including what limitation, business interruptions, loss of use of profits incurred by client, its subcidences, after the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard the consequence of services hereunder by Cardinal tenanties of whether such same hard to the same hard	tort, shall be limited to the amount paid by the clie nceived by Cardinal within 30 days after completion s of use, or loss of profits incurred by client, its sub-	t for the of the applicable
telinquished By:	Relinquished By: Date: Received By: For Boults.	Phone	□ Yes □ No
	Time:	REMARKS:	□Yes
Relinquished By:	Date: 4-/8-/7 Received By:	R	Para
Delivered By: (Circle One)	Sample Condition	CHECKED BY:	

Sampler - UPS - Bus - Other:

† Cardinal cannot accont vorbal chances Bloses for written abanages to IETE one once

PG 2054 Page 16 of 18

PG 3 OF

CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name: Talon/LPE			Kinderik en eritekterin eritekte vonata Kinderik en eritekterin eritekte vonata den eritekterin eritekterin eritekterin eritekterin eritekterin eritekterin eritek	
Project Manager:		P.O. #:	Company on the Company of the Compan	ANALYSIS REQUEST
Address: 408 W. Texas Ave.		Company: Talon/LPF		
State: NM	Zip: 88210	- 1.		
Phone #: 575-746-8768 Fax #: 575-746-8905		Address:		
Project #: Project Owner:		City:		
Project Name: レムナ Ra しak いいナ井らん	36	State: Zip:		
Project Location:		#		
Sampler Name:				
EDDING: CEDNIX		Fax #:		
FOR LAB USE ONLY	MATRIX	PRESERV. SAMPLING		
Lab I.D. Sample I.D.	RAB OR (C)OMF CONTAINERS COUNDWATER STEWATER IL JDGE HER:	D/BASE: / COOL HER :	TEX wbnide	
21 5-2 12	- # V S S	A		
8 5-3 0	0		9130	
25 5-3 1	6-1	9	9137	
24 4-3 2	9-	\ 9	9:34	
25 2-0 0,	6 -	9	9:36	
2 5-3 H	P .	/ 4	9:33	
5-3 6	-	/ 9	95.46	
2-2-8	9	9	4:48 /	
5-3 0	-	7	1 144	
LEASE NOTE: Liability and Damagos, Cardinal's liability and client's exclusion research.	क -		1 19/18	
manyses. All claims including those for negligence and any other cause whetevolve any claim alking whether based in contract or tort, shall be firsted to the amount paid by the client for the service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, statistical or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whether such claim is besed from any of the above of the above of services.	 rearm arising whether based in contract or the owned waived unless made in writing and rectification business interruptions, loss that, recardless of whether such chair is he 	ort, shall be limited to the amount paid by sived by Cardinal within 30 days after cor of use, or loss of profits incurred by client and important of the about the limited by client.	the clent for the mplicable this subsidiaries, the subsidiaries,	
Relinquished By: Date:	Received By:	P)	ř.	
Herlan Mine:		R	Yes 🗆	
1	Received By:	7///	>	
Time: 55	Jamara di	Market W	rusa	

Sampler - UPS - Bus - Other:

+ Cardinal rannot arrent verhal channee Dleace fav written eksesses to IETFI een eens

4.90

Sample Condition
Cool Intact
Yes Yes
No No

Delivered By: (Circle One)



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

Company Name	Company Name: Talon/LPE			The second secon		ANALYSIS DECLIEST
Project Manager:	97:		P.O. #:	online and here and department		
Address: 408 W.	W. Texas Ave.		Company: Talon/LPE			
city: Artesia	State: NM	zip: 88210				
Phone #: 575-746-8768	Fax #: 575-7		Address:			
Project #:	Project Owner:		City:			
Project Name: レムナ	JOST RESIDENCE CLIMIT FR	,	State: Zip:			
Project Location:			*		-	
Sampler Name:			Fax #·			
FOR LAB USE ONLY		MATRIX	PRESERV SAMPLING			
		R			les	
Lab I.D.	Sample I.D.	(G)RAB OR (C) # CONTAINERS GROUNDWATE WASTEWATER SOIL OIL SLUDGE	OTHER: ACID/BASE: ICE / COOL OTHER: DA	TPH On the	BTEX Churi	
22	5-40		1 CH LOTT 2	8		
B	5-41	6		2,02		
000		6 /	1,2 \ 7,	2:04		
40	5-43	G - /	1/ / 2'	70,2		
% %	5-44	6	/ / 2	80,2		
36	2-46	€ -	I	•	\	
37	8	6 -	(2)	7.5	\	
38		-	2	2114	\	
9	5-412	9	/ / 20	166	//	
PLEASE NOTE: Liability an analysies. All claims includir	PLEASE NOTE: Uability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising whether based in contract or ton, shall be limited to the amount paid by the client for the	claim arising whether based in contract or	tort, shall be smitted to the amount paid by the	e client for the		
service. In no event shall Co	service. In no event shall Cardinal be liable for incidental or consequental damages, including without irritation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal regardless of whether such claim is based upon any of the above stated reasons or otherwise	ithout limitation, business interruptions, los linal, regardless of whether such claim is b	s of use, or loss of profits incurred by client, it assed upon any of the above staked reasons of	beion of the appacable is subsidiaries,		
Relinquished By:	/: Date:	Received By:	Pho	÷	Yes No	Add'l Phone #:
Warder.	Time:		RE		C	Aud i Fax #:
Relinquished By:	Date: 4-18-17	Received By:	Ma Ken	5	77.70	
Delivered By: (Circle One)	(Circle One)	Sample Condition	CHECKED BY:			19. mary 2011
		Continue				

Sampler - UPS - Bus - Other:



May 12, 2017

SHELDON HITCHCOCK

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: WEST RED LAKE UNIT #56

Enclosed are the results of analyses for samples received by the laboratory on 05/05/17 15:35.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab accred certif.html.

Cardinal Laboratories is accreditated through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2

Haloacetic Acids (HAA-5)

Method EPA 524.2

Total Trihalomethanes (TTHM)

Method EPA 524.4

Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

Celey D. Keene

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,

Celey D. Keene

Lab Director/Quality Manager



TALON LPE
SHELDON HITCHCOCK
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received:

05/05/2017

Reported:

Chloride, SM4500CI-B

05/12/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number:

701307.098.01

mg/kg

Project Location:

K-7-18S-27E

Result

368

Reporting Limit

16.0

Analyzed

05/09/2017

Sampling Date:

05/04/2017

Sampling Type:

Soil

True Value QC

400

RPD

0.00

Qualifier

Sampling Condition:

** (See Notes)

Sample Received By:

Tamara Oldaker

Sample ID: BG-1 6' (H701218-01)

Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	1090	16.0	05/09/2017	ND	416	104	400	0.00	
Sample ID: BG-1 8' (H70	1218-02)								
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	752	16.0	05/09/2017	ND	416	104	400	0.00	
Sample ID: BG-1 10' (H7	(01218-03)								
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	352	16,0	05/09/2017	ND	416	104	400	0.00	
Sample ID: BG-1 12' (H7	701218-04)								
Chloride, SM4500Cl-B	mg	/kg	Analyze	d By: AC					

Method Blank

ND

BS

416

% Recovery

104

Analyzed By: AC

Cardinal Laboratories

Analyte

Chloride

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatscever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keens



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905

Fax To:

Received:

05/05/2017

Reported:

05/12/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number: Project Location:

K-7-18S-27E

701307.098.01

Sampling Date:

05/04/2017

Sampling Type:

Soil

Sampling Condition:

** (See Notes) Tamara Oldaker

Sample Received By:

Sample ID: BG-2 6' (H701218-05) Chloride, SM4500CI-B

mg/kg

Analyzed By: AC

Analyte

Result 288

Reporting Limit 16.0

Reporting Limit

Reporting Limit

16.0

Analyzed 05/09/2017

Analyzed

Analyzed

05/09/2017

Method Blank ND

416

% Recovery 104

True Value QC 400

RPD

0.00

Qualifier

Sample ID: BG-2 8' (H701218-06)

Chloride, SM4500Cl-B

Analyte

Analyte

Analyte

mg/kg

Analyzed By: AC

BS

% Recovery

RPD Qualifier

Chloride

Chloride

Result 224

Result

336

16.0 05/09/2017 ND

Method Blank

416

BS

416

104

True Value QC 400

0.00

Sample ID: BG-2 10' (H701218-07)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Method Blank

ND

% Recovery

True Value QC

400

RPD

0.00

Qualifier

Chloride

Sample ID: BG-2 12' (H701218-08) Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Method Blank

BS

% Recovery

104

True Value QC

RPD

0.00

Qualifier

Chloride

Result 368

Result

192

Reporting Limit 16.0

Reporting Limit

16.0

Analyzed 05/09/2017

Analyzed

05/09/2017

ND

Method Blank

ND

416

104

104

400

Chloride

Sample ID: BG-3 2' (H701218-09)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

% Recovery BS

416

True Value QC

400

RPD 0.00

Qualifier

Cardinal Laboratories

Analyte

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keena

Celey D. Keene, Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

05/05/2017

Sampling Date:

05/04/2017

Reported:

Sampling Type:

Soil

Project Name:

05/12/2017

WEST RED LAKE UNIT #56

Sampling Condition: Sample Received By: ** (See Notes) Tamara Oldaker

Project Number:

701307.098.01

Project Location:

K-7-18S-27E

Sample ID: BG-3 4' (H701218-10)

Chloride,	SM4500CI-B

mg/	кg
-----	----

Analyzed By: AC

Analyte

Result 1390 Reporting Limit 16.0

Reporting Limit

16.0

Reporting Limit

Reporting Limit

Reporting Limit

16.0

Analyzed 05/09/2017

Analyzed

Analyzed

Analyzed

Analyzed

05/09/2017

Method Blank ND

BS 416 % Recovery 104

True Value QC 400

Qualifier

Chloride

Chloride, SM	4500CI-B
	Analyte

mg/kg

Analyzed By: AC

Method Blank

BS

True Value QC % Recovery

RPD

0.00

Chloride

1920

Result

05/09/2017

ND

416

104

400

RPD Qualifier 0.00

Sample ID: BG-3 8' (H701218-12)

Sample ID: BG-3 6' (H701218-11)

Chloride, SM4500Cl-B

Analyte

Analyte

mg/kg

Analyzed By: AC

BS

Chloride

Result 848

05/09/2017

Method Blank

True Value QC 400

16.0

ND

416

RPD 0.00 Qualifier

Sample ID: BG-3 10' (H701218-13)

Chloride, SM4500Cl-B

mg/kg

mg/kg

Analyzed By: AC

Method Blank

Chloride

Chloride

Result 656

Result

864

16.0 05/09/2017 ND

BS 448 % Recovery 112

% Recovery

112

% Recovery

104

True Value QC 400

RPD 0.00 Qualifier

Qualifier

Sample ID: BG-3 12' (H701218-14)

Chloride, SM4500Cl-B

Analyzed By: AC

Method Blank

ND

BS

448

True Value QC

400

RPD

0,00

Cardinal Laboratories

Analyte

*=Accredited Analyte

PLEASE NOTE: Liability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses, All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg & Keine

Celey D. Keene, Lab Director/Quality Manager



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 Fax To: (575) 745-8905

Received:

05/05/2017

05/12/2017

Reported: Project Name:

Project Number:

WEST RED LAKE UNIT #56

Project Location:

701307.098.01 K-7-18S-27E

Sampling Date:

05/04/2017

Sampling Type:

Soil

Sampling Condition:

** (See Notes)

Sample Received By:

Tamara Oldaker

Sample ID: BG-4 2' (H701218-15)

Chlorida	. SM4500Cl-E	ŧ

mg/kg

Analyzed By: AC

	Analyte
--	---------

Chloride, SM4500CI-B

Analyte

Result Reporting Limit

16.0

Reporting Limit

16.0

Analyzed 05/09/2017

Analyzed

05/09/2017

Method Blank ND

BS 448 % Recovery 112

112

112

True Value QC 400

400

400

RPD Qualifier

0.00

Chloride

Chloride

Chloride

Sample ID: BG-4 4' (H701218-16)

2920

Result

3320

mg/kg

Analyzed By: AC

Method Blank

BS 448 % Recovery True Value QC RPD

0.00

0.00

RPD

0.00

Oualifier

Sample ID: BG-4 6' (H701218-17)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte	Result	Reporting Limit

1360

16.0

Reporting Limit

Reporting Limit

16,0

Analyzed 05/09/2017

Method Blank ND

ND

BS 448 % Recovery True Value QC

RPD

Qualifier

Sample ID: BG-4 8' (H701218-18)

Chloride, SM4500Cl-B

Analyte

mg/kg

Analyzed By: AC

Analyzed

Method Blank

BS

448

% Recovery 112

True Value QC

Qualifier

Chloride

896

Result

16.0 05/09/2017 ND

448

400

True Value QC

400

Sample ID: BG-4 10' (H701218-19)

Chloride, SM4500CI-B

mg/kg

Analyzed By: AC

	Analyte	Result
Chloride		656

Analyzed

05/09/2017

Method Blank BS

ND

% Recovery 112

RPD 0.00 Oualifier

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celeg D. Keene



TALON LPE SHELDON HITCHCOCK 408 W. TEXAS AVE. ARTESIA NM, 88210 (575) 745-8905 Fax To:

Received: Reported:

05/05/2017

05/12/2017

Project Name:

WEST RED LAKE UNIT #56

Project Number: Project Location: 701307.098.01 K-7-18S-27E

Sampling Date:

05/04/2017

Sampling Type:

Soil

Sampling Condition:

** (See Notes)

Sample Received By:

Tamara Oldaker

Sample ID: BG-4 12' (H701218-20)

Chloride,	SM4500CI-B

mg/kg

Analyzed By: AC

Chloride

Chloride

Result

512

4640

Result

5360

Result

1840

Result

2760

Reporting Limit 16.0

Analyzed 05/09/2017

Analyzed

05/09/2017

Analyzed

05/09/2017

Method Blank ND

BS 448 % Recovery 112

True Value QC

400

RPD

0.00

Sample ID: BG-5 2' (H701218-21)

Chloride, SM4500	CI-R

mg/kg

Analyzed By: AC

Analyte Result Reporting Limit

05/09/2017 16.0

Method Blank ND

BS 448

BS

448

% Recovery 112

True Value QC 400

RPD

Qualifier

Qualifier

Sample ID: BG-5, 4' (H701218-22)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Analyzed Reporting Limit

16.0

Reporting Limit

16.0

Reporting Limit

16.0

Method Blank

ND

% Recovery

True Value QC

400

RPD 0.00

0.00

Qualifier

Chloride

Sample ID: BG-5 6' (H701218-23)

Chloride, SM4500CI-B

Analyte

mg/kg

Analyzed By: AC

Method Blank

ND

BS 448 % Recovery

112

112

112

True Value QC 400

400

RPD 0.00 Qualifier

Chloride

Chloride

Sample ID: BG-5 8' (H701218-24)

Chloride, SM4500Cl-B

mg/kg

Analyzed By: AC

Analyte

Analyzed 05/09/2017 Method Blank ND

BS 448

True Value QC % Recovery

RPD 0.00 **Oualifier**

Cardinal Laboratories

*=Accredited Analyte

All claims, including those for negligence and PLEASE NOTE: Uability and Damages, Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidieries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey & Kreens



TALON LPE
SHELDON HITCHCOCK
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Fax To:

Received:

05/05/2017

Reported:

05/12/2017

Project Name: Project Number: WEST RED LAKE UNIT #56

701307.098.01

Project Location:

K-7-18S-27E

Sampling Date:

05/05/2017

Sampling Type:

Soil

Sampling Condition:

** (See Notes)

Sample Received By:

Tamara Oldaker

Sample ID: BG-5 10' (H701218-25)

Chloride, SM4500CI-B	mg	/kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2800	16.0	05/09/2017	ND	448	112	400	0.00	
Sample ID: BG-5 12' (H7012	:18-26)								

Chloride, SM4500CI-B	mg/	'kg	Analyze	d By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	2560	16.0	05/09/2017	ND	448	112	400	0.00	

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Uability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whistoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keine



Notes and Definitions

ND Analyte NOT DETECTED at or above the reporting limit

RPD Relative Percent Difference

** Samples not received at proper temperature of 6°C or below.

*** Insufficient time to reach temperature.

- Chloride by SM4500Cl-B does not require samples be received at or below 6°C

Samples reported on an as received basis (wet) unless otherwise noted on report

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Ulability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatscever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such daims is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.

Celey D. Keene



101 East Mariand, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

(575) 393-2326 FAX (575) 393-2476		ANALYSIS REQUEST
Company Name: Talon/LPE		
Project Manager: 5, Hit Ch.CoCh		
/. Texas Ave.		
-746-8768 Fax #: 5/5-/-	6/8/	
	City:	
Project Name: West Red Lake Unit # 56	State: Zip:	
Project Location:	Phone #:	
Sampler Name: 5, Hit Chicolo	Fax #:	
9	MATRIX PRESERV. SAMPLING	
OMP.	ne	
Lab I.D. Sample I.D. RAB OR (C. CONTAINER COUNDWATER	ASTEWATE DIL L UDGE THER: CID/BASE: E/COOL THER: Vov	Chlo
- #	V	
DC 1 9	/ / / / / / / / / / / / / / / / / / / /	
2/-/2	/ / / / / / /	
	7,95	
R/1-7	1 . S.	
1-0	1 1 2005	
2000000	7 9:8	
1 3 17 6 1	8:15	
84-3 7	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
100 2-29 0	/ / 6:05	
PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any daim arising whether based in contract or tort, shall be timed to the anywer property of the applicable please Note: Liability and Damages. Cardinal's liability and client's exclusive remedy for any daim arising whether based in contract or tort, shall be timed to the applicable please.	y whether based in contract or tort, shall be arrited to use surgium persons of the a juniess made in writing and received by Cardinal within 30 days after completion of the a	pplicable
analyses. All claims including those for negligence and any cinic clause wise-service. In no event shall Cardinal be liable for incidental or consequental damages, including without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of posits incurred by clerk, its successive without limitation, business interruptions, loss of use, or loss of use of u	ion, business interruptions, loss of use, or loss of profits incurred by cient, its Sucsciairus less of whether such claim is based upon any of the above stated reasons or otherwise.	. □ Yes
Relinquished By:	ed By: Fax Result: REMARKS:	□ Yes □ No
Sharlan Perine		
-	ed by:	
Manufactured By: UCircle One)	Sample Condition CHECKED BY:	
Complete libs Birs Other:	Dyss Dyss 72	
	NO I NO	



101 East Marland, Hobbs, NM 88240 (575) 393-2326 FAX (575) 393-2476

	+- IETE1 202_2226		
	C.H.J.	No No No	Sampler - UPS - Bus - Other:
	<u> </u>	နို့ ရှိ	Delivered By: (Circle One)
	CHECKEDBY:	1 Brandad S	Law Mais
đ	6116	Pate: Received by:	Relinquished By:
	IVE INVESTOR	Time:	
□ Yes	Fax Result:	Date: Received by	Relinquished By:
t: 🗆 Yes 🗆 No	s based upon any of the above stated reasons or otherwise. Phone Result:	nos of services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated re-	service. In no event shall Cardinal be liable for incidental or con affiliates or successors arising out of or related to the performan
	bas of use, or loss of profits incurred by client, its subsidiaries	analyses. All claims including those for negligence and any other cause whatpopyer steal be deemed waived unless made in wruming an uneversety. The state of profits incurred by clean, its subsidiaries.	enalyses. All claims including those for negligence and any oth
pplicable	or tort, shall be limited to the amount paid by the client for the resolved by Cardinal within 30 days after completion of the ar	by E. of NOTE: I ability and Dampage. Cardinal's lability and client's exclusive remedy for any claim arising whether based in contract or fort, shall be limited to the amount paid by the client for the angular paid by the client's exclusive remedy for any claim arising whether based in contract or fort, shall be limited to the amount paid by the client for the angular paid by the client for the an	C 10 C Lability and Damages. Cardinal's liability and
	(10825	PO	20 U - 7 U 20
	1 0:26	6	0 6-270
	10:15	6 1 7	1 h-21 S
	0:0	ବ <u> </u>	2 5-79 5
	10:01	6	p 4-98 71
	1000	9	15 RG-4 2
	10,00	8	14 .8 6-3 12
	56,6	9	3 66-36
	1 04:8	> 6	186-5
	1 / / 8:35 /	7	1000
	1 5/4/17 8:30		TIDIALO 12/
	AC GO DATE TIME	# CO GRO WA SOI OIL SLU	5000
	HER:	RAB OR ONTAIN OUNDW STEWA IL	Lab I.D. Sample I.D.
lor	t Nons	(C)OMI IERS VATER	
	RV. SAMPLING		
	SAMPI NG		Sampler Name: 5. Hitch Cach
7	Phone #:	P	
	State: Zip:	8 02 # FM D ON	ame: Wobt Red L
	City:	Koun	Project #:
	Address:		Phone #: 575-746-8768
	Attn:	0	
	Company: I alon/LFE		Address: 408 W. Texas Ave.
	7. G. #		Project Manager: 5, Hit Ch COCK
			Company Name: Talon/LPE
ANALYSIS REQUEST	Control of the Contro	FAA (9/9) 393-27/0	(575) 393-2326 FAA



101 East Marland, Hobbs, NM 88240

		/ETE\ 202_929E	
		SALC CINCIONO VINE	Sampler - UPS - Bus - Other:
		Cool Intact	Delivered By: (Circle One)
		Mulana Mula VIC	Jail While Sines
		7 Received By:	Relinquished By:
	KEMAKKA.		Time:
- 1		Relinquished By: Date: Received by:	Relinquished By: Date:
Yes □ No Add'l Phone #:	7	under by Cardinal, regardless of whether such claim is based upon any of the above stated reaso	service. In no event shall Cardinal be liable for incidental or consequence was services here.
		PLEASE NOTE: Labiting and Certaigues. A cauma and any other cause whatsoever shall be deemed waived unless made in writing and recoived by Cartina wittin as use? All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and recoived by Cartina wittin as used daries. All claims including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and recoived by Cartina wittin as used daries.	PLEASE NOTE: Liability and Certaigue. Certains and other cause whatsoev analyses. All claims including those for negligence and any other cause whatsoev
	by the client for the	Contract Stability and clerif's exclusive ramedy for any claim arising whether based in contract or bot, shall be limited to the amount paid by the clerif for the	December 2 Indiana and Clerit's exclusive f
			36 16-5 10
	(1.55)		
	123		
	/ 5h;		20
	1.00		ロノーな
	11.05), P
	1,00	() () () ()	2186-52
	132	# (GF W. SC OI SI O' A () O	7028
	Ch.	LUDGE THER: CID/BASI CE / COO OTHER:	Lab I.D. Sample I.D.
	(Or	ERS /ATER TER	
		MATRIX	
		Fa	Sampler Name: 5 . HitCh Cock
	5	Phone #:	
			Project Name: Web+ Red Lake Unix #56
		City:	Project #: Project C
		3 3 3 7	Phone #: 575-746-8768 Fax #: 5
		Company:	Address: 408 W. Texas Ave.
		Talon/I DE	Project Manager: 5. Hit Chook
		BO #:	Company Name: alon/LPE
ANALYSIS REGORD	Age of the Section of		(314) 330-2020 1753 (114)
		2476	(E7E) 292_2226 FAX (575) 393-2476