

From: [Weaver, Crystal, EMNRD](#)
To: ["Rebecca Haskell"; stucker@blm.gov](#)
Cc: [Bratcher, Mike, EMNRD](#); [Jim Amos \(jamos@blm.gov\)](#); [Dakota Neel](#); [Aaron Lieb](#)
Subject: RE: (Notification / Initial C-141) Skelly Unit #973 Battery 5-19-2017 (30-015-36283)
Date: Monday, August 28, 2017 3:13:00 PM

COG * Skelly Unit #973 Battery * DOR: 5-19-2017 * 30-015-36283 * 2RP-4214

Becky,

The above referenced release event is approved for closure. It is OCD's understanding that all impacted material in the containment has been removed and replaced and the liner inspected for integrity.

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Rebecca Haskell [<mailto:RHaskell@concho.com>]

Sent: Friday, June 16, 2017 1:34 PM

To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov

Cc: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Jim Amos (jamos@blm.gov) <jamos@blm.gov>; Dakota Neel <DNeel2@concho.com>; Aaron Lieb <ALieb@concho.com>; Rebecca Haskell <RHaskell@concho.com>

Subject: FW: (Notification / Initial C-141) Skelly Unit #973 Battery 5-19-2017 (30-015-36283)

[Ms. Weaver / Ms. Tucker](#),

Attached is a Final C-141 for your consideration. If you have any questions or concerns please contact me.

Thank You,

Becky Haskell
Senior HSE Coordinator
COG Operating LLC
600 W Illinois Avenue | Midland, TX 79701
Direct: 432-818-2372 | Main: 432.683.7443
Cell: 432-556-5130
rhaskell@concho.com



CONFIDENTIALITY NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information herein, is prohibited. If you received this email in error, please immediately notify the sender by return email and delete this email from your system. Thank you.

From: Aaron Lieb
Sent: Friday, May 19, 2017 3:48 PM
To: Weaver, Crystal, EMNRD; stucker@blm.gov
Cc: Mike Bratcher (Mike.Bratcher@state.nm.us); 'jamos@blm.gov'
Subject: (Notification / Initial C-141) Skelly Unit #973 Battery 5-19-2017 (30-015-36283)

Ms. Weaver / Ms. Tucker

COG Operating LLC is reporting a release at the Skelly Unit #973 Tank Battery.

Section 21 Township 17S Range 31E

The release occurred on March 19, 2017 at approximately 7:00 AM.

Estimated Released: Approx. 5 bbls of Oil & 275 bbls of Produced Water

Estimated Recovered: Approx. 4.5 bbls of Oil & 274 bbls of Produced Water.

This release was due to a water pump switch that was inadvertently turned off and a high water alarm failed which resulted in the water tank overflowing. This release occurred within a lined facility. A vacuum truck was dispatched to recover the standing fluid. The initial C-141 is attached with this notification. If you have any additional questions please feel free to contact me.

Thank You,

Aaron Lieb

Senior HSE Coordinator

COG Operating LLC
Cell: 432.557.5355
Office: 575.748.1553
alieb@concho.com
2407 Pecos Avenue
Artesia, NM 88210



NOTICE: The information in this email may be confidential and/or privileged. If you are not the intended recipient or an authorized representative of the intended recipient, you are hereby notified that any review, dissemination or copying of this email and its attachments, if any, or the information contained herein, is prohibited. If you have received this email in error, please immediately notify the sender by return email and delete this email from your system. Further, any contract terms proposed or purportedly accepted in this email are not binding and are subject to management's final approval as memorialized in a separate written instrument, excluding electronic correspondence, executed by an authorized representative of COG Operating LLC or its affiliates.