

Bratcher, Mike, EMNRD

From: Tucker, Shelly <stucker@blm.gov>
Sent: Wednesday, October 4, 2017 1:07 PM
To: Christine Alderman
Cc: Amos, James A (jamos@blm.gov); Tye Bryson; Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD; Matias Telles
Subject: Re: [External] Re: Oracle 21 Fed #4 (API 30-015-38597)

Christine,

BLM accepts your work proposal with the following stipulations: SP3, SP16, SP17 will need to be horizontally delineated. Like approval will be required from the NMOCD.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Wed, Oct 4, 2017 at 9:02 AM, Christine Alderman <calderman@cimarex.com> wrote:

Shelly,

Please find attached the scope of work for the Oracle21 release.

Respectfully,

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin

Midland TX

Cell – 432.853.7059

From: Tucker, Shelly [mailto:stucker@blm.gov]
Sent: Thursday, September 28, 2017 12:03 PM
To: Christine Alderman <calderman@cimarex.com>
Cc: Amos, James A (jamos@blm.gov) <jamos@blm.gov>; Tye Bryson <tbryson@blm.gov>
Subject: Re: [External] Re: Oracle 21 Fed #4 (API 30-015-38597)

Christine,

What is the status of this clean up? I have not received anything from Talon.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist

O&G Spill/Release Coordinator

Bureau of Land Management

620 E. Greene St

Carlsbad, NM 88220

575.234.5905 - Direct

575.361.0084 - Cellular

575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Mon, May 22, 2017 at 1:44 PM, Christine Alderman <calderman@cimarex.com> wrote:

I have contacted Talon to do sampling for us out there, I will check with them to see if this has been completed yet.

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin

Midland TX

Cell – 432.853.7059

From: Tucker, Shelly [mailto:stucker@blm.gov]

Sent: Monday, May 22, 2017 2:33 PM

To: Christine Alderman <calderman@cimarex.com>

Cc: Amos, James A (jamos@blm.gov) <jamos@blm.gov>; Tye Bryson <tbryson@blm.gov>

Subject: [External] Re: Oracle 21 Fed #4 (API 30-015-38597)

Christine,

I was wanting to check on the status of this cleanup. Have you figured a cost estimate on this cleanup. We are trying to figure out budget numbers.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist

O&G Spill/Release Coordinator

Bureau of Land Management

620 E. Greene St

Carlsbad, NM 88220

575.234.5905 - Direct

575.361.0084 - Cellular

575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Wed, May 3, 2017 at 11:31 AM, Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us> wrote:

RE: Cimarex * Oracle 21 Federal #4 * 30-015-38597 * 2RP-4183

Christine,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval. The OCD tracking number for this event is 2RP-4183.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Christine Alderman [mailto:calderman@cimarex.com]

Sent: Friday, April 21, 2017 12:56 PM

To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov; Price, Henryetta <hprice@blm.gov>; Amos, James A (<jamos@blm.gov> <jamos@blm.gov>

Subject: Oracle 21 Fed #4 (API 30-015-38597)

All,

On 4/20/2017 a release was discovered just to the north of this location. On 4/11/2017 BLM did a controlled burn in that area and approximately 600' of this 4" poly flow line was damaged. Approximately 20 bbls of produced water impacted the soils on the right of way. The pumper noticed the spill because he was turning the transfer pump on and saw water shooting up to the north. He immediately turned the pump off and investigated. He found the burnt piping.

I have attached the C-141. Please contact me if you have any questions. I have reached out to Jim Amos to see how we can proceed, and I will get an environmental consultant to assess.

Thank you,

Christine Alderman

Cimarex Energy Co.



ESH Supervisor – Permian Basin

Midland TX

Cell – 432.853.7059