

From: Zack Thomas
To: [Tucker, Shelly](#)
Cc: [Heather Patterson](#); [Bratcher, Mike, EMNRD](#); [Weaver, Crystal, EMNRD](#); [Austin Weyant](#); [Lucas Middleton](#)
Subject: Re: Quick Draw 22 D #1
Date: Monday, October 23, 2017 11:39:32 AM
Attachments: [image002.png](#)

I apologize for the typo. Updated C141 will be sent shortly.

Z. Thomas

On Oct 23, 2017, at 11:36 AM, Tucker, Shelly <stucker@blm.gov> wrote:

BLM denies the work plan as written. What are the delineation results for L5?

Secondly, this release went off of the location and the C-141 states it was within secondary containment and location. When a release goes off of location, you have to state that, especially on federal surface. You are cleared for Arch ONLY south of the battery.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

Bureau of Land Management
620 E. Greene St
Carlsbad, NM 88220

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. In such an event that the location does not revegetate, or future issues with contaminants are encountered, the operator will be asked to address the issues until the contaminant issues are fully mitigated and the location is successfully reclaimed. In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from

disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

On Fri, Oct 20, 2017 at 2:12 PM, Heather Patterson
<heather.patterson@soudermiller.com> wrote:

Good Afternoon,

Please find the attached work plan with your requested changes for the Mewbourne location, Quick Draw 22 D #1, 2RP-4304.

Please call myself or Lucas Middleton with any questions.

Thank you,

Heather Patterson

Staff Scientist

Souder, Miller & Associates

Engineering ♦ Environmental ♦ Surveying

201 Halagueno St

Carlsbad, NM 88220

www.soudermiller.com

(575)200-5343 (mobile)

<image002.png>