

November 01, 2017

DAVID ADKINS

TALON LPE

408 W. TEXAS AVE.

ARTESIA, NM 88210

RE: VEGA 9 FED #2

Enclosed are the results of analyses for samples received by the laboratory on 10/17/17 12:15.

Cardinal Laboratories is accredited through Texas NELAP under certificate number T104704398-16-8. Accreditation applies to drinking water, non-potable water and solid and chemical materials. All accredited analytes are denoted by an asterisk (*). For a complete list of accredited analytes and matrices visit the TCEQ website at www.tceq.texas.gov/field/qa/lab_accred_certif.html.


Cardinal Laboratories is accredited through the State of Colorado Department of Public Health and Environment for:

Method EPA 552.2	Haloacetic Acids (HAA-5)
Method EPA 524.2	Total Trihalomethanes (TTHM)
Method EPA 524.4	Regulated VOCs (V1, V2, V3)

Accreditation applies to public drinking water matrices.

This report meets NELAP requirements and is made up of a cover page, analytical results, and a copy of the original chain-of-custody. If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Celey D. Keene

Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 10/17/2017
Reported: 11/01/2017
Project Name: VEGA 9 FED #2
Project Number: 701162.086.01
Project Location: EDDY COUNTY

Sampling Date: 10/13/2017
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: SS-1 (H702803-01)

BTX 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 100 % 72-148

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	224	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/17/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	73.6	10.0	10/17/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	18.8	10.0	10/17/2017	ND					


Surrogate: 1-Chlorooctane 86.4 % 28.3-164

Surrogate: 1-Chlorooctadecane 97.1 % 34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 10/17/2017
 Reported: 11/01/2017
 Project Name: VEGA 9 FED #2
 Project Number: 701162.086.01
 Project Location: EDDY COUNTY

 Sampling Date: 10/13/2017
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Tamara Oldaker

Sample ID: SS-2 (H702803-02)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTEX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 101 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	17.8	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	<10.0	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 88.8 % 28.3-164

Surrogate: 1-Chlorooctadecane 96.3 % 34.7-157

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 10/17/2017
 Reported: 11/01/2017
 Project Name: VEGA 9 FED #2
 Project Number: 701162.086.01
 Project Location: EDDY COUNTY

 Sampling Date: 10/13/2017
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Tamara Oldaker

Sample ID: SS-3 (H702803-03)

BTEX 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTEX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 100 % 72-148

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	176	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	<10.0	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	<10.0	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 81.6 % 28.3-164

Surrogate: 1-Chlorooctadecane 93.5 % 34.7-157

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 10/17/2017
Reported: 11/01/2017
Project Name: VEGA 9 FED #2
Project Number: 701162.086.01
Project Location: EDDY COUNTY

Sampling Date: 10/13/2017
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: SS-4 (H702803-04)

BTX 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 100 % 72-148

Chloride, SM4500CI-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	144	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	206	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	60.9	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 74.3 % 28.3-164

Surrogate: 1-Chlorooctadecane 87.8 % 34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 10/17/2017
Reported: 11/01/2017
Project Name: VEGA 9 FED #2
Project Number: 701162.086.01
Project Location: EDDY COUNTY

Sampling Date: 10/13/2017
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: SS-5 (H702803-05)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTEX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 102 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	472	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	170	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 80.1 % 28.3-164

Surrogate: 1-Chlorooctadecane 106 % 34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 10/17/2017
Reported: 11/01/2017
Project Name: VEGA 9 FED #2
Project Number: 701162.086.01
Project Location: EDDY COUNTY

Sampling Date: 10/13/2017
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: SS-6 (H702803-06)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 101 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	320	16.0	10/17/2017	ND	416	104	400	3.77	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	138	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	38.8	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 85.8 % 28.3-164

Surrogate: 1-Chlorooctadecane 98.9 % 34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 10/17/2017
 Reported: 11/01/2017
 Project Name: VEGA 9 FED #2
 Project Number: 701162.086.01
 Project Location: EDDY COUNTY

 Sampling Date: 10/13/2017
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Tamara Oldaker

Sample ID: SS-7 (H702803-07)

BTX 8021B			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 100 % 72-148

Chloride, SM4500Cl-B			mg/kg		Analyzed By: AC				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	112	16.0	10/17/2017	ND	448	112	400	0.00	

TPH 8015M			mg/kg		Analyzed By: MS				
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	271	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	77.0	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 83.3 % 28.3-164

Surrogate: 1-Chlorooctadecane 96.5 % 34.7-157

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 10/17/2017
 Reported: 11/01/2017
 Project Name: VEGA 9 FED #2
 Project Number: 701162.086.01
 Project Location: EDDY COUNTY

 Sampling Date: 10/13/2017
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Tamara Oldaker

Sample ID: SS-8 (H702803-08)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 101 % 72-148

Chloride, SM4500CI-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/17/2017	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	355	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	117	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 81.9 % 28.3-164

Surrogate: 1-Chlorooctadecane 102 % 34.7-157

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

 TALON LPE
 DAVID ADKINS
 408 W. TEXAS AVE.
 ARTESIA NM, 88210
 Fax To: (575) 745-8905

 Received: 10/17/2017
 Reported: 11/01/2017
 Project Name: VEGA 9 FED #2
 Project Number: 701162.086.01
 Project Location: EDDY COUNTY

 Sampling Date: 10/13/2017
 Sampling Type: Soil
 Sampling Condition: ** (See Notes)
 Sample Received By: Tamara Oldaker

Sample ID: SS-9 (H702803-09)

BTEx 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTEX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 101 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/17/2017	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS						S-06
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier	
GRO C6-C10	<50.0	50.0	10/18/2017	ND	188	94.0	200	0.494		
DRO >C10-C28	1330	50.0	10/18/2017	ND	208	104	200	0.307		
EXT DRO >C28-C36	450	50.0	10/18/2017	ND						


Surrogate: 1-Chlorooctane 384 % 28.3-164

Surrogate: 1-Chlorooctadecane 458 % 34.7-157

Cardinal Laboratories

* = Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager

Analytical Results For:

TALON LPE
DAVID ADKINS
408 W. TEXAS AVE.
ARTESIA NM, 88210
Fax To: (575) 745-8905

Received: 10/17/2017
Reported: 11/01/2017
Project Name: VEGA 9 FED #2
Project Number: 701162.086.01
Project Location: EDDY COUNTY

Sampling Date: 10/13/2017
Sampling Type: Soil
Sampling Condition: ** (See Notes)
Sample Received By: Tamara Oldaker

Sample ID: SS-10 (H702803-10)

BTX 8021B		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Benzene*	<0.050	0.050	10/17/2017	ND	1.90	94.9	2.00	1.59	
Toluene*	<0.050	0.050	10/17/2017	ND	1.72	85.8	2.00	1.87	
Ethylbenzene*	<0.050	0.050	10/17/2017	ND	1.74	87.1	2.00	0.234	
Total Xylenes*	<0.150	0.150	10/17/2017	ND	5.30	88.4	6.00	0.359	
Total BTX	<0.300	0.300	10/17/2017	ND					

Surrogate: 4-Bromofluorobenzene (PIE) 102 % 72-148

Chloride, SM4500Cl-B		mg/kg		Analyzed By: AC					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
Chloride	80.0	16.0	10/17/2017	ND	448	112	400	0.00	

TPH 8015M		mg/kg		Analyzed By: MS					
Analyte	Result	Reporting Limit	Analyzed	Method Blank	BS	% Recovery	True Value QC	RPD	Qualifier
GRO C6-C10	<10.0	10.0	10/18/2017	ND	188	94.0	200	0.494	
DRO >C10-C28	384	10.0	10/18/2017	ND	208	104	200	0.307	
EXT DRO >C28-C36	113	10.0	10/18/2017	ND					


Surrogate: 1-Chlorooctane 90.3 % 28.3-164

Surrogate: 1-Chlorooctadecane 112 % 34.7-157

Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager


Notes and Definitions

- S-06 The recovery of this surrogate is outside control limits due to sample dilution required from high analyte concentration and/or matrix interference's.
- ND Analyte NOT DETECTED at or above the reporting limit
- RPD Relative Percent Difference
- ** Samples not received at proper temperature of 6°C or below.
- *** Insufficient time to reach temperature.
- Chloride by SM4500Cl-B does not require samples be received at or below 6°C
Samples reported on an as received basis (wet) unless otherwise noted on report


Cardinal Laboratories

*=Accredited Analyte

PLEASE NOTE: Liability and Damages. Cardinal's liability and client's exclusive remedy for any claim arising, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service. In no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions, loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of the services hereunder by Cardinal, regardless of whether such claim is based upon any of the above stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approval of Cardinal Laboratories.



Celey D. Keene, Lab Director/Quality Manager



CHAIN-OF-CUSTODY AND ANALYSIS REQUEST

101 East Marland, Hobbs, NM 88240
(575) 393-2326 FAX (575) 393-2476

Page 1 of 1

ANALYSIS REQUEST

Company Name: Talon/LPE		P.O. #:	
Project Manager: David Adkins		Company: Talon/LPE	
Address: 408 W. Texas Ave.		Attn:	
City: Artesia		State: NM Zip: 88210	
Phone #: 575-746-8768		Fax #: 575-746-8905	
Project #: 701162, 0816, 01		Project Owner: Cimarron	
Project Name: Page 9 2nd #2		City:	
Project Location: Eddy City		State: Zip:	
Sample Name: Kim Wollison		Phone #:	
FOR LAB USE ONLY		Fax #:	
Lab I.D.		Sample I.D.	
H702803		SS-1	
SS-2		SS-3	
SS-4		SS-5	
SS-6		SS-7	
SS-8		SS-9	
SS-10		SS-11	
SS-12		SS-13	
SS-14		SS-15	
SS-16		SS-17	
SS-18		SS-19	
SS-20		SS-21	
SS-22		SS-23	
SS-24		SS-25	
SS-26		SS-27	
SS-28		SS-29	
SS-30		SS-31	
SS-32		SS-33	
SS-34		SS-35	
SS-36		SS-37	
SS-38		SS-39	
SS-40		SS-41	
SS-42		SS-43	
SS-44		SS-45	
SS-46		SS-47	
SS-48		SS-49	
SS-50		SS-51	
SS-52		SS-53	
SS-54		SS-55	
SS-56		SS-57	
SS-58		SS-59	
SS-60		SS-61	
SS-62		SS-63	
SS-64		SS-65	
SS-66		SS-67	
SS-68		SS-69	
SS-70		SS-71	
SS-72		SS-73	
SS-74		SS-75	
SS-76		SS-77	
SS-78		SS-79	
SS-80		SS-81	
SS-82		SS-83	
SS-84		SS-85	
SS-86		SS-87	
SS-88		SS-89	
SS-90		SS-91	
SS-92		SS-93	
SS-94		SS-95	
SS-96		SS-97	
SS-98		SS-99	
SS-100		SS-101	
SS-102		SS-103	
SS-104		SS-105	
SS-106		SS-107	
SS-108		SS-109	
SS-110		SS-111	
SS-112		SS-113	
SS-114		SS-115	
SS-116		SS-117	
SS-118		SS-119	
SS-120		SS-121	
SS-122		SS-123	
SS-124		SS-125	
SS-126		SS-127	
SS-128		SS-129	
SS-130		SS-131	
SS-132		SS-133	
SS-134		SS-135	
SS-136		SS-137	
SS-138		SS-139	
SS-140		SS-141	
SS-142		SS-143	
SS-144		SS-145	
SS-146		SS-147	
SS-148		SS-149	
SS-150		SS-151	
SS-152		SS-153	
SS-154		SS-155	
SS-156		SS-157	
SS-158		SS-159	
SS-160		SS-161	
SS-162		SS-163	
SS-164		SS-165	
SS-166		SS-167	
SS-168		SS-169	
SS-170		SS-171	
SS-172		SS-173	
SS-174		SS-175	
SS-176		SS-177	
SS-178		SS-179	
SS-180		SS-181	
SS-182		SS-183	
SS-184		SS-185	
SS-186		SS-187	
SS-188		SS-189	
SS-190		SS-191	
SS-192		SS-193	
SS-194		SS-195	
SS-196		SS-197	
SS-198		SS-199	
SS-200		SS-201	
SS-202		SS-203	
SS-204		SS-205	
SS-206		SS-207	
SS-208		SS-209	
SS-210		SS-211	
SS-212		SS-213	
SS-214		SS-215	
SS-216		SS-217	
SS-218		SS-219	
SS-220		SS-221	
SS-222		SS-223	
SS-224		SS-225	
SS-226		SS-227	
SS-228		SS-229	
SS-230		SS-231	
SS-232		SS-233	
SS-234		SS-235	
SS-236		SS-237	
SS-238		SS-239	
SS-240		SS-241	
SS-242		SS-243	
SS-244		SS-245	
SS-246		SS-247	
SS-248		SS-249	
SS-250		SS-251	
SS-252		SS-253	
SS-254		SS-255	
SS-256		SS-257	
SS-258		SS-259	
SS-260		SS-261	
SS-262		SS-263	
SS-264		SS-265	
SS-266		SS-267	
SS-268		SS-269	
SS-270		SS-271	
SS-272		SS-273	
SS-274		SS-275	
SS-276		SS-277	
SS-278		SS-279	
SS-280		SS-281	
SS-282		SS-283	
SS-284		SS-285	
SS-286		SS-287	
SS-288		SS-289	
SS-290		SS-291	
SS-292		SS-293	
SS-294		SS-295	
SS-296		SS-297	
SS-298		SS-299	
SS-300		SS-301	
SS-302		SS-303	
SS-304		SS-305	
SS-306		SS-307	
SS-308		SS-309	
SS-310		SS-311	
SS-312		SS-313	
SS-314		SS-315	
SS-316		SS-317	
SS-318		SS-319	
SS-320		SS-321	
SS-322		SS-323	
SS-324		SS-325	
SS-326		SS-327	
SS-328		SS-329	
SS-330		SS-331	
SS-332		SS-333	
SS-334		SS-335	
SS-336		SS-337	
SS-338		SS-339	
SS-340		SS-341	
SS-342		SS-343	
SS-344		SS-345	
SS-346		SS-347	
SS-348		SS-349	
SS-350		SS-351	
SS-352		SS-353	
SS-354		SS-355	
SS-356		SS-357	
SS-358		SS-359	
SS-360		SS-361	
SS-362		SS-363	
SS-364		SS-365	
SS-366		SS-367	
SS-368		SS-369	
SS-370		SS-371	
SS-372		SS-373	
SS-374		SS-375	
SS-376		SS-377	
SS-378		SS-379	
SS-380		SS-381	
SS-382		SS-383	
SS-384		SS-385	
SS-386		SS-387	
SS-388		SS-389	
SS-390		SS-391	
SS-392		SS-393	
SS-394		SS-395	
SS-396		SS-397	
SS-398		SS-399	
SS-400		SS-401	
SS-402		SS-403	
SS-404		SS-405	
SS-406		SS-407	
SS-408		SS-409	
SS-410		SS-411	
SS-412		SS-413	
SS-414		SS-415	
SS-416		SS-417	
SS-418		SS-419	
SS-420		SS-421	
SS-422		SS-423	
SS-424		SS-425	
SS-426		SS-427	
SS-428		SS-429	
SS-430		SS-431	
SS-432		SS-433	
SS-434		SS-435	
SS-436		SS-437	
SS-438		SS-439	
SS-440		SS-441	
SS-442		SS-443	
SS-444		SS-445	
SS-446		SS-447	
SS-448		SS-449	
SS-450		SS-451	
SS-452		SS-453	
SS-454		SS-455	
SS-456		SS-457	
SS-458		SS-459	
SS-460		SS-461	
SS-462		SS-463	
SS-464		SS-465	
SS-466		SS-467	
SS-468		SS-469	
SS-470		SS-471	
SS-472		SS-473	
SS-474		SS-475	
SS-476		SS-477	
SS-478		SS-479	
SS-480		SS-481	
SS-482		SS-483	
SS-484		SS-485	
SS-486		SS-487	
SS-488		SS-489	
SS-490		SS-491	
SS-492		SS-493	
SS-494		SS-495	
SS-496		SS-497	
SS-498		SS-499	
SS-500		SS-501	
SS-502		SS-503	
SS-504		SS-505	
SS-506		SS-507	
SS-508		SS-509	
SS-510		SS-511	
SS-512		SS-513	
SS-514		SS-515	
SS-516		SS-517	
SS-518		SS-519	
SS-520		SS-521	
SS-522		SS-523	
SS-524		SS-525	
SS-526		SS-527	
SS-528		SS-529	
SS-530		SS-531	
SS-532		SS-533	
SS-534		SS-535	
SS-536		SS-537	
SS-538		SS-539	
SS-540		SS-541	
SS-542		SS-543	
SS-544		SS-545	
SS-546		SS-547	
SS-548		SS-549	
SS-550		SS-551	
SS-552		SS-553	
SS-554		SS-555	
SS-556		SS-557	
SS-558		SS-559	
SS-560		SS-561	
SS-562		SS-563	
SS-564		SS-565	
SS-566		SS-567	
SS-568		SS-569	
SS-570		SS-571	
SS-572		SS-573	
SS-574		SS-575	
SS-576		SS-577	
SS-578		SS-579	
SS-580		SS-581	
SS-582		SS-583	
SS-584		SS-585	
SS-586		SS-587	
SS-588		SS-589	
SS-590		SS-591	
SS-592		SS-593	
SS-594		SS-595	
SS-596		SS-597	
SS-598		SS-599	
SS-600		SS-601	
SS-602		SS-603	
SS-604		SS-605	
SS-606		SS-607	
SS-608		SS-609	
SS-610		SS-611	
SS-612		SS-613	
SS-614		SS-615	
SS-616		SS-617	
SS-618		SS-619	
SS-620		SS-621	
SS-622		SS-623	
SS-624		SS-625	
SS-626		SS-627	
SS-628		SS-629	
SS-630		SS-631	
SS-632		SS-633	
SS-634		SS-635	
SS-636		SS-637	
SS-638		SS-639	
SS-640		SS-641	
SS-642		SS-643	
SS-644		SS-645	
SS-646		SS-647	
SS-648		SS-649	
SS-650		SS-651	
SS-652		SS-653	
SS-654		SS-655	
SS-656		SS-657	
SS-658		SS-659	
SS-660		SS-661	
SS-662		SS-663	
SS-664		SS-665	
SS-666		SS-667	
SS-668		SS-669	
SS-670		SS-671	
SS-672		SS-673	
SS-674		SS-675	
SS-676		SS-677	
SS-678		SS-679	
SS-680		SS-681	
SS-682		SS-683	
SS-684		SS-685	
SS-686		SS-687	
SS-688		SS-689	
SS-690		SS-691	
SS-692		SS-693	
SS-694		SS-695	
SS-696		SS-697	
SS-698		SS-699	
SS-700		SS-701	
SS-702		SS-703	
SS-704		SS-705	
SS-706		SS-707	
SS-708		SS-709	
SS-710		SS-711	
SS-712		SS-713	
SS-714		SS-715	
SS-716		SS-717	
SS-718		SS-719	
SS-720		SS-721	
SS-722		SS-723	
SS-724		SS-725	
SS-726		SS-727	
SS-728		SS-729	
SS-730		SS-731	
SS-732		SS-733	
SS-734		SS-735	
SS-736		SS-737	
SS-738		SS-739	
SS-740		SS-741	
SS-742		SS-743	
SS-744		SS-745	
SS-746		SS-747	
SS-748		SS-749	
SS-750		SS-751	
SS-752		SS-753	
SS-754		SS-755	
SS-756		SS-757	
SS-758		SS-759	
SS-760		SS-761	
SS-762		SS-763	
SS-764		SS-765	
SS-766		SS-767	
SS-768		SS-769	
SS-770		SS-771	
SS-772		SS-773	
SS-774		SS-775	
SS-776		SS-777	
SS-778		SS-779	
SS-780		SS-781	
SS-782		SS-783	
SS-784		SS-785	
SS-786		SS-787	
SS-788		SS-789	