

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

NM OIL CONSERVATION

ARTESIA DISTRICT

Form C-141
Revised April 3, 2017

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

OCT 20 2017

Submit 1 Copy to appropriate District Office in
accordance with 19.15.29 NMAC.

RECEIVED

Release Notification and Corrective Action

NAB192A752650

OGRID#6137 OPERATOR

☒ Initial Report ☐ Final Report

Name of Company	Devon Energy Production Company	Contact	Wesley Ryan, Production Foreman
Address	6488 Seven Rivers Hwy Artesia, NM 88210	Telephone No.	575-748-0177
Facility Name	Rigel 20 Fed Com 3H	Facility Type	Oil
Surface Owner	Federal	Mineral Owner	Federal
		API No.	30-015-39725

LOCATION OF RELEASE

Unit Letter	Section	Township	Range	Feet from the	North/South Line	Feet from the	East/West Line	County
L	20	19S	31E	1800'	FSL	330'	FWL	Eddy

Latitude 32.6435814 Longitude -103.8989868 NAD83

NATURE OF RELEASE

Type of Release	Oil	Volume of Release	.25bbl	Volume Recovered	0bbls
Source of Release	Gas Line going to Flare	Date and Hour of Occurrence	October 7, 2017 @ 2:00 PM	Date and Hour of Discovery	October 7, 2017 @ 2:00 PM
Was Immediate Notice Given?	☒ Yes ☐ No ☐ Not Required	If YES, To Whom?	Shelly Tucker, BLM Crystal Weaver, OCD		
By Whom?	Mike Shoemaker, EHS Representative	Date and Hour	October 11, 2017 @ 4:20 PM Shelly Tucker, BLM October 11, 2017 @ 4:43 PM Crystal Weaver & Mike Bratcher, OCD		
Was a Watercourse Reached?	☐ Yes ☒ No	If YES, Volume Impacting the Watercourse.	N/A		
If a Watercourse was Impacted, Describe Fully.*	N/A				
Describe Cause of Problem and Remedial Action Taken.* The supply gas line was opened to start the flare, the line had fluid built up inside of it that was expelled from the flare causing the flare and trailer to catch on fire. The gas supply was immediately shut off and the fire was put out with a fire extinguisher.					
Describe Area Affected and Cleanup Action Taken.* Approximately 1/4bbl lost out of the line. 0bbls recovered due to fire. All fluid stayed on the location. An environmental contractor will be contacted to assist with the delineation and remediation of the well pad surface.					
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to NMOCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the NMOCD marked as "Final Report" does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to ground water, surface water, human health or the environment. In addition, NMOCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Signature: Sheila Fisher		OIL CONSERVATION DIVISION			
Printed Name: Sheila Fisher		Approved by Environmental Specialist: Crystal W			
Title: Field Admin Support		Approval Date: 10/24/17		Expiration Date: N/A	
E-mail Address: Sheila.Fisher@dvn.com		Conditions of Approval:		Attached ☒	
Date: 10/11/17 Phone: 575.748.1829		see attached		ARP-4452	

Immediate
notification timeframe
is not in compliance with
regs

* Attach Additional Sheets If Necessary

10/24/17 AB

Operator/Responsible Party,

The OCD has received the form C-141 you provided on **10/20/17** regarding an unauthorized release. The information contained on that form has been entered into our incident database and remediation case number 20P-4452 has been assigned. **Please refer to this case number in all future correspondence.**

It is the Division's obligation under both the Oil & Gas Act and Water Quality Act to provide for the protection of public health and the environment. Our regulations (19.15.29.11 NMAC) state the following,

The responsible person shall complete division-approved corrective action for releases that endanger public health or the environment. The responsible person shall address releases in accordance with a remediation plan submitted to and approved by the division or with an abatement plan submitted in accordance with 19.15.30 NMAC. [emphasis added]

Release characterization is the first phase of corrective action unless the release is ongoing or is of limited volume and all impacts can be immediately addressed. Proper and cost-effective remediation typically cannot occur without adequate characterization of the impacts of any release. Furthermore, the Division has the ability to impose reasonable conditions upon the efforts it oversees. As such, the Division is requiring a **workplan for the characterization of impacts associated with this release be submitted to the OCD District II office in Artesia on or before 11/20/17. If and when the release characterization workplan is approved, there will be an associated deadline for submittal of the resultant investigation report. Modest extensions of time to these deadlines may be granted, but only with acceptable justification.**

The goals of a characterization effort are: 1) determination of the lateral and vertical extents along with the magnitude of soil contamination. 2) determine if groundwater or surface waters have been impacted. 3) If groundwater or surface waters have been impacted, what are the extents and magnitude of that impact. 4) The characterization of any other adverse impacts that may have occurred (examples: impacts on vegetation, impacts on wildlife, air quality, loss of use of property, etc.). To meet these goals as quickly as possible, the following items must, at a minimum, be addressed in the release characterization workplan and subsequent reporting:

- Horizontal delineation of soil impacts in each of the four cardinal compass directions. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. This is not an exclusive list of potential contaminants. Analyzed parameters should be modified based on the nature of the released substance(s). Soil sampling must be both within the impacted area and beyond.
- Vertical delineation of soil impacts. Adsorbed soil contamination must be characterized for the following constituents using the associated laboratory methods: benzene, toluene, ethylbenzene, and total xylenes by either Method 8260 or 8021, total petroleum hydrocarbons by Method 8015 extended range (GRO+DRO+MRO; C₆ thru C₃₆), and for chloride by Method 300. As above, this is not an exclusive list of potential contaminants and can be modified. Vertical characterization samples should be taken at depth intervals no greater than five feet apart. Lithologic description of encountered soils must also be provided. At least ten vertical feet of soils with contaminant concentrations at or below these values must be demonstrated as existing above the water table.
- Nominal detection limits for field and laboratory analyses must be provided.
- Composite sampling is not generally allowed.
- Field screening and assessment techniques are acceptable (headspace, titration, EC [include algorithm for validation purposes], EM, etc.), but the sampling and assay procedures must be clearly defined. Copies of field notes are highly desirable. A statistically significant set of split samples must be submitted for confirmatory laboratory analysis, including the laterally farthest and vertically deepest sets of soil samples. Make sure there are at least two soil samples submitted

for laboratory analysis from each borehole or test pit (highest observed contamination and deepest depth investigated). Copies of the actual laboratory results must be provided including chain of custody documentation.

- Probable depth to shallowest protectable groundwater and lateral distance to nearest surface water. If there is an estimate of groundwater depth, the information used to arrive at that estimate must be provided. If there is a reasonable assumption that the depth to protectable water is 50 feet or less, the responsible party should anticipate the need for at least one groundwater monitoring well to be installed in the area of likely maximum contamination.

- If groundwater contamination is encountered, an additional investigation workplan may be required to determine the extents of that contamination. Groundwater and/or surface water samples, if any, must be analyzed by a competent laboratory for volatile organic hydrocarbons (typically Method 8260 full list), total dissolved solids, pH, major anions and cations including chloride and sulfate, dissolved iron, and dissolved manganese. The investigation workplan must provide the groundwater sampling method(s) and sample handling protocols. To the fullest extent possible, aqueous analyses must be undertaken using nominal method detection limits. As with the soil analyses, copies of the actual laboratory results must be provided including chain of custody documentation.

- Accurately scaled and well-drafted site maps must be provided providing the location of borings, test pits, monitoring wells, potentially impacted areas, and significant surface features including roads and site infrastructure that might limit either the release characterization or remedial efforts. Field sketches may be included in subsequent reporting, but should not be considered stand-alone documentation of the site's layout. Digital photographic documentation of the location and fieldwork is recommended, especially if unusual circumstances are encountered.

Nothing herein should be interpreted to preclude emergency response actions or to imply immediate remediation by removal cannot proceed as warranted. Nonetheless, characterization of impacts and confirmation of the effectiveness of remedial efforts must still be provided to the OCD before any release incident will be closed.

Jim Griswold
OCD Environmental Bureau Chief
1220 South St. Francis Drive
Santa Fe, New Mexico 87505
505-476-3465
jim.griswold@state.nm.us

Weaver, Crystal, EMNRD

From: Fisher, Sheila <Sheila.Fisher@dvn.com>
Sent: Friday, October 20, 2017 10:04 AM
To: Bratcher, Mike, EMNRD; Weaver, Crystal, EMNRD; Shelly Tucker (stucker@blm.gov)
Cc: Shoemaker, Mike; Fulks, Brett; Ryan, Wesley; Aguilar, Leonard
Subject: Rigel 20 Fed Com 3H_.25bbl oil_10.11.17
Attachments: Rigel 20 Fed Com 3H_.25bbl oil_Initial C-141_10.11.17.doc; Rigel 20 Fed Com 3H_.25bbl oil_GIS Image_10.11.17.pdf

Good Morning,

Attached please find the Initial C-141 and GIS Image for the .25bbls oil released at the Rigel 20 Fed Com 3H on 10.11.17.

If you have any questions please feel free to contact me.

Thank you,

Sheila Fisher

Field Admin Support
Production
B-Schedule

Devon Energy Corporation
PO Box 250
Artesia, NM 88211
575 748 1829 Direct



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.

Bratcher, Mike, EMNRD

From: Shoemaker, Mike <Mike.Shoemaker@dvn.com>
Sent: Wednesday, October 11, 2017 4:43 PM
To: Weaver, Crystal, EMNRD; Bratcher, Mike, EMNRD
Subject: Rigel 20 Fed Com 3H (API #30-015-39725)

Crystal,

We had an incident that occurred on 10/07/17 at the Rigel 20 Fed Com 3H Battery (API 30-015-39725). In correspondence with Operations I believed that notifications had been completed at the time of the incident. As we began preparing information for the C-141 we were told that internal notification had been completed but not external notification. In turn, please see the following information related to this incident as notification.

The lease operator opened the supply gas to start flaring. The gas line had fluid built up in it which caused the liquid to be dispelled from the line. A 1/4 bbl of fluid was released and caused the flare and trailer to catch fire. The lease operator immediately shut the supply gas off and got his fire extinguisher and put out the small fire. The fire was contained on the trailer.

Because the incident involved a fire I wanted to follow up and provide you with notification.

A C-141 will be prepared and submitted to your office.

I will continue to with my operations group to ensure that notification are completed appropriately moving forward and within the regulatory timeframes. If you need any additional information please let me know.

Thanks,

Mike Shoemaker
EHS Representative

Devon Energy Corporation
6488 Seven Rivers Highway
Artesia, New Mexico 88210
575-746-5566 Office
575-513-5035 Mobile



Confidentiality Warning: This message and any attachments are intended only for the use of the intended recipient(s), are confidential, and may be privileged. If you are not the intended recipient, you are hereby notified that any review, retransmission, conversion to hard copy, copying, circulation or other use of all or any portion of this message and any attachments is strictly prohibited. If you are not the intended recipient, please notify the sender immediately by return e-mail, and delete this message and any attachments from your system.