

Bratcher, Mike, EMNRD

From: Bratcher, Mike, EMNRD
Sent: Tuesday, November 28, 2017 9:42 AM
To: 'Alan.Brandon@ghd.com'; Weaver, Crystal, EMNRD; stucker@blm.gov; YJORDAN@BLM.GOV
Cc: Zane Kurtz; Bernard.Bockisch@ghd.com; cctofiling@croworld.com
Subject: RE: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

RE: 2RP-2044

Alan,

Sorry for the delayed response. OCD would request that liner placement/installation be performed in a manner that will be as protective as possible, while making safety working around the gas line a priority. OCD will evaluate closure documentation and may request to discuss some type of long term monitoring for this site. This is a Federal site, so BLM will need to be on board with remediation proposals and any surface disturbance.

If you have any questions or concerns, please contact me.

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Alan.Brandon@ghd.com [mailto:Alan.Brandon@ghd.com]
Sent: Tuesday, October 31, 2017 8:17 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov; YJORDAN@BLM.GOV
Cc: Zane Kurtz <Zane_Kurtz@eogresources.com>; Bernard.Bockisch@ghd.com; cctofiling@croworld.com
Subject: RE: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

Mike,

After plotting the 24-inch gas line on our attached Figure 2, it does look like we will be excavating near the line. We will only excavate to within ten feet of the gas line and place the liner before backfilling. Please let us know if this is acceptable.

From: Bratcher, Mike, EMNRD [mailto:mike.bratcher@state.nm.us]
Sent: Wednesday, October 25, 2017 11:27 AM
To: Alan Brandon <Alan.Brandon@ghd.com>; Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; stucker@blm.gov; YJORDAN@BLM.GOV

Cc: Zane Kurtz <Zane_Kurtz@eogresources.com>; Bernard Bockisch <Bernard.Bockisch@ghd.com>; cctofiling@croworld.com
Subject: RE: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

RE: EOG Resources * Livingston Ridge SWD Water Line * 2RP-2044 * DOR: 10/27/13

Greetings,

At the time of this release, Transwestern had a 24" high pressure gas line that this release followed. The line was fairly shallow, and actually exposed in some areas of the release. The proposal is for a 4' excavation and liner placement, but no mention of the gas line. Assuming it still exists, what is your proposal in regard to that line?

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

From: Alan.Brandon@ghd.com [<mailto:Alan.Brandon@ghd.com>]
Sent: Tuesday, October 17, 2017 9:27 AM
To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; stucker@blm.gov
Cc: Zane Kurtz <Zane_Kurtz@eogresources.com>; Bernard.Bockisch@ghd.com; cctofiling@croworld.com
Subject: 088210-35-(2RP-2044) Livingston Ridge SWD Assessment Summary Report ~COR-088210-35~

Crystal, Mike and Shelly,

On behalf of EOG Resources, GHD is submitting the attached Assessment Summary Report for the Livingston Ridge SWD site (2RP-2044) for your review. If you have any questions, please contact either Bernard Bockisch or myself.

Thank you.

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.

This e-mail has been scanned for viruses

CONFIDENTIALITY NOTICE: This email, including any attachments, is confidential and may be privileged. If you are not the intended recipient please notify the sender immediately, and please delete it; you should not copy it or use it for any purpose or disclose its contents to any other person. GHD and its affiliates reserve the right to monitor and modify all email communications through their networks.
