

Bratcher, Mike, EMNRD

From: Tavarez, Ike <Ike.Tavarez@tetrattech.com>
Sent: Thursday, January 25, 2018 3:35 PM
To: Weaver, Crystal, EMNRD; Tucker, Shelly (stucker@blm.gov)
Cc: Bratcher, Mike, EMNRD; Zane_Kurtz@eogresources.com; Gonzales, Clair
Subject: Culebra BLV Federal #1H - 2RP - 4483 - Site Plan and Confirmation Sampling - Requesting Approval to Backfill
Attachments: FIG 3.pdf; FIG 1.pdf; FIG 2.pdf; Calebra BLV _Analysis Table 1.pdf

Crystal and Shelly,

Here is the confirmation sampling data for the release that occurred at the EOG Culebra BLV #1H, located in Eddy County, New Mexico. As part of the rapid response, EOG immediately excavated the impacted soils and hauled the material for proper disposal. Once excavated to the appropriate depths, Tetra Tech collected confirmation samples. I have also included the excavation plat and sample locations for your review. Referring to Table 1, all of the bottom and sidewall samples were below the RRALs for TPH and BTEX. In addition, all of the samples were below the 600 mg/kg chloride threshold, except for the Center Pasture Area S14 (North Sidewall). This area showed a chloride concentration of 641 mg/kg. The area (S14) will be re-sampled to confirm the chloride concentration, or the material will be removed, if exceeding the threshold. If approved, EOG would like to start backfilling the excavation next week. Once the backfilling is complete, Tetra Tech will prepare a closure report for the site. Please review and call me if you have any questions. Thanks

Ike Tavarez, PG | Senior Project Manager

Main: 432.682.4559 | Fax: 432.682.3946 | Cell: 432.425.3878

Ike.Tavarez@tetrattech.com

Tetra Tech | Complex World, Clear Solutions™

4000 North Big Spring, Suite 401 | Midland, TX 79705 | www.tetrattech.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.