

From: [Bratcher, Mike, EMNRD](#)
To: ["Bob Asher"; Weaver, Crystal, EMNRD; Yvette Moore](#)
Cc: [Tucker, Shelly](#)
Subject: RE: C-141 Initial Donahue Federal SWD #1
Date: Monday, May 14, 2018 10:02:00 AM
Attachments: [image001.png](#)

RE: EOG Y * Donahue Fed SWD 1 * **2RP-4621** * DOR: 1/25/18

Bob,

Your proposal for liner inspection and subsequent sampling program should the liner fail the integrity test, is approved. Federal sites will require like approval from BLM.

Thank you,

Mike Bratcher
NMOCD District 2
811 South First Street
Artesia, NM 88210
575-748-1283 Ext 108

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to ground water, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, local laws and/or regulations.

From: Bob Asher <Bob_Asher@eogresources.com>
Sent: Tuesday, March 20, 2018 3:56 PM
To: Weaver, Crystal, EMNRD <Crystal.Weaver@state.nm.us>; Yvette Moore <Yvette_Moore@eogresources.com>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>
Subject: RE: C-141 Initial Donahue Federal SWD #1

Thank you,

Robert C. "Bob" Asher
Environmental Supervisor
Safety & Environmental Department
EOG Resources, Inc.
Artesia Division
EOG Safety Begins With YOUR Safety



From: Weaver, Crystal, EMNRD [<mailto:Crystal.Weaver@state.nm.us>]

Sent: Thursday, March 15, 2018 4:33 PM

To: Yvette Moore <Yvette_Moore@eogresources.com>; Bratcher, Mike, EMNRD
<mike.bratcher@state.nm.us>

Cc: Bob Asher <Bob_Asher@eogresources.com>; Chase Settle <Chase_Settle@eogresources.com>

Subject: RE: C-141 Initial Donahue Federal SWD #1

**** External email. Use caution.****

This sender failed our fraud detection checks and may not be who they appear to be. Learn about [spoofing](#) [Feedback](#)

RE: EOG * Donahue Federal SWD #1 * 30-015-00087 * 2RP-4621

Yvette/Bob,

I have included a scanned copy of the signed Initial C-141 Remediation Permit along with an attached Conditions of Approval (COA). The OCD tracking number for this event is 2RP-4621, please refer to this tracking number on any and all submissions sent in to the OCD. Please remit a site characterization plan (see COA document included in attachment) or advise OCD of plan of action immediately since this one has a due date of 3/12/18 and that has passed.

Thank you,

Crystal Weaver

Environmental Specialist

OCD – Artesia District II

811 S. 1st Street

Artesia, NM 88210

Office: 575-748-1283 ext. 101

Cell: 575-840-5963

Fax: 575-748-9720

From: Yvette Moore [mailto:Yvette_Moore@eogresources.com]

Sent: Monday, February 12, 2018 11:40 AM

To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Weaver, Crystal, EMNRD
<Crystal.Weaver@state.nm.us>

Cc: Bob Asher <Bob_Asher@eogresources.com>; Chase Settle <Chase_Settle@eogresources.com>

Subject: C-141 Initial Donahue Federal SWD #1

Please find the attached C-141 Initial for the location listed below:

Donahue Federal SWD #1

30-015-00087

1980 FNL' & 660 FWL'
Sec 10-20S-24E
Eddy County, New Mexico



Yvette Moore

Rep Safety & Environmental II
Safety & Environmental Department
Artesia Division
(575)748-4223
yvette_moore@eogresources.com