

Bratcher, Mike, EMNRD

From: David J. Adkins <dadkins@talonlpe.com>
Sent: Thursday, July 19, 2018 5:14 PM
To: Shelly Tucker; Raley, Jim
Cc: Blaney, Karolina; Bratcher, Mike, EMNRD
Subject: RE: [EXTERNAL] WPX Pecos Fed 1Y

Hi Shelly,

What seed mix would you recommend for this area?

Thanks.

David J. Adkins
District Manager Artesia
Office: 575.746.8768
Direct: 575.616.4022
Cell: 575.441.4835
Fax: 575.746.8905
Emergency: 866.742.0742
Web: www.talonlpe.com



From: Shelly Tucker <stucker@blm.gov>
Sent: Thursday, July 19, 2018 4:53 PM
To: Raley, Jim <James.Raley@wpxenergy.com>
Cc: Blaney, Karolina <Karolina.Blaney@wpxenergy.com>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; David J. Adkins <dadkins@talonlpe.com>
Subject: Re: [EXTERNAL] WPX Pecos Fed 1Y

Thank you for the C-141. I will be watching for the remedial proposal.

If you have any questions or concerns, please do not hesitate to contact me.

Sincerely,

Shelly J Tucker

Environmental Protection Specialist
O&G Spill/Release Coordinator

575.234.5905 - Direct
575.361.0084 - Cellular
575.234.6235 - Emergency Spill Number

stucker@blm.gov

Bureau of Land Management

620 E. Greene St
Carlsbad, NM 88220

The **BLM acceptance/approval does not** relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment or if the location fails to reclaim properly. **In such an event a site does not achieve successful restoration, or future issues with contaminants are encountered, the operator will be asked to address these issues until they are fully mitigated and the location is successfully reclaimed.** In addition, BLM approval does not relieve the operator of responsibility for compliance with any other federal, state or local laws/regulations.

Confidentiality Warning: This message along with any attachments are intended only for use of the individual or entity to which it is addressed and may contain information that is privileged or confidential and exempt from disclosure under applicable law. If the reader of this message is not the intended recipient or the employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this communication is strictly prohibited. If you have received this communication in error, please notify the sender immediately.

NOTE: LPC Timing Stipulations - from March 1st through June 15th. Please plan remedial activities accordingly. Check for African Rue...treat (before it gets out of control).

On Tue, Jul 17, 2018 at 2:52 PM Raley, Jim <James.Raley@wpxenergy.com> wrote:

Please find attached C-141 for the below noted incident.

Jim Raley | Environmental Specialist - Permian Basin

5315 Buena Vista Dr., Carlsbad, NM 88220

C: (575)689-7597 | james.ralej@wpxenergy.com



From: Blaney, Karolina
Sent: Thursday, July 05, 2018 3:05 PM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; 'Tucker, Shelly' <stucker@blm.gov>
Cc: Raley, Jim <James.Raley@wpxenergy.com>
Subject: WPX Pecos Fed 1Y initial spill notification

Good afternoon,

WPX had a spill this morning, 7-5-18 at 10:20 am, northeast of the Pecos Fed 1Y well pad (API 30-015-24875, lat 32.00834 long -103.96514). Flange on a water transfer header was leaking and estimated 10 bbls of produced water were sprayed on the ROW. Water migrated north of the header and onto a private property. The spill was contained on a ROW.

The C-141 report will be submitted in the next 15 days.

Please feel free to contact me if you have any questions or concerns.

Thank you and have a great afternoon,

Karolina Blaney

Environmental Specialist

WPX Energy

Office: (575) 885-7514

Cell: (970) 589-0743

karolina.blaney@wpxenergy.com