

May 31, 2019

Mr. Mike Bratcher
New Mexico Oil Conservation Division
811 South First Street
Artesia, New Mexico 88210

**RE: Deferral Request
Poker Lake Unit 052 Battery
Remediation Permit Number 2RP-5314
Eddy County, New Mexico**

Dear Mr. Bratcher

LT Environmental, Inc. (LTE), on behalf of XTO Energy, Inc. (XTO), presents the following report detailing soil sampling and excavation activities at the Poker Lake Unit 052 Battery (Site) in Unit C, Section 33, Township 25 South, Range 31 East, in Eddy County, New Mexico (Figure 1). The purpose of the soil sampling and excavation activities was to address impacts to soil after a condensate release at the Site.

On March 3, 2019, corrosion in a condensate storage tank resulted in the release of 97 barrels (bbls) of condensate into an unlined earthen berm. None of the released fluid was recovered. XTO reported the release to the New Mexico Oil Conservation Division (NMOCD) on a Release Notification and Corrective Action Form C-141 on March 15, 2019, and was assigned Remediation Permit (RP) Number 2RP-5314 (Attachment 1). Based on the excavation activities and results of the soil sampling events, XTO is submitting this deferral report, describing remediation that has occurred and requesting deferral of final remediation.

BACKGROUND

LTE characterized the Site according to Table 1, *Closure Criteria for Soils Impacted by a Release*, of Title 19, Chapter 15, Part 29, Section 12 (19.15.29.12) of the New Mexico Administrative Code (NMAC). Depth to groundwater at the Site is estimated to be greater than 100 feet below ground surface (bgs) based on the nearest water well data. The nearest permitted water well with depth to water data is United States Geological Survey (USGS) well 320643103465002 located approximately 1.4 miles north-northeast of the Site. The water well has a depth to groundwater of 318 feet. The total depth of the water well was not available. Ground surface elevation at the water well location is 3,371 feet, which is 65 feet higher in elevation than the Site. The closest continuously flowing water or significant watercourse to the Site is seasonal drainage channels to an emergent wetland located immediately south of the Site. The Site is greater than 200 feet from a lakebed, sinkhole, or playa lake and greater than 300 feet from an occupied residence, school, hospital, institution, church, or wetland. The Site is greater than 1,000 feet to a freshwater



well or spring and is not within a 100-year floodplain or overlying a subsurface mine. The Site is located in a medium potential karst area. Based on these criteria, the following NMOCD Table 1 closure criteria were applied: 10 milligrams per kilogram (mg/kg) benzene; 50 mg/kg total benzene, toluene, ethylbenzene, and total xylenes (BTEX); 100 mg/kg total petroleum hydrocarbons (TPH); and 600 mg/kg chloride.

PRELIMINARY SOIL SAMPLING

On March 18, 2019, LTE personnel inspected the Site to evaluate the release extent. Surface hydrocarbon staining was observed in the release area. The release extent was mapped using a handheld Global Positioning System (GPS) unit and is depicted on Figure 2. LTE personnel collected three preliminary soil samples (SS01 through SS03) within the release area from a depth of 0.5 feet bgs to assess the lateral extent of soil impacts. The soil samples were screened for volatile aromatic hydrocarbons and chlorides using a photo-ionization detector (PID) and Hach® chloride QuanTab® test strips. The soil samples were placed directly into pre-cleaned glass jars, labeled with location, date, time, sampler, and method of analysis, and immediately placed on ice. The samples were shipped to Xenco Laboratories (Xenco) in Midland, Texas, at 4 degrees Celsius (°C) under strict chain-of-custody procedures for analysis of BTEX by United States Environmental Protection Agency (EPA) Method 8021B, TPH-gasoline range organics (GRO), TPH-diesel range organics (DRO), and TPH-oil range organics (ORO) by EPA Method 8015M/D, and chloride by EPA Method 300.0. The soil sample locations are presented on Figure 2.

Laboratory analytical results indicated that TPH concentrations exceeded the NMOCD Table 1 closure criteria in preliminary soil samples SS01 through SS03; BTEX concentrations exceeded the NMOCD Table 1 closure criteria in preliminary soil samples SS01 and SS02; and chloride concentrations exceeded the NMOCD Table 1 closure criteria in preliminary soil samples SS01 and SS03. Based on the laboratory analytical results, potholing was scheduled to delineate the lateral and vertical extent of impacted soil and direct excavation activities. Laboratory analytical results are presented on Figure 2 and summarized in Table 1, and the laboratory analytical report is included in Attachment 2.

DELINEATION ACTIVITIES

During March and May 2019, LTE personnel returned to the Site to oversee potholing activities to delineate the lateral and vertical extent of impacted soil and direct excavation activities. Potholes PH01 through PH07 were advanced in and around the release area via track hoe to depths ranging from 4 feet to 10 feet bgs. Soil was field screened in the potholes using a PID and Hach® chloride QuanTab® test strips. Two delineation soil samples were collected for laboratory analysis from each pothole PH01, PH02, PH04, PH05, PH06, and PH07 from depths ranging from 0.5 feet to 10 feet bgs. Three delineation soil samples were collected for laboratory analysis from pothole PH03 from depths ranging from 0.5 feet to 6 feet bgs. The delineation soil samples were collected, handled, and analyzed as described above and submitted to Xenco in Midland, Texas.





The soil sample locations and depths are depicted on Figure 3 and soil sample logs are included in Attachment 3.

Laboratory analytical results indicated that TPH or chloride concentrations exceeded the NMOCD Table 1 closure criteria in delineation soil samples PH01, PH03A, PH05, and PH05A, collected from potholes PH01, PH03, and PH05, from depths ranging from 0.5 feet to 5 feet bgs. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were compliant with the NMOCD Table 1 closure criteria in subsequent vertical delineation soil samples PH01A and PH03B, collected from potholes PH01 and PH03, from depths ranging from 6 feet to 10 feet bgs. Laboratory analytical results indicated that BTEX, TPH, and chloride concentrations were compliant with the NMOCD Table 1 closure criteria in all delineation soil samples collected from potholes PH02, PH04, PH06, and PH07. Based on the laboratory analytical results, the lateral and vertical extent of impacted soil was defined. Laboratory analytical results are presented on Figure 3 and summarized in Table 1, and the laboratory analytical reports are included in Attachment 2.

EXCAVATION ACTIVITIES

During March and May 2019, LTE personnel were at the Site to oversee excavation of impacted soil as indicated by potholing activities, laboratory analytical results, and the documented release area. To direct excavation activities, LTE screened soil samples using a PID and Hach® chloride QuanTab® test strips. Due to the presence of active production equipment and pipelines in the release area, impacted soil was excavated to the extent possible to a depth ranging from 2 feet to 4.5 feet bgs. Following removal of impacted soil, LTE collected 5-point composite soil samples every 200 square feet from the sidewalls and floor of the excavation. The 5-point composite samples were collected by depositing 5 aliquots of soil into a 1-gallon, resealable plastic bag and homogenizing the samples by thoroughly mixing. Composite soil samples SW01 through SW10 were collected from the sidewalls of the excavation from depths ranging from 0 to 2 feet bgs to 0 to 4.5 feet bgs. Composite soil samples FS01 through FS07 were collected from the floor of the excavation from depths ranging from 2 feet to 4.5 feet bgs. The excavation soil samples were collected, handled, and analyzed as described above and submitted to Xenco in Midland, Texas. The excavation soil sample locations are presented on Figure 4.

The excavation measured approximately 1,210 square feet in area. The horizontal extent of the excavation is presented on Figure 4. A total of approximately 135 cubic yards of impacted soil were removed from the excavation. The impacted soil was transported and properly disposed of at the Lea Land landfill facility located in Hobbs, New Mexico.

ANALYTICAL RESULTS

Laboratory analytical results indicated that preliminary soil samples SS01 through SS03 and delineation soil samples PH01, PH03A, PH05, and PH05A exceeded the NMOCD Table 1 closure criteria. Impacted soil was excavated to the extent possible. Laboratory analytical results for





excavation sidewall samples SW01, SW02, SW04, SW08, and SW09 indicated that BTEX, GRO/DRO, TPH, and chloride concentrations were compliant with the NMOCD Table 1 closure criteria. Laboratory analytical results for excavation sidewall samples SW03, SW05, SW06, SW07, SW10 and excavation floor samples FS01 through FS07 indicated that TPH and/or chloride concentrations exceeded the NMOCD Table 1 closure criteria.

Further excavation of impacted soil beyond excavation sidewall samples SW03, SW05, SW06, SW07, SW10 and excavation floor samples FS01 through FS07 was limited by the presence of active production equipment and pipelines. XTO safety policy restricts soil disturbing activities to a 2 foot radius of any on-site production equipment and pipelines. This XTO safety policy is established to protect workers and reduce the likelihood of compromising the foundation of the production equipment or pipelines. This policy was enforced where impacted soil was identified within 2 feet of active production equipment or pipelines. Laboratory analytical results are summarized in Table 1 and the complete laboratory analytical reports are included as Attachment 2.

DEFERRAL REQUEST

A total of 135 cubic yards of impacted soil were excavated from the Site; however, residual impacted soil was left in place for compliance with the XTO safety policy regarding earth moving activities within 2 feet of active production equipment and pipelines. Laboratory analytical results for excavation sidewall samples SW03, SW05, SW06, SW07, SW10 and excavation floor samples FS01 through FS07, collected from the final excavation extent, indicated that soil with TPH and/or chloride concentrations exceeding the NMOCD Table 1 closure criteria was left in place within 2 feet of active production equipment or pipelines. The lateral extent of impacted soil was excavated. The exterior excavation sidewall samples are all compliant the NMOCD Table 1 closure criteria except for SW03, which represents soil remaining in place around the active truck loadout and loadout line north of the storage tank. All floor samples exceeded the NMOCD Table 1 closure criteria; however, continued vertical excavation was limited by pipelines and production equipment in the space needed laterally to slope the excavation in a manner that wouldn't compromise the integrity of the storage tanks. The active truck loadout and loadout line were present to the north, active pipelines were present to the south and east, and a second storage tank was present to the west. The impacted soil remaining in place around and beneath the storage tanks is delineated vertically and laterally by delineation soil samples collected from potholes PH01 through PH07 and excavation soil samples SW01, SW02, SW04, SW08, and SW09. An estimated 400 cubic yards of impacted soil remain in place between 4 feet and 10 feet bgs, assuming a maximum 10 foot depth based on pothole soil samples PH01A, PH02A, PH03B, PH04A, PH06A, and PH07A collected from depths ranging from 4 feet to 10 feet bgs that were compliant with the NMOCD Table 1 closure criteria.





XTO requests to backfill the existing excavation and complete remediation during any future major construction/alteration or final plugging and abandonment, whichever occurs first. LTE and XTO do not believe deferment will result in imminent risk to human health, the environment, or groundwater. XTO requests deferral of final remediation for RP Number 2RP-5314. Upon approval of this deferral request, XTO will backfill the excavation with material purchased locally and recontour the Site to match pre-existing site conditions. An updated NMOCD Form C-141 is included as Attachment 1. A photographic log of the Site is included as Attachment 4.

If you have any questions or comments, please do not hesitate to contact Ms. Ashley Ager at (970) 385-1096.

Sincerely,
LT ENVIRONMENTAL, INC.

A handwritten signature in black ink that reads "Ashley L. Ager". The signature is fluid and cursive, with the first name being the most prominent.

Ashley L. Ager, P.G.
Senior Geologist

cc: Kyle Littrell, XTO
Robert Hamlet, NMOCD
Victoria Venegas, NMOCD
Jim Amos, U.S. Bureau of Land Management

Attachments:

Figure 1 Site Location Map
Figure 2 Preliminary Soil Sample Locations
Figure 3 Delineation Soil Sample Locations
Figure 4 Excavation Soil Sample Locations
Table 1 Soil Analytical Reports
Attachment 1 Initial/Final NMOCD Form C-141 (2RP-5314)
Attachment 2 Laboratory Analytical Reports
Attachment 3 Soil Sample Logs
Attachment 4 Photographic Log







IMAGE COURTESY OF ESRI/USGS

LEGEND

 SITE LOCATION




NOTE: REMEDIATION PERMIT
NUMBER 2RP-5314

FIGURE 1
SITE LOCATION MAP
POKER LAKE UNIT 052 BATTERY
UNIT C SEC 33 T25S R31E
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.



SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
 SAMPLE DATE
 NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
 B = 10 mg/kg
 BTEX = 50 mg/kg
 TPH = 100 mg/kg
 Cl = 600 mg/kg
 ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE
 LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
 APPLICABLE STANDARD



LEGEND

- X RELEASE LOCATION
- PRELIMINARY SOIL SAMPLE WITH CONCENTRATIONS EXCEEDING APPLICABLE STANDARDS
- LOADING LINE
- GAS PIPELINE
- RISER
- G — APPROXIMATE UNDERGROUND PIPELINE
- RELEASE EXTENT

B: BENZENE
 BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE,
 AND TOTAL XYLENES
 TPH – TOTAL PETROLEUM HYDROCARBONS
 Cl - CHLORIDE
 NMAC – NEW MEXICO ADMINISTRATIVE CODE
 NMOCD – NEW MEXICO OIL CONSERVATION DIVISION
 NOTE: REMEDIATION PERMIT NUMBER 2RP-5314





FIGURE 2
 PRELIMINARY SOIL SAMPLE LOCATIONS
 POKER LAKE UNIT 052 BATTERY
 UNIT C SEC 33 T25S R31E
 EDDY COUNTY, NEW MEXICO
 XTO ENERGY, INC.





SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
 SAMPLE DATE
 NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
 B = 10 mg/kg
 BTEX = 50 mg/kg
 TPH = 100 mg/kg
 Cl = 600 mg/kg
 ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE APPLICABLE STANDARD

PH02@1'
 03/29/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: <15.0
 Cl: 68.1
 PH02A@4'
 03/29/2019
 B: <0.00199
 BTEX: <0.00199
 TPH: <15.0
 Cl: 203

PH06@0.5'
 05/02/2019
 B: <0.00199
 BTEX: <0.00199
 TPH: <15.0
 Cl: <5.00
 PH06A@4.5'
 05/02/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: <15.0
 Cl: 7.69

PH01@4'
 03/29/2019
 B: <0.994
 BTEX: 30.8
 TPH: **8,810**
 Cl: **2,840**
 PH01A@10'
 03/29/2019
 B: <0.00202
 BTEX: <0.00202
 TPH: <14.9
 Cl: 158

PH05@0.5'
 03/29/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: **164**
 Cl: 27.4
 PH05A@4.5'
 03/29/2019
 B: <0.00200
 BTEX: 0.202
 TPH: **584**
 Cl: 35.7

PH07@2'
 05/02/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: 61.5
 Cl: 130
 PH07A@4.5'
 05/02/2019
 B: <0.00201
 BTEX: <0.00201
 TPH: <15.0
 Cl: 327

PH04@0.5'
 03/29/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: <15.0
 Cl: 24.9
 PH04A@4'
 03/29/2019
 B: <0.00201
 BTEX: <0.00201
 TPH: <15.0
 Cl: 378

PH03@0.5'
 03/29/2019
 B: <0.00199
 BTEX: <0.00199
 TPH: <15.0
 Cl: 100
 PH03A@5'
 03/29/2019
 B: <0.00200
 BTEX: <0.00200
 TPH: <15.0
 Cl: **1,540**
 PH03B@6'
 05/24/2019
 B: <0.00199
 BTEX: <0.00199
 TPH: <15.0
 Cl: 393

IMAGE COURTESY OF ESRI





FIGURE 3
DELINEATION SOIL SAMPLE LOCATIONS
POKER LAKE UNIT 052 BATTERY
UNIT C SEC 33 T25S R31E
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.



SAMPLE ID@DEPTH BELOW GROUND SURFACE (FEET)
 SAMPLE DATE
 NMOCD TABLE 1 CLOSURE CRITERIA (NMAC 19.15.29.12)
 B = 10 mg/kg
 BTEX = 50 mg/kg
 TPH = 100 mg/kg
 Cl = 600 mg/kg
 ALL RESULTS IN MILLIGRAMS PER KILOGRAM (mg/kg)
 <: INDICATES RESULT IS LESS THAN THE
 LABORATORY REPORTING LIMIT
BOLD: INDICATES RESULT EXCEEDS THE
 APPLICABLE STANDARD



LEGEND



RELEASE LOCATION



EXCAVATION SOIL SAMPLE IN COMPLIANCE
 WITH APPLICABLE STANDARDS



EXCAVATION SOIL SAMPLE WITH CONCENTRATIONS
 EXCEEDING APPLICABLE STANDARDS

LOADING LINE

GAS PIPELINE

RISER

APPROXIMATE UNDERGROUND PIPELINE

EXCAVATION EXTENT




IMAGE COURTESY OF ESRI

B: BENZENE
 BTEX: TOTAL BENZENE, TOLUENE, ETHYLBENZENE,
 AND TOTAL XYLENES
 TPH – TOTAL PETROLEUM HYDROCARBONS
 Cl - CHLORIDE
 NMAC – NEW MEXICO ADMINISTRATIVE CODE
 NMOCD – NEW MEXICO OIL CONSERVATION DIVISION
 NOTE: REMEDIATION PERMIT NUMBER 2RP-5314

FIGURE 4
 EXCAVATION SOIL SAMPLE LOCATIONS
 POKER LAKE UNIT 052 BATTERY
 UNIT C SEC 33 T25S R31E
 EDDY COUNTY, NEW MEXICO
 XTO ENERGY, INC.



**TABLE 1
SOIL ANALYTICAL RESULTS**

**POKER LAKE UNIT 052 BATTERY
REMEDATION PERMIT NUMBER 2RP-5314
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
SS01	0.5	03/18/2019	<1.01	5.64	5.45	60.7	71.8	3,670	4,680	213	8,350	8,560	4,540
SS02	0.5	03/18/2019	<2.00	35.7	9.59	136	182	9,340	7,730	342	17,070	17,400	37.0
SS03	0.5	03/18/2019	<1.00	<1.00	4.17	8.33	12.5	4,100	5,800	292	9,900	10,200	1,820
FS01	2	03/29/2019	0.110	0.351	1.51	10.9	12.8	1,700	3,300	145	5,000	5,150	494
FS02	2-4	03/29/2019	0.102	1.31	2.01	16.3	19.7	1,560	2,810	125	4,370	4,500	450
FS04	2	03/29/2019	0.151	1.28	2.03	17.8	21.3	1,550	3,270	146	4,820	4,970	588
FS03	2-4	03/29/2019	0.0777	<0.0201	0.315	1.19	1.58	271	861	40.0	1,130	1,170	1,180
SW01	0-2	03/29/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	48.3
SW02	0-4	03/29/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	325
SW03	0-4	03/29/2019	<0.00200	<0.00200	<0.00200	0.00530	0.00530	24.2	190	<15.0	214	214	403
SW04	0-4	03/29/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	39.4	<15.0	39.4	39.4	255
SW05	0-4	03/29/2019	0.102	0.778	2.11	16.6	19.6	1,970	3,370	118	5,340	5,460	320
SW06	0-4	03/29/2019	0.118	0.735	1.09	5.73	7.67	1,440	3,060	117	4,500	4,620	1,420
SW07	0-4	03/29/2019	0.0985	6.04	1.86	2.83	10.8	2,010	3,770	180	5,780	5,960	1,110
PH01	4	03/29/2019	<0.994	<0.994	5.30	25.5	30.8	3,660	4,960	191	8,620	8,810	2,840
PH01A	10	03/29/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<14.9	<14.9	<14.9	<14.9	<14.9	158
PH02	1	03/29/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	68.1
PH02A	4	03/29/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	203
PH03	0.5	03/29/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	100
PH03A	4	03/29/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	1,540
PH04	0.5	03/29/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	24.9
PH04A	4	03/29/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	378
PH05	0.5	03/29/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	147	16.8	147	164	27.4
PH05A	4.5	03/29/2019	<0.00200	<0.00200	0.0132	0.189	0.202	38.8	484	61.5	523	584	35.7
SW08	0 - 4.5	05/01/2019	<0.00198	<0.00198	<0.00198	<0.00198	<0.00198	<15.0	<15.0	<15.0	<15.0	<15.0	260
FS06	4.5	05/01/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	15.7	219	<15.0	235	235	1,370



**TABLE 1
SOIL ANALYTICAL RESULTS**

**POKER LAKE UNIT 052 BATTERY
REMEDIATION PERMIT NUMBER 2RP-5314
EDDY COUNTY, NEW MEXICO
XTO ENERGY, INC.**

Sample Name	Sample Depth (feet bgs)	Sample Date	Benzene (mg/kg)	Toluene (mg/kg)	Ethyl-benzene (mg/kg)	Total Xylenes (mg/kg)	Total BTEX (mg/kg)	GRO (mg/kg)	DRO (mg/kg)	ORO (mg/kg)	Total GRO+DRO (mg/kg)	TPH (mg/kg)	Chloride (mg/kg)
PH06	0.5	05/02/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	<5.00
PH07	2	05/02/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<14.9	61.5	<14.9	61.5	61.5	130
PH06A	4.5	05/02/2019	<0.00200	<0.00200	<0.00200	<0.00200	<0.00200	<15.0	<15.0	<15.0	<15.0	<15.0	7.69
PH07A	4.5	05/02/2019	<0.00201	<0.00201	<0.00201	<0.00201	<0.00201	<15.0	<15.0	<15.0	<15.0	<15.0	327
SW09	0 - 4.5	05/06/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	332
SW10	0 - 4.5	05/06/2019	<0.00200	0.0364	0.0205	0.539	0.596	<15.0	153	31.5	153	185	437
FS07	4.5	05/06/2019	<0.00202	<0.00202	<0.00202	<0.00202	<0.00202	<15.0	<15.0	<15.0	<15.0	<15.0	1,540
PH03B	6	05/24/2019	<0.00199	<0.00199	<0.00199	<0.00199	<0.00199	<15.0	<15.0	<15.0	<15.0	<15.0	393
NMOCDC Table 1 Closure Criteria			10	NE	NE	NE	50	NE	NE	NE	NE	100	600

Notes:

bgs - below ground surface

BTEX - benzene, toluene, ethylbenzene, and total xylenes

DRO - diesel range organics

GRO - gasoline range organics

mg/kg - milligrams per kilogram

ORO - motor oil range organics

NMAC - New Mexico Administrative Code

NMOCDC - New Mexico Oil Conservation Division

NE - not established

TPH - total petroleum hydrocarbons

Bold - indicates result exceeds the applicable regulatory standard

< - indicates result is below laboratory reporting limits

Table 1 - closure criteria for soils impacted by a release per NMAC 19.15.29 August 2018



District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural
Resources Department

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-141
Revised August 24, 2018
Submit to appropriate CD District office

Incident ID	NAB1908038039
District RP	2 2RP-5314
Facility ID	
Application ID	pAB1908037546

Release Notification

Responsible Party

Responsible Party XTO Energy	OGRID 5380
Contact Name Kyle Littrell	Contact Telephone 432-221-7331
Contact email Kyle_Littrell@xtoenergy.com	Incident # (assigned by OCD) NAB1908038039
Contact mailing address 522 W. Mermod, Carlsbad, NM 88220	

Location of Release Source

Latitude 32.092069 Longitude -103.785430
(NAD 83 in decimal degrees to 5 decimal places)

Site Name Poker Lake Unit #052 Battery	Site Type Bulk Storage and Separation Facility
Date Release Discovered 3/3/2019	API# (if applicable) 30-015-24147

Unit Letter	Section	Township	Range	County
C	33	25S	31E	Eddy

Surface Owner: ☐ State ☒ Federal ☐ Tribal ☐ Private (Name: BLM)

Nature and Volume of Release

Material(s) Released (Select all that apply and attach calculations or specific justification for the volumes provided below)

☐ Crude Oil	Volume Released (bbls)	Volume Recovered (bbls)
☐ Produced Water	Volume Released (bbls)	Volume Recovered (bbls)
	Is the concentration of total dissolved solids (TDS) in the produced water >10,000 mg/l?	☐ Yes ☐ No
☒ Condensate	Volume Released (bbls) 97	Volume Recovered (bbls) 0
☐ Natural Gas	Volume Released (Mcf)	Volume Recovered (Mcf)
☐ Other (describe)	Volume/Weight Released (provide units)	Volume/Weight Recovered (provide units)

Cause of Release

Tank corrosion resulted in the release of 97 barrels of condensate into an unlined berm. Additional third party resources have been retained to assist with remediation.


State of New Mexico
Oil Conservation Division

Incident ID	NAB1908038039
District RP	2RP-5314
Facility ID	
Application ID	pAB1908037546

Was this a major release as defined by 19.15.29.7(A) NMAC? ☒ Yes ☐ No	If YES, for what reason(s) does the responsible party consider this a major release? An unauthorized release of a volume of 25 barrels or more.
If YES, was immediate notice given to the OCD? By whom? To whom? When and by what means (phone, email, etc)? Notice provided by Amy Ruth to Mike Bratcher, Rob Hamlet, and Jim Griswold (NMOCD), and Jim Amos (BLM) on 3/3/2019 by email	

Initial Response

The responsible party must undertake the following actions immediately unless they could create a safety hazard that would result in injury

☒ The source of the release has been stopped. ☒ The impacted area has been secured to protect human health and the environment. ☒ Released materials have been contained via the use of berms or dikes, absorbent pads, or other containment devices. ☒ All free liquids and recoverable materials have been removed and managed appropriately.	
If all the actions described above have <u>not</u> been undertaken, explain why: 	
Per 19.15.29.8 B. (4) NMAC the responsible party may commence remediation immediately after discovery of a release. If remediation has begun, please attach a narrative of actions to date. If remedial efforts have been successfully completed or if the release occurred within a lined containment area (see 19.15.29.11(A)(5)(a) NMAC), please attach all information needed for closure evaluation.	
I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.	
Printed Name: <u>Kyle Littrell</u> Signature:  email: <u>Kyle_Littrell@xtoenergy.com</u>	Title: <u>SH&E Supervisor</u> Date: <u>3/15/2019</u> Telephone: <u>432-221-7331</u>
OCD Only Received by:  Date: <u>3/21/2019</u>	

Incident ID	
District RP	2RP-5314
Facility ID	
Application ID	

Site Assessment/Characterization

This information must be provided to the appropriate district office no later than 90 days after the release discovery date.

What is the shallowest depth to groundwater beneath the area affected by the release?	<u>> 100</u> (ft bgs)
Did this release impact groundwater or surface water?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a continuously flowing watercourse or any other significant watercourse?	☐ Yes ☒ No
Are the lateral extents of the release within 200 feet of any lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark)?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of an occupied permanent residence, school, hospital, institution, or church?	☐ Yes ☒ No
Are the lateral extents of the release within 500 horizontal feet of a spring or a private domestic fresh water well used by less than five households for domestic or stock watering purposes?	☐ Yes ☒ No
Are the lateral extents of the release within 1000 feet of any other fresh water well or spring?	☐ Yes ☒ No
Are the lateral extents of the release within incorporated municipal boundaries or within a defined municipal fresh water well field?	☐ Yes ☒ No
Are the lateral extents of the release within 300 feet of a wetland?	☐ Yes ☒ No
Are the lateral extents of the release overlying a subsurface mine?	☐ Yes ☒ No
Are the lateral extents of the release overlying an unstable area such as karst geology?	☒ Yes ☒ No
Are the lateral extents of the release within a 100-year floodplain?	☐ Yes ☒ No
Did the release impact areas not on an exploration, development, production, or storage site?	☐ Yes ☒ No

Attach a comprehensive report (electronic submittals in .pdf format are preferred) demonstrating the lateral and vertical extents of soil contamination associated with the release have been determined. Refer to 19.15.29.11 NMAC for specifics.

Characterization Report Checklist: <i>Each of the following items must be included in the report.</i> ☒ Scaled site map showing impacted area, surface features, subsurface features, delineation points, and monitoring wells. ☒ Field data ☒ Data table of soil contaminant concentration data ☒ Depth to water determination ☒ Determination of water sources and significant watercourses within ½-mile of the lateral extents of the release ☒ Boring or excavation logs ☒ Photographs including date and GIS information ☒ Topographic/Aerial maps ☒ Laboratory data including chain of custody

If the site characterization report does not include completed efforts at remediation of the release, the report must include a proposed remediation plan. That plan must include the estimated volume of material to be remediated, the proposed remediation technique, proposed sampling plan and methods, anticipated timelines for beginning and completing the remediation. The closure criteria for a release are contained in Table 1 of 19.15.29.12 NMAC, however, use of the table is modified by site- and release-specific parameters.

Incident ID	
District RP	2RP-5314
Facility ID	
Application ID	

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 5/31/2019

email: Kyle Littrell@xtoenergy.com Telephone: (432)-221-7331

OCD Only

Received by: _____ Date: _____

Incident ID	
District RP	2RP-5314
Facility ID	
Application ID	

Remediation Plan

Remediation Plan Checklist: *Each of the following items must be included in the plan.*

- ☐ Detailed description of proposed remediation technique
- ☐ Scaled sitemap with GPS coordinates showing delineation points
- ☐ Estimated volume of material to be remediated
- ☐ Closure criteria is to Table 1 specifications subject to 19.15.29.12(C)(4) NMAC
- ☐ Proposed schedule for remediation (note if remediation plan timeline is more than 90 days OCD approval is required)

Deferral Requests Only: *Each of the following items must be confirmed as part of any request for deferral of remediation.*

- ☒ Contamination must be in areas immediately under or around production equipment where remediation could cause a major facility deconstruction.
- ☒ Extents of contamination must be fully delineated.
- ☒ Contamination does not cause an imminent risk to human health, the environment, or groundwater.

I hereby certify that the information given above is true and complete to the best of my knowledge and understand that pursuant to OCD rules and regulations all operators are required to report and/or file certain release notifications and perform corrective actions for releases which may endanger public health or the environment. The acceptance of a C-141 report by the OCD does not relieve the operator of liability should their operations have failed to adequately investigate and remediate contamination that pose a threat to groundwater, surface water, human health or the environment. In addition, OCD acceptance of a C-141 report does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

Printed Name: Kyle Littrell Title: SH&E Supervisor

Signature:  Date: 05/31/2019

email: Kyle_Littrell@xtoenergy.com Telephone: 432-221-7331

OCD Only

Received by: _____ Date: _____

☐ Approved ☐ Approved with Attached Conditions of Approval ☐ Denied ☐ Deferral Approved

Signature: _____ Date: _____

Analytical Report 618269

for
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU 52 Battery

28-MAR-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)
Xenco-Lakeland: Florida (E84098)



28-MAR-19

Project Manager: **Adrian Baker**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **618269**

PLU 52 Battery

Project Address: 012919042

Adrian Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 618269. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 618269 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kelsey Brooks

Project Manager

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SS01	S	03-18-19 16:20	0.5 ft	618269-001
SS02	S	03-18-19 16:30	0.5 ft	618269-002
SS03	S	03-18-19 16:40	0.5 ft	618269-003



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU 52 Battery*

Project ID:
Work Order Number(s): 618269

Report Date: 28-MAR-19
Date Received: 03/20/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3083124 TPH by SW8015 Mod

Surrogate o-Terphenyl recovered above QC limits. Matrix interferences is suspected; data confirmed by re-analysis.

Samples affected are: 618269-003,618269-001.

Batch: LBA-3083412 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 618269

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id:

Contact: Adrian Baker

Project Location: 012919042

Date Received in Lab: Wed Mar-20-19 01:15 pm

Report Date: 28-MAR-19

Project Manager: Kalei Stout

Analysis Requested	Lab Id:	618269-001	618269-002	618269-003			
	Field Id:	SS01	SS02	SS03			
	Depth:	0.5- ft	0.5- ft	0.5- ft			
	Matrix:	SOIL	SOIL	SOIL			
	Sampled:	Mar-18-19 16:20	Mar-18-19 16:30	Mar-18-19 16:40			
BTEX by EPA 8021B	Extracted:	Mar-25-19 16:30	Mar-25-19 16:30	Mar-25-19 16:30			
	Analyzed:	Mar-26-19 08:02	Mar-26-19 07:43	Mar-26-19 08:21			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Benzene		<1.01 1.01	<2.00 2.00	<1.00 1.00			
Toluene		5.64 1.01	35.7 2.00	<1.00 1.00			
Ethylbenzene		5.45 1.01	9.59 2.00	4.17 1.00			
m,p-Xylenes		48.1 2.02	109 4.00	4.32 2.01			
o-Xylene		12.6 1.01	27.3 2.00	4.01 1.00			
Total Xylenes		60.7 1.01	136 2.00	8.33 1.00			
Total BTEX		71.8 1.01	182 2.00	12.5 1.00			
Inorganic Anions by EPA 300	Extracted:	Mar-21-19 10:35	Mar-21-19 10:35	Mar-21-19 10:35			
	Analyzed:	Mar-21-19 15:46	Mar-21-19 16:16	Mar-21-19 16:25			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Chloride		4540 50.0	37.0 25.0	1820 25.1			
TPH by SW8015 Mod	Extracted:	Mar-23-19 10:00	Mar-23-19 10:00	Mar-23-19 10:00			
	Analyzed:	Mar-24-19 10:13	Mar-24-19 14:08	Mar-24-19 14:28			
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL			
Gasoline Range Hydrocarbons (GRO)		3670 15.0	9340 74.8	4100 74.9			
Diesel Range Organics (DRO)		4680 15.0	7730 74.8	5800 74.9			
Motor Oil Range Hydrocarbons (MRO)		213 15.0	342 74.8	292 74.9			
Total TPH		8560 15.0	17400 74.8	10200 74.9			

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kelsey Brooks
Project Manager



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS01** Matrix: Soil Date Received: 03.20.19 13.15
Lab Sample Id: 618269-001 Date Collected: 03.18.19 16.20 Sample Depth: 0.5 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 03.21.19 10.35 Basis: Wet Weight
Seq Number: 3082988

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	4540	50.0	mg/kg	03.21.19 15.46		10

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 03.23.19 10.00 Basis: Wet Weight
Seq Number: 3083124

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	3670	15.0	mg/kg	03.24.19 10.13		1
Diesel Range Organics (DRO)	C10C28DRO	4680	15.0	mg/kg	03.24.19 10.13		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	213	15.0	mg/kg	03.24.19 10.13		1
Total TPH	PHC635	8560	15.0	mg/kg	03.24.19 10.13		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	95	%	70-135	03.24.19 10.13	
o-Terphenyl	84-15-1	160	%	70-135	03.24.19 10.13	**



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS01**
Lab Sample Id: 618269-001

Matrix: Soil
Date Collected: 03.18.19 16.20

Date Received: 03.20.19 13.15
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3083412

Date Prep: 03.25.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<1.01	1.01	mg/kg	03.26.19 08.02	U	500
Toluene	108-88-3	5.64	1.01	mg/kg	03.26.19 08.02		500
Ethylbenzene	100-41-4	5.45	1.01	mg/kg	03.26.19 08.02		500
m,p-Xylenes	179601-23-1	48.1	2.02	mg/kg	03.26.19 08.02		500
o-Xylene	95-47-6	12.6	1.01	mg/kg	03.26.19 08.02		500
Total Xylenes	1330-20-7	60.7	1.01	mg/kg	03.26.19 08.02		500
Total BTEX		71.8	1.01	mg/kg	03.26.19 08.02		500
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	121	%	70-130	03.26.19 08.02		
1,4-Difluorobenzene	540-36-3	102	%	70-130	03.26.19 08.02		



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS02**
Lab Sample Id: 618269-002

Matrix: Soil
Date Collected: 03.18.19 16.30

Date Received: 03.20.19 13.15
Sample Depth: 0.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3082988

Date Prep: 03.21.19 10.35

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	37.0	25.0	mg/kg	03.21.19 16.16		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3083124

Date Prep: 03.23.19 10.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	9340	74.8	mg/kg	03.24.19 14.08		5
Diesel Range Organics (DRO)	C10C28DRO	7730	74.8	mg/kg	03.24.19 14.08		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	342	74.8	mg/kg	03.24.19 14.08		5
Total TPH	PHC635	17400	74.8	mg/kg	03.24.19 14.08		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	114	%	70-135	03.24.19 14.08	
o-Terphenyl	84-15-1	88	%	70-135	03.24.19 14.08	



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS02**
Lab Sample Id: 618269-002

Matrix: Soil
Date Collected: 03.18.19 16.30

Date Received: 03.20.19 13.15
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3083412

Date Prep: 03.25.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<2.00	2.00	mg/kg	03.26.19 07.43	U	1000
Toluene	108-88-3	35.7	2.00	mg/kg	03.26.19 07.43		1000
Ethylbenzene	100-41-4	9.59	2.00	mg/kg	03.26.19 07.43		1000
m,p-Xylenes	179601-23-1	109	4.00	mg/kg	03.26.19 07.43		1000
o-Xylene	95-47-6	27.3	2.00	mg/kg	03.26.19 07.43		1000
Total Xylenes	1330-20-7	136	2.00	mg/kg	03.26.19 07.43		1000
Total BTEX		182	2.00	mg/kg	03.26.19 07.43		1000
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	03.26.19 07.43		
4-Bromofluorobenzene	460-00-4	122	%	70-130	03.26.19 07.43		



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS03** Matrix: Soil Date Received: 03.20.19 13.15
Lab Sample Id: 618269-003 Date Collected: 03.18.19 16.40 Sample Depth: 0.5 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 03.21.19 10.35 Basis: Wet Weight
Seq Number: 3082988

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1820	25.1	mg/kg	03.21.19 16.25		5

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 03.23.19 10.00 Basis: Wet Weight
Seq Number: 3083124

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	4100	74.9	mg/kg	03.24.19 14.28		5
Diesel Range Organics (DRO)	C10C28DRO	5800	74.9	mg/kg	03.24.19 14.28		5
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	292	74.9	mg/kg	03.24.19 14.28		5
Total TPH	PHC635	10200	74.9	mg/kg	03.24.19 14.28		5

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	03.24.19 14.28	
o-Terphenyl	84-15-1	178	%	70-135	03.24.19 14.28	**



Certificate of Analytical Results 618269



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SS03**
Lab Sample Id: 618269-003

Matrix: Soil
Date Collected: 03.18.19 16.40

Date Received: 03.20.19 13.15
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3083412

Date Prep: 03.25.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<1.00	1.00	mg/kg	03.26.19 08.21	U	500
Toluene	108-88-3	<1.00	1.00	mg/kg	03.26.19 08.21	U	500
Ethylbenzene	100-41-4	4.17	1.00	mg/kg	03.26.19 08.21		500
m,p-Xylenes	179601-23-1	4.32	2.01	mg/kg	03.26.19 08.21		500
o-Xylene	95-47-6	4.01	1.00	mg/kg	03.26.19 08.21		500
Total Xylenes	1330-20-7	8.33	1.00	mg/kg	03.26.19 08.21		500
Total BTEX		12.5	1.00	mg/kg	03.26.19 08.21		500
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	121		%	70-130	03.26.19 08.21	
1,4-Difluorobenzene	540-36-3	99		%	70-130	03.26.19 08.21	

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 618269

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3082988

MB Sample Id: 7673994-1-BLK

Matrix: Solid

LCS Sample Id: 7673994-1-BKS

Prep Method: E300P

Date Prep: 03.21.19

LCSD Sample Id: 7673994-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	272	109	271	108	90-110	0	20	mg/kg	03.21.19 14:28	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3082988

Parent Sample Id: 618191-044

Matrix: Soil

MS Sample Id: 618191-044 S

Prep Method: E300P

Date Prep: 03.21.19

MSD Sample Id: 618191-044 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	31.1	249	297	107	292	105	90-110	2	20	mg/kg	03.21.19 14:57	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3082988

Parent Sample Id: 618191-045

Matrix: Soil

MS Sample Id: 618191-045 S

Prep Method: E300P

Date Prep: 03.21.19

MSD Sample Id: 618191-045 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	102	250	368	106	366	106	90-110	1	20	mg/kg	03.21.19 17:14	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3083124

MB Sample Id: 7674188-1-BLK

Matrix: Solid

LCS Sample Id: 7674188-1-BKS

Prep Method: TX1005P

Date Prep: 03.23.19

LCSD Sample Id: 7674188-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1060	106	1100	110	70-135	4	20	mg/kg	03.24.19 03:00	
Diesel Range Organics (DRO)	<8.13	1000	1150	115	1200	120	70-135	4	20	mg/kg	03.24.19 03:00	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	108		126		125		70-135	%	03.24.19 03:00
o-Terphenyl	110		119		128		70-135	%	03.24.19 03:00

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 618269

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: TPH by SW8015 Mod

Seq Number: 3083124

Parent Sample Id: 618085-001

Matrix: Soil

MS Sample Id: 618085-001 S

Prep Method: TX1005P

Date Prep: 03.23.19

MSD Sample Id: 618085-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.98	997	992	99	1030	103	70-135	4	20	mg/kg	03.24.19 03:59	
Diesel Range Organics (DRO)	<8.10	997	1070	107	1120	112	70-135	5	20	mg/kg	03.24.19 03:59	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	127		127		70-135	%	03.24.19 03:59
o-Terphenyl	113		114		70-135	%	03.24.19 03:59

Analytical Method: BTEX by EPA 8021B

Seq Number: 3083412

MB Sample Id: 7674330-1-BLK

Matrix: Solid

LCS Sample Id: 7674330-1-BKS

Prep Method: SW5030B

Date Prep: 03.25.19

LCSD Sample Id: 7674330-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000383	0.0996	0.107	107	0.111	111	70-130	4	35	mg/kg	03.26.19 00:11	
Toluene	<0.000454	0.0996	0.103	103	0.107	107	70-130	4	35	mg/kg	03.26.19 00:11	
Ethylbenzene	<0.000563	0.0996	0.110	110	0.113	113	70-130	3	35	mg/kg	03.26.19 00:11	
m,p-Xylenes	<0.00101	0.199	0.213	107	0.219	110	70-130	3	35	mg/kg	03.26.19 00:11	
o-Xylene	<0.000343	0.0996	0.110	110	0.115	115	70-130	4	35	mg/kg	03.26.19 00:11	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	93		102		104		70-130	%	03.26.19 00:11
4-Bromofluorobenzene	102		110		120		70-130	%	03.26.19 00:11

Analytical Method: BTEX by EPA 8021B

Seq Number: 3083412

Parent Sample Id: 618793-001

Matrix: Soil

MS Sample Id: 618793-001 S

Prep Method: SW5030B

Date Prep: 03.25.19

MSD Sample Id: 618793-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000383	0.0994	0.103	104	0.106	106	70-130	3	35	mg/kg	03.26.19 00:49	
Toluene	<0.000453	0.0994	0.0988	99	0.103	103	70-130	4	35	mg/kg	03.26.19 00:49	
Ethylbenzene	<0.000561	0.0994	0.104	105	0.107	107	70-130	3	35	mg/kg	03.26.19 00:49	
m,p-Xylenes	<0.00101	0.199	0.201	101	0.208	103	70-130	3	35	mg/kg	03.26.19 00:49	
o-Xylene	<0.000342	0.0994	0.105	106	0.112	112	70-130	6	35	mg/kg	03.26.19 00:49	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		105		70-130	%	03.26.19 00:49
4-Bromofluorobenzene	119		123		70-130	%	03.26.19 00:49

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec




Page 7 of 10



Work Order Comments	
Program: UST/PST ☐ PRP ☐ Brownfields ☐ RC ☐ Superfund ☐	
State of Project:	
Reporting: Level II ☐ Level III ☐ ST/UST ☐ RRP ☐ Level IV ☐	
Deliverables: EDD ☐ ADAPT ☐ Other:	

[illegible]

of Containers	
A 8015)	
PA 8021)	
(EPA 300.0)	
TAT starts the day received by the	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	TPH (EPA)	BTEX (EPA)	Chloride
S501	S	02/18/2014	16:20	0.5'	1	X	X	X
S502	S	03/18/2014	16:30	0.5'	1	X	X	X
S503	S	03/19/2014	16:40	0.5'	1	X	X	X
								
						lab. if received by 4:30pm		
						Sample Comments		
						32.041736, -103.785557		
						32.091687, -103.785579		
						32.091713, -103.785617		

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$76.00 will be applied to each project and a charge of \$4 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		03/19/2019 10:00			3-19-19 / 12:58pm
		3/20/19 1315			



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 03/20/2019 01:15:00 PM

Work Order #: 618269

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	2
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	No
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Katie Lowe

Date: 03/20/2019

Checklist reviewed by:

Mike Kimmel

Date: 03/20/2019

Analytical Report 619861

for
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU 52 Battery

012919042

10-APR-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)
Xenco-Lakeland: Florida (E84098)



10-APR-19

Project Manager: **Adrian Baker**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **619861**

PLU 52 Battery

Project Address: Delaware Basin

Adrian Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 619861. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 619861 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kalei Stout

Midland Laboratory Director

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
FS01	S	03-29-19 17:00	2 ft	619861-001
FS02	S	03-29-19 17:02	2 - 4 ft	619861-002
FS04	S	03-29-19 17:10	2 ft	619861-003
FS03	S	03-29-19 17:05	2 - 4 ft	619861-004
SW01	S	03-29-19 16:05	0 - 2 ft	619861-005
SW02	S	03-29-19 16:30	0 - 4 ft	619861-006
SW03	S	03-29-19 16:35	0 - 4 ft	619861-007
SW04	S	03-29-19 16:40	0 - 4 ft	619861-008
SW05	S	03-29-19 16:45	0 - 4 ft	619861-009
SW06	S	03-29-19 16:50	0 - 4 ft	619861-010
SW07	S	03-29-19 16:55	0 - 2 ft	619861-011



CASE NARRATIVE

Client Name: LT Environmental, Inc.

Project Name: PLU 52 Battery

Project ID: 012919042
Work Order Number(s): 619861

Report Date: 10-APR-19
Date Received: 04/03/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3084905 TPH by SW8015 Mod

Lab Sample ID 619861-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Gasoline Range Hydrocarbons (GRO) recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 619861-001, -002, -003, -004, -005, -006, -007, -008, -009, -010.

The Laboratory Control Sample for Gasoline Range Hydrocarbons (GRO) is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3085114 Inorganic Anions by EPA 300

Lab Sample ID 619861-005 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 619861-004, -005, -006, -007, -008, -009, -010, -011.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3085188 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected.

Samples affected are: 619861-002, 619861-009, 619861-004, 619861-011, 619861-010.

Lab Sample ID 619861-005 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Ethylbenzene, Toluene, m,p-Xylenes recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 619861-001, -002, -003, -004, -005, -006, -007, -008, -009, -010, -011.

The Laboratory Control Sample for Toluene, m,p-Xylenes, Ethylbenzene is within laboratory Control Limits, therefore the data was accepted.



Certificate of Analysis Summary 619861

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id: 012919042
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Wed Apr-03-19 11:25 am
Report Date: 10-APR-19
Project Manager: Kalei Stout

<i>Analysis Requested</i>	<i>Lab Id:</i>	619861-001	619861-002	619861-003	619861-004	619861-005	619861-006
	<i>Field Id:</i>	FS01	FS02	FS04	FS03	SW01	SW02
	<i>Depth:</i>	2- ft	2-4 ft	2- ft	2-4 ft	0-2 ft	0-4 ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Mar-29-19 17:00	Mar-29-19 17:02	Mar-29-19 17:10	Mar-29-19 17:05	Mar-29-19 16:05	Mar-29-19 16:30
BTEX by EPA 8021B	<i>Extracted:</i>	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00
	<i>Analyzed:</i>	Apr-10-19 08:45	Apr-10-19 09:06	Apr-10-19 09:25	Apr-10-19 22:41	Apr-10-19 03:43	Apr-10-19 04:02
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		0.110 0.0994	0.102 0.0992	0.151 0.100	0.0777 0.0201	<0.00201 0.00201	<0.00200 0.00200
Toluene		0.351 0.0994	1.31 0.0992	1.28 0.100	<0.0201 0.0201	<0.00201 0.00201	<0.00200 0.00200
Ethylbenzene		1.51 0.0994	2.01 0.0992	2.03 0.100	0.315 0.0201	<0.00201 0.00201	<0.00200 0.00200
m,p-Xylenes		7.73 0.199	13.0 0.198	14.1 0.200	0.849 0.0402	<0.00402 0.00402	<0.00400 0.00400
o-Xylene		3.12 0.0994	3.25 0.0992	3.71 0.100	0.340 0.0201	<0.00201 0.00201	<0.00200 0.00200
Total Xylenes		10.9 0.0994	16.3 0.0992	17.8 0.100	1.19 0.0201	<0.00201 0.00201	<0.00200 0.00200
Total BTEX		12.8 0.0994	19.7 0.0992	21.3 0.100	1.58 0.0201	<0.00201 0.00201	<0.00200 0.00200
Inorganic Anions by EPA 300 SUB: T104704215-19-29	<i>Extracted:</i>	Apr-05-19 17:00	Apr-05-19 17:00	Apr-05-19 17:00	Apr-09-19 14:14	Apr-09-19 14:14	Apr-09-19 14:14
	<i>Analyzed:</i>	Apr-06-19 11:19	Apr-06-19 11:25	Apr-06-19 11:32	Apr-09-19 20:18	Apr-09-19 21:02	Apr-09-19 21:29
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		494 5.04	450 25.0	588 25.1	1180 10.0	48.3 10.0	325 10.0
TPH by SW8015 Mod	<i>Extracted:</i>	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00
	<i>Analyzed:</i>	Apr-05-19 19:29	Apr-05-19 20:33	Apr-05-19 20:55	Apr-05-19 21:16	Apr-05-19 21:37	Apr-05-19 21:58
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		1700 15.0	1560 15.0	1550 15.0	271 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		3300 15.0	2810 15.0	3270 15.0	861 15.0	<15.0 15.0	<15.0 15.0
Motor Oil Range Hydrocarbons (MRO)		145 15.0	125 15.0	146 15.0	40.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH		5150 15.0	4500 15.0	4970 15.0	1170 15.0	<15.0 15.0	<15.0 15.0
Total GRO-DRO		5000 15.0	4370 15.0	4820 15.0	1130 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout
Midland Laboratory Director



Certificate of Analysis Summary 619861

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id: 012919042
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Wed Apr-03-19 11:25 am
Report Date: 10-APR-19
Project Manager: Kalei Stout

<i>Analysis Requested</i>	<i>Lab Id:</i>	619861-007	619861-008	619861-009	619861-010	619861-011	
	<i>Field Id:</i>	SW03	SW04	SW05	SW06	SW07	
	<i>Depth:</i>	0-4 ft	0-4 ft	0-4 ft	0-4 ft	0-2 ft	
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	
	<i>Sampled:</i>	Mar-29-19 16:35	Mar-29-19 16:40	Mar-29-19 16:45	Mar-29-19 16:50	Mar-29-19 16:55	
BTEX by EPA 8021B	<i>Extracted:</i>	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	
	<i>Analyzed:</i>	Apr-10-19 04:21	Apr-10-19 04:40	Apr-10-19 09:44	Apr-10-19 22:03	Apr-10-19 22:22	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		<0.00200 0.00200	<0.00199 0.00199	0.102 0.101	0.118 0.0503	0.0985 0.0495	
Toluene		<0.00200 0.00200	<0.00199 0.00199	0.778 0.101	0.735 0.0503	6.04 0.0495	
Ethylbenzene		<0.00200 0.00200	<0.00199 0.00199	2.11 0.101	1.09 0.0503	1.86 0.0495	
m,p-Xylenes		<0.00400 0.00400	<0.00398 0.00398	12.9 0.202	4.00 0.101	0.551 0.0990	
o-Xylene		0.00530 0.00200	<0.00199 0.00199	3.71 0.101	1.73 0.0503	2.28 0.0495	
Total Xylenes		0.00530 0.00200	<0.00199 0.00199	16.6 0.101	5.73 0.0503	2.83 0.0495	
Total BTEX		0.00530 0.00200	<0.00199 0.00199	19.6 0.101	7.67 0.0503	10.8 0.0495	
Inorganic Anions by EPA 300 SUB: T104704215-19-29	<i>Extracted:</i>	Apr-09-19 14:14	Apr-09-19 14:14	Apr-09-19 14:14	Apr-09-19 14:14	Apr-09-19 14:14	
	<i>Analyzed:</i>	Apr-09-19 21:38	Apr-09-19 21:46	Apr-09-19 21:55	Apr-09-19 22:04	Apr-09-19 22:13	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		403 9.94	255 9.92	320 10.0	1420 10.0	1110 10.0	
TPH by SW8015 Mod	<i>Extracted:</i>	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 17:00	
	<i>Analyzed:</i>	Apr-05-19 22:19	Apr-05-19 22:40	Apr-05-19 23:01	Apr-05-19 23:22	Apr-06-19 13:04	
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Gasoline Range Hydrocarbons (GRO)		24.2 15.0	<15.0 15.0	1970 14.9	1440 15.0	2010 15.0	
Diesel Range Organics (DRO)		190 15.0	39.4 15.0	3370 14.9	3060 15.0	3770 15.0	
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	118 14.9	117 15.0	180 15.0	
Total TPH		214 15.0	39.4 15.0	5460 14.9	4620 15.0	5960 15.0	
Total GRO-DRO		214 15.0	39.4 15.0	5340 14.9	4500 15.0	5780 15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout
Midland Laboratory Director



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS01**
Lab Sample Id: 619861-001

Matrix: Soil
Date Collected: 03.29.19 17.00

Date Received: 04.03.19 11.25
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: SPC

Seq Number: 3084875

Date Prep: 04.05.19 17.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	494	5.04	mg/kg	04.06.19 11.19		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1700	15.0	mg/kg	04.05.19 19.29		1
Diesel Range Organics (DRO)	C10C28DRO	3300	15.0	mg/kg	04.05.19 19.29		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	145	15.0	mg/kg	04.05.19 19.29		1
Total TPH	PHC635	5150	15.0	mg/kg	04.05.19 19.29		1
Total GRO-DRO	PHC628	5000	15.0	mg/kg	04.05.19 19.29		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	04.05.19 19.29	
o-Terphenyl	84-15-1	130	%	70-135	04.05.19 19.29	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS01**
Lab Sample Id: 619861-001

Matrix: Soil
Date Collected: 03.29.19 17.00

Date Received: 04.03.19 11.25
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.110	0.0994	mg/kg	04.10.19 08.45		50
Toluene	108-88-3	0.351	0.0994	mg/kg	04.10.19 08.45		50
Ethylbenzene	100-41-4	1.51	0.0994	mg/kg	04.10.19 08.45		50
m,p-Xylenes	179601-23-1	7.73	0.199	mg/kg	04.10.19 08.45		50
o-Xylene	95-47-6	3.12	0.0994	mg/kg	04.10.19 08.45		50
Total Xylenes	1330-20-7	10.9	0.0994	mg/kg	04.10.19 08.45		50
Total BTEX		12.8	0.0994	mg/kg	04.10.19 08.45		50
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	130	%	70-130	04.10.19 08.45		
1,4-Difluorobenzene	540-36-3	98	%	70-130	04.10.19 08.45		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS02**
Lab Sample Id: 619861-002

Matrix: Soil
Date Collected: 03.29.19 17.02

Date Received: 04.03.19 11.25
Sample Depth: 2 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: SPC

Seq Number: 3084875

Date Prep: 04.05.19 17.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	450	25.0	mg/kg	04.06.19 11.25		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1560	15.0	mg/kg	04.05.19 20.33		1
Diesel Range Organics (DRO)	C10C28DRO	2810	15.0	mg/kg	04.05.19 20.33		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	125	15.0	mg/kg	04.05.19 20.33		1
Total TPH	PHC635	4500	15.0	mg/kg	04.05.19 20.33		1
Total GRO-DRO	PHC628	4370	15.0	mg/kg	04.05.19 20.33		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	107	%	70-135	04.05.19 20.33	
o-Terphenyl	84-15-1	120	%	70-135	04.05.19 20.33	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS02**
Lab Sample Id: 619861-002

Matrix: Soil
Date Collected: 03.29.19 17.02

Date Received: 04.03.19 11.25
Sample Depth: 2 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.102	0.0992	mg/kg	04.10.19 09.06		50
Toluene	108-88-3	1.31	0.0992	mg/kg	04.10.19 09.06		50
Ethylbenzene	100-41-4	2.01	0.0992	mg/kg	04.10.19 09.06		50
m,p-Xylenes	179601-23-1	13.0	0.198	mg/kg	04.10.19 09.06		50
o-Xylene	95-47-6	3.25	0.0992	mg/kg	04.10.19 09.06		50
Total Xylenes	1330-20-7	16.3	0.0992	mg/kg	04.10.19 09.06		50
Total BTEX		19.7	0.0992	mg/kg	04.10.19 09.06		50
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	138	%	70-130	04.10.19 09.06	**	
1,4-Difluorobenzene	540-36-3	95	%	70-130	04.10.19 09.06		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS04**
Lab Sample Id: 619861-003

Matrix: Soil
Date Collected: 03.29.19 17.10

Date Received: 04.03.19 11.25
Sample Depth: 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: SPC

Seq Number: 3084875

Date Prep: 04.05.19 17.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	588	25.1	mg/kg	04.06.19 11.32		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1550	15.0	mg/kg	04.05.19 20.55		1
Diesel Range Organics (DRO)	C10C28DRO	3270	15.0	mg/kg	04.05.19 20.55		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	146	15.0	mg/kg	04.05.19 20.55		1
Total TPH	PHC635	4970	15.0	mg/kg	04.05.19 20.55		1
Total GRO-DRO	PHC628	4820	15.0	mg/kg	04.05.19 20.55		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	112	%	70-135	04.05.19 20.55	
o-Terphenyl	84-15-1	129	%	70-135	04.05.19 20.55	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS04**
Lab Sample Id: 619861-003

Matrix: Soil
Date Collected: 03.29.19 17.10

Date Received: 04.03.19 11.25
Sample Depth: 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.151	0.100	mg/kg	04.10.19 09.25		50
Toluene	108-88-3	1.28	0.100	mg/kg	04.10.19 09.25		50
Ethylbenzene	100-41-4	2.03	0.100	mg/kg	04.10.19 09.25		50
m,p-Xylenes	179601-23-1	14.1	0.200	mg/kg	04.10.19 09.25		50
o-Xylene	95-47-6	3.71	0.100	mg/kg	04.10.19 09.25		50
Total Xylenes	1330-20-7	17.8	0.100	mg/kg	04.10.19 09.25		50
Total BTEX		21.3	0.100	mg/kg	04.10.19 09.25		50
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	97	%	70-130	04.10.19 09.25		
4-Bromofluorobenzene	460-00-4	130	%	70-130	04.10.19 09.25		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS03**
Lab Sample Id: 619861-004

Matrix: Soil
Date Collected: 03.29.19 17.05

Date Received: 04.03.19 11.25
Sample Depth: 2 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1180	10.0	mg/kg	04.09.19 20.18		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	271	15.0	mg/kg	04.05.19 21.16		1
Diesel Range Organics (DRO)	C10C28DRO	861	15.0	mg/kg	04.05.19 21.16		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	40.0	15.0	mg/kg	04.05.19 21.16		1
Total TPH	PHC635	1170	15.0	mg/kg	04.05.19 21.16		1
Total GRO-DRO	PHC628	1130	15.0	mg/kg	04.05.19 21.16		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	110	%	70-135	04.05.19 21.16	
o-Terphenyl	84-15-1	96	%	70-135	04.05.19 21.16	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS03**
Lab Sample Id: 619861-004

Matrix: Soil
Date Collected: 03.29.19 17.05

Date Received: 04.03.19 11.25
Sample Depth: 2 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.0777	0.0201	mg/kg	04.10.19 22.41		10
Toluene	108-88-3	<0.0201	0.0201	mg/kg	04.10.19 22.41	U	10
Ethylbenzene	100-41-4	0.315	0.0201	mg/kg	04.10.19 22.41		10
m,p-Xylenes	179601-23-1	0.849	0.0402	mg/kg	04.10.19 22.41		10
o-Xylene	95-47-6	0.340	0.0201	mg/kg	04.10.19 22.41		10
Total Xylenes	1330-20-7	1.19	0.0201	mg/kg	04.10.19 22.41		10
Total BTEX		1.58	0.0201	mg/kg	04.10.19 22.41		10
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	163	%	70-130	04.10.19 22.41	**	
1,4-Difluorobenzene	540-36-3	103	%	70-130	04.10.19 22.41		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW01**
Lab Sample Id: 619861-005

Matrix: Soil
Date Collected: 03.29.19 16.05

Date Received: 04.03.19 11.25
Sample Depth: 0 - 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Date Prep: 04.09.19 14.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	48.3	10.0	mg/kg	04.09.19 21.02		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.05.19 21.37	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.05.19 21.37	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.05.19 21.37	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.05.19 21.37	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.05.19 21.37	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	04.05.19 21.37	
o-Terphenyl	84-15-1	85	%	70-135	04.05.19 21.37	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW01**
Lab Sample Id: 619861-005

Matrix: Soil
Date Collected: 03.29.19 16.05

Date Received: 04.03.19 11.25
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.10.19 03.43	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.10.19 03.43	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	95	%	70-130	04.10.19 03.43		
4-Bromofluorobenzene	460-00-4	94	%	70-130	04.10.19 03.43		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW02**
Lab Sample Id: 619861-006

Matrix: Soil
Date Collected: 03.29.19 16.30

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Date Prep: 04.09.19 14.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	325	10.0	mg/kg	04.09.19 21.29		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.05.19 21.58	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.05.19 21.58	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.05.19 21.58	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.05.19 21.58	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.05.19 21.58	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	04.05.19 21.58	
o-Terphenyl	84-15-1	83	%	70-135	04.05.19 21.58	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW02**
Lab Sample Id: 619861-006

Matrix: Soil
Date Collected: 03.29.19 16.30

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.10.19 04.02	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 04.02	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	84	%	70-130	04.10.19 04.02		
1,4-Difluorobenzene	540-36-3	84	%	70-130	04.10.19 04.02		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW03**
Lab Sample Id: 619861-007

Matrix: Soil
Date Collected: 03.29.19 16.35

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	403	9.94	mg/kg	04.09.19 21.38		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	24.2	15.0	mg/kg	04.05.19 22.19		1
Diesel Range Organics (DRO)	C10C28DRO	190	15.0	mg/kg	04.05.19 22.19		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.05.19 22.19	U	1
Total TPH	PHC635	214	15.0	mg/kg	04.05.19 22.19		1
Total GRO-DRO	PHC628	214	15.0	mg/kg	04.05.19 22.19		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	84	%	70-135	04.05.19 22.19	
o-Terphenyl	84-15-1	84	%	70-135	04.05.19 22.19	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW03**
Lab Sample Id: 619861-007

Matrix: Soil
Date Collected: 03.29.19 16.35

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 04.21	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 04.21	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 04.21	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.10.19 04.21	U	1
o-Xylene	95-47-6	0.00530	0.00200	mg/kg	04.10.19 04.21		1
Total Xylenes	1330-20-7	0.00530	0.00200	mg/kg	04.10.19 04.21		1
Total BTEX		0.00530	0.00200	mg/kg	04.10.19 04.21		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	95	%	70-130	04.10.19 04.21		
4-Bromofluorobenzene	460-00-4	95	%	70-130	04.10.19 04.21		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW04**
Lab Sample Id: 619861-008

Matrix: Soil
Date Collected: 03.29.19 16.40

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Date Prep: 04.09.19 14.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	255	9.92	mg/kg	04.09.19 21.46		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.05.19 22.40	U	1
Diesel Range Organics (DRO)	C10C28DRO	39.4	15.0	mg/kg	04.05.19 22.40		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.05.19 22.40	U	1
Total TPH	PHC635	39.4	15.0	mg/kg	04.05.19 22.40		1
Total GRO-DRO	PHC628	39.4	15.0	mg/kg	04.05.19 22.40		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	83	%	70-135	04.05.19 22.40	
o-Terphenyl	84-15-1	82	%	70-135	04.05.19 22.40	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW04**
Lab Sample Id: 619861-008

Matrix: Soil
Date Collected: 03.29.19 16.40

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.10.19 04.40	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.10.19 04.40	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	101	%	70-130	04.10.19 04.40		
1,4-Difluorobenzene	540-36-3	100	%	70-130	04.10.19 04.40		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW05**
Lab Sample Id: 619861-009

Matrix: Soil
Date Collected: 03.29.19 16.45

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Date Prep: 04.09.19 14.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	320	10.0	mg/kg	04.09.19 21.55		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1970	14.9	mg/kg	04.05.19 23.01		1
Diesel Range Organics (DRO)	C10C28DRO	3370	14.9	mg/kg	04.05.19 23.01		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	118	14.9	mg/kg	04.05.19 23.01		1
Total TPH	PHC635	5460	14.9	mg/kg	04.05.19 23.01		1
Total GRO-DRO	PHC628	5340	14.9	mg/kg	04.05.19 23.01		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	127	%	70-135	04.05.19 23.01	
o-Terphenyl	84-15-1	123	%	70-135	04.05.19 23.01	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW05**
Lab Sample Id: 619861-009

Matrix: Soil
Date Collected: 03.29.19 16.45

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.102	0.101	mg/kg	04.10.19 09.44		50
Toluene	108-88-3	0.778	0.101	mg/kg	04.10.19 09.44		50
Ethylbenzene	100-41-4	2.11	0.101	mg/kg	04.10.19 09.44		50
m,p-Xylenes	179601-23-1	12.9	0.202	mg/kg	04.10.19 09.44		50
o-Xylene	95-47-6	3.71	0.101	mg/kg	04.10.19 09.44		50
Total Xylenes	1330-20-7	16.6	0.101	mg/kg	04.10.19 09.44		50
Total BTEX		19.6	0.101	mg/kg	04.10.19 09.44		50
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	141	%	70-130	04.10.19 09.44	**	
1,4-Difluorobenzene	540-36-3	97	%	70-130	04.10.19 09.44		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW06**
Lab Sample Id: 619861-010

Matrix: Soil
Date Collected: 03.29.19 16.50

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1420	10.0	mg/kg	04.09.19 22.04		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	1440	15.0	mg/kg	04.05.19 23.22		1
Diesel Range Organics (DRO)	C10C28DRO	3060	15.0	mg/kg	04.05.19 23.22		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	117	15.0	mg/kg	04.05.19 23.22		1
Total TPH	PHC635	4620	15.0	mg/kg	04.05.19 23.22		1
Total GRO-DRO	PHC628	4500	15.0	mg/kg	04.05.19 23.22		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	109	%	70-135	04.05.19 23.22	
o-Terphenyl	84-15-1	129	%	70-135	04.05.19 23.22	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW06**
Lab Sample Id: 619861-010

Matrix: Soil
Date Collected: 03.29.19 16.50

Date Received: 04.03.19 11.25
Sample Depth: 0 - 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Prep Method: SW5030B

% Moisture:

Date Prep: 04.09.19 17.00

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.118	0.0503	mg/kg	04.10.19 22.03		25
Toluene	108-88-3	0.735	0.0503	mg/kg	04.10.19 22.03		25
Ethylbenzene	100-41-4	1.09	0.0503	mg/kg	04.10.19 22.03		25
m,p-Xylenes	179601-23-1	4.00	0.101	mg/kg	04.10.19 22.03		25
o-Xylene	95-47-6	1.73	0.0503	mg/kg	04.10.19 22.03		25
Total Xylenes	1330-20-7	5.73	0.0503	mg/kg	04.10.19 22.03		25
Total BTEX		7.67	0.0503	mg/kg	04.10.19 22.03		25
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	152	%	70-130	04.10.19 22.03	**	
1,4-Difluorobenzene	540-36-3	98	%	70-130	04.10.19 22.03		



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW07**
Lab Sample Id: 619861-011

Matrix: Soil
Date Collected: 03.29.19 16.55

Date Received: 04.03.19 11.25
Sample Depth: 0 - 2 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: JYM

Analyst: JYM

Seq Number: 3085114

Date Prep: 04.09.19 14.14

Prep Method: E300P

% Moisture:

Basis: Wet Weight

SUB: T104704215-19-29

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1110	10.0	mg/kg	04.09.19 22.13		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084906

Date Prep: 04.05.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	2010	15.0	mg/kg	04.06.19 13.04		1
Diesel Range Organics (DRO)	C10C28DRO	3770	15.0	mg/kg	04.06.19 13.04		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	180	15.0	mg/kg	04.06.19 13.04		1
Total TPH	PHC635	5960	15.0	mg/kg	04.06.19 13.04		1
Total GRO-DRO	PHC628	5780	15.0	mg/kg	04.06.19 13.04		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	128	%	70-135	04.06.19 13.04	
o-Terphenyl	84-15-1	114	%	70-135	04.06.19 13.04	



Certificate of Analytical Results 619861



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW07**
Lab Sample Id: 619861-011

Matrix: Soil
Date Collected: 03.29.19 16.55

Date Received: 04.03.19 11.25
Sample Depth: 0 - 2 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Prep Method: SW5030B

% Moisture:

Date Prep: 04.09.19 17.00

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	0.0985	0.0495	mg/kg	04.10.19 22.22		25
Toluene	108-88-3	6.04	0.0495	mg/kg	04.10.19 22.22		25
Ethylbenzene	100-41-4	1.86	0.0495	mg/kg	04.10.19 22.22		25
m,p-Xylenes	179601-23-1	0.551	0.0990	mg/kg	04.10.19 22.22		25
o-Xylene	95-47-6	2.28	0.0495	mg/kg	04.10.19 22.22		25
Total Xylenes	1330-20-7	2.83	0.0495	mg/kg	04.10.19 22.22		25
Total BTEX		10.8	0.0495	mg/kg	04.10.19 22.22		25
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	103	%	70-130	04.10.19 22.22		
4-Bromofluorobenzene	460-00-4	220	%	70-130	04.10.19 22.22	**	

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample **BLK** Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample **BKSD/LCSD** Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate **MS** Matrix Spike **MSD:** Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 619861

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3084875

MB Sample Id: 7675246-1-BLK

Matrix: Solid

LCS Sample Id: 7675246-1-BKS

Prep Method: E300P

Date Prep: 04.05.19

LCSD Sample Id: 7675246-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	250	100	240	96	90-110	4	20	mg/kg	04.06.19 08:15	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085114

MB Sample Id: 7675351-1-BLK

Matrix: Solid

LCS Sample Id: 7675351-1-BKS

Prep Method: E300P

Date Prep: 04.09.19

LCSD Sample Id: 7675351-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<10.0	100	102	102	104	104	80-120	2	20	mg/kg	04.09.19 17:40	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3084875

Parent Sample Id: 620188-041

Matrix: Soil

MS Sample Id: 620188-041 S

Prep Method: E300P

Date Prep: 04.05.19

MSD Sample Id: 620188-041 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	27.0	248	214	75	285	104	90-110	28	20	mg/kg	04.06.19 08:35	XF

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3084875

Parent Sample Id: 620216-003

Matrix: Soil

MS Sample Id: 620216-003 S

Prep Method: E300P

Date Prep: 04.05.19

MSD Sample Id: 620216-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	21.7	252	203	72	266	97	90-110	27	20	mg/kg	04.06.19 10:11	XF

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085114

Parent Sample Id: 619861-004

Matrix: Soil

MS Sample Id: 619861-004 S

Prep Method: E300P

Date Prep: 04.09.19

MSD Sample Id: 619861-004 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	1180	100	1260	80	1260	80	80-120	0	20	mg/kg	04.09.19 20:27	

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 619861

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085114

Parent Sample Id: 619861-005

Matrix: Soil

MS Sample Id: 619861-005 S

Prep Method: E300P

Date Prep: 04.09.19

MSD Sample Id: 619861-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	48.3	100	150	102	149	101	80-120	1	20	mg/kg	04.09.19 21:11	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084905

MB Sample Id: 7675252-1-BLK

Matrix: Solid

LCS Sample Id: 7675252-1-BKS

Prep Method: TX1005P

Date Prep: 04.05.19

LCSD Sample Id: 7675252-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1050	105	988	99	70-135	6	20	mg/kg	04.05.19 18:46	
Diesel Range Organics (DRO)	<8.13	1000	1070	107	964	96	70-135	10	20	mg/kg	04.05.19 18:46	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	102		128		114		70-135	%	04.05.19 18:46
o-Terphenyl	104		110		109		70-135	%	04.05.19 18:46

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084906

MB Sample Id: 7675253-1-BLK

Matrix: Solid

LCS Sample Id: 7675253-1-BKS

Prep Method: TX1005P

Date Prep: 04.05.19

LCSD Sample Id: 7675253-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	933	93	987	99	70-135	6	20	mg/kg	04.06.19 04:33	
Diesel Range Organics (DRO)	<8.13	1000	1010	101	1070	107	70-135	6	20	mg/kg	04.06.19 04:33	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	94		119		124		70-135	%	04.06.19 04:33
o-Terphenyl	94		116		122		70-135	%	04.06.19 04:33

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084905

Parent Sample Id: 619861-001

Matrix: Soil

MS Sample Id: 619861-001 S

Prep Method: TX1005P

Date Prep: 04.05.19

MSD Sample Id: 619861-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	1700	998	2380	68	2390	69	70-135	0	20	mg/kg	04.05.19 19:51	X
Diesel Range Organics (DRO)	3300	998	4240	94	4270	97	70-135	1	20	mg/kg	04.05.19 19:51	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	120		127		70-135	%	04.05.19 19:51
o-Terphenyl	127		128		70-135	%	04.05.19 19:51

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 619861

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084906

Parent Sample Id: 619598-001

Matrix: Soil

MS Sample Id: 619598-001 S

Prep Method: TX1005P

Date Prep: 04.05.19

MSD Sample Id: 619598-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	998	919	92	916	92	70-135	0	20	mg/kg	04.06.19 05:34	
Diesel Range Organics (DRO)	8.12	998	992	99	1010	101	70-135	2	20	mg/kg	04.06.19 05:34	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	117		116		70-135	%	04.06.19 05:34
o-Terphenyl	112		108		70-135	%	04.06.19 05:34

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085188

MB Sample Id: 7675465-1-BLK

Matrix: Solid

LCS Sample Id: 7675465-1-BKS

Prep Method: SW5030B

Date Prep: 04.09.19

LCSD Sample Id: 7675465-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.0959	96	0.0962	97	70-130	0	35	mg/kg	04.10.19 01:50	
Toluene	<0.000455	0.0998	0.0970	97	0.0967	97	70-130	0	35	mg/kg	04.10.19 01:50	
Ethylbenzene	<0.000564	0.0998	0.0900	90	0.0894	90	70-130	1	35	mg/kg	04.10.19 01:50	
m,p-Xylenes	<0.00101	0.200	0.178	89	0.178	89	70-130	0	35	mg/kg	04.10.19 01:50	
o-Xylene	<0.000344	0.0998	0.0901	90	0.0919	92	70-130	2	35	mg/kg	04.10.19 01:50	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	90		98		100		70-130	%	04.10.19 01:50
4-Bromofluorobenzene	89		91		99		70-130	%	04.10.19 01:50

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085188

Parent Sample Id: 619861-005

Matrix: Soil

MS Sample Id: 619861-005 S

Prep Method: SW5030B

Date Prep: 04.09.19

MSD Sample Id: 619861-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000493	0.101	0.0857	84	0.0786	79	70-130	9	35	mg/kg	04.10.19 02:29	
Toluene	<0.000459	0.101	0.0515	51	0.0428	43	70-130	18	35	mg/kg	04.10.19 02:29	X
Ethylbenzene	<0.000569	0.101	0.0339	34	0.0270	27	70-130	23	35	mg/kg	04.10.19 02:29	X
m,p-Xylenes	<0.00102	0.202	0.104	51	0.0927	47	70-130	11	35	mg/kg	04.10.19 02:29	X
o-Xylene	0.000372	0.101	0.0822	81	0.0789	79	70-130	4	35	mg/kg	04.10.19 02:29	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		101		70-130	%	04.10.19 02:29
4-Bromofluorobenzene	103		100		70-130	%	04.10.19 02:29

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 508-3334
Midland, TX (432-704-5440) El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1298
Hobbs, NM (575-392-7550) Phoenix, AZ (480-365-0900) Atlanta, GA (770-448-8800) Tampa, FL (813-620-2000)

Chain of Custody

Work Order No:

1019261

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Mitchell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	YTD
Address:	3300 North A Street	Address:	304 Greene Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carroll and N. 8822a
Phone:	432.704.5178	Email:	obayer@ltenv.com & kbaker@ltenv.com

Program: UST/ST	☐ PRP	☐ Groundwater	☐ RC	☐ Superfund
State of Project:				
Reporting Level II	☐ Level III	☐ ST/UST	☐ PRP	☐ Level IV
Deliverables: EDD	☐ ADAPT	☐ Other:		

Project Name:	PLU 52 Battery	Turn Around	
Project Number:	012419042	Routine	☒
P.O. Number:	280534	Rush:	
Sampler's Name:	Anna Byrd	Due Date:	
SAMPLE RECEIPT	Temp Blank:	Yes/No	Wet Ice: ☒ No
Temperature (°C):	05.04	Thermometer	
Received In tact:	Yes/No	Correction Factor:	0.1
Cooler Custody Seal:	Yes/No	Total Containers:	
Sample Custody Seal:	Yes/No		

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers											TAT starts the day received by the lab, if received by 4:30pm	Sample Comments
					TPH (EPA 8015)	BTEX (EPA 0-8021)	Chloride (EPA 300.0)										
FS01	S	3/26/19	1750	2'													
FS02	S		1702	2'-4'													
FS04	S		1710	2'													
FS03	S		1705	2'-4'													
SW01	S		1405	0-2'													
SW02	S		1630	0-4'													
SW03	S		1635	0-4'													
SW04	S		1640	0-4'													
SW05	S		1645	0-4'													
SW06	S		1650	0-4'													

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U 1631 / 245.1 / 7470 / 7471 : Hg

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		3/29/19			04/01/2019 12:17

Chain of Custody

Work Order No:

10921

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Likhell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTD
Address:	3300 North A Street	Address:	2104 Greene Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Carlsbad NM 88220
Phone:	432.704.5178	Email:	abaker@ltenv.com + abaker@ltenv.com

Work Order Comments	
Program: UST/ST	☐ RRP ☐ Brownfields ☐ RC ☐ Superfund ☐
State of Project:	
Reporting Level II	☐ Level III ☐ ST/UST ☐ RRP ☐ Level IV ☐
Deliverables: EDO	☐ ADAPT ☐ Other:

ANALYSIS REQUEST

Work Order Notes

Project Name:	PLU 52 Battery	Turn Around
Project Number:	012919042	Routine ☒
P.O. Number:	2RP 5314	Rush:
Sampler's Name:	Anna Byes	Due Date:

SAMPLE RECEIPT		Temp Blank:	Yes	No	Well Ice:	Yes	No
Temperature (°C):	05.04			☒			
Received Inlet:	Yes No						
Cooler Custody Seals:	Yes No	N/A			Correction Factor:	-0.1	
Sample Custody Seals:	Yes No	N/A			Total Containers:		

[illegible]

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	TPH (E)	BTEX (E)	Chloride	Sample Comments
SW07	S	10/29/14	1455	0-2'	1	X	X	X	



08/29/14

Circle Method(s) and Metal(s) to be analyzed	Total 200.7 / 6010	200.8 / 6020:
3RCRA 13PMM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn	TCLP / SPLP 6010: 3RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U	1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and sub-contractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project; and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>[Signature]</i>	<i>[Signature]</i>	5/25/17	<i>[Signature]</i>	<i>[Signature]</i>	04/26/2017 12:12
<i>[Signature]</i>	<i>[Signature]</i>	4/3/19			
<i>[Signature]</i>	<i>[Signature]</i>	1/25			

Revised Date 05/14/18 Rev. 2018

ORIGIN ID:CAOA (575) 887-6245 XENCO PAC N MAIL 910 W PIERCE ST CARLSBAD, NM 88220 UNITED STATES US		SHIP DATE: 02APR19 ACTWGT: 58.00 LB CAD: 101813706/INET14100 DIMS: 26x14x14 IN
TO: HOLD FOR XENCO FEDEX EXPRESS SHIP CENTER FEDEX SHIP CENTER 3600 COUNTY RD 1276 S MIDLAND TX 79711 (806) 794-1296 INV: REF: DEPT:		BILL RECIPIENT
		
		
TRK# 7748 6665 6197 0201	WED - 03 APR HOLD STANDARD OVERNIGHT HLD MAFA TX-US LBB	

After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.

Inter-Office Shipment

IOS Number : 126130

Date/Time: 04.08.2019 11:53 Created by: Katie Lowe

Lab# From: **Midland** Delivery Priority:

Lab# To: **Houston** Air Bill No.: 0774915573670

Please send report to: Kalei Stout

Address: 1211 W. Florida Ave

E-Mail: kalei.stout@xenco.com

Sample Id	Matrix	Client Sample Id	Sample Collection	Method	Method Name	Lab Due	HT Due	PM	Analytes	Sign
619861-001	S	FS01	03.29.2019 17:00	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-002	S	FS02	03.29.2019 17:02	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-003	S	FS04	03.29.2019 17:10	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-004	S	FS03	03.29.2019 17:05	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-005	S	SW01	03.29.2019 16:05	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-006	S	SW02	03.29.2019 16:30	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-007	S	SW03	03.29.2019 16:35	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-008	S	SW04	03.29.2019 16:40	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-009	S	SW05	03.29.2019 16:45	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-010	S	SW06	03.29.2019 16:50	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	
619861-011	S	SW07	03.29.2019 16:55	E300	Inorganic Anions by EPA 300	04.09.2019	04.26.2019	KLS	CL	

Inter Office Shipment or Sample Comments:

Relinquished By:



Katie Lowe

Date Relinquished: 04.08.2019

Received By: _____

Date Received: 04.09.2019 09:00

Cooler Temperature: 3.4



Inter Office Report- Sample Receipt Checklist

Sent To: Houston

IOS #: 126130

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : hou-068

Sent By: Katie Lowe

Date Sent: 04/08/2019 11:53 AM

Received By: Taha Hedib

Date Received: 04/09/2019 09:00 AM

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	3.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received with appropriate temperature?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	Yes
#5 *Custody Seals Signed and dated for Containers/coolers	Yes
#6 *IOS present?	Yes
#7 Any missing/extra samples?	No
#8 IOS agrees with sample label(s)/matrix?	Yes
#9 Sample matrix/ properties agree with IOS?	Yes
#10 Samples in proper container/ bottle?	Yes
#11 Samples properly preserved?	Yes
#12 Sample container(s) intact?	Yes
#13 Sufficient sample amount for indicated test(s)?	Yes
#14 All samples received within hold time?	Yes

* Must be completed for after-hours delivery of samples prior to placing in the refrigerator

NonConformance:

Corrective Action Taken:

Nonconformance Documentation

Contact: _____ Contacted by : _____ Date: _____

Checklist reviewed by: _____

Date: 04/09/2019



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 04/03/2019 11:25:00 AM

Work Order #: 619861

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 04/03/2019

Checklist reviewed by:

Kalei Stout

Kalei Stout

Date: 04/03/2019

Analytical Report 619862

for
LT Environmental, Inc.

Project Manager: Adrian Baker

PLU 52 Battery

012919049

11-APR-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-18-28), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-18-17), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-18-18)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Phoenix Mobile (EPA Lab Code: AZ00901): Arizona (AZM757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)
Xenco-Lakeland: Florida (E84098)



11-APR-19

Project Manager: **Adrian Baker**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **619862**

PLU 52 Battery

Project Address: Delaware Basin

Adrian Baker:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 619862. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 619862 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Kalei Stout

Midland Laboratory Director

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH01	S	03-29-19 15:45	4 ft	619862-001
PH01A	S	03-29-19 16:05	10 ft	619862-002
PH02	S	03-29-19 13:00	1 ft	619862-003
PH02A	S	03-29-19 13:10	4 ft	619862-004
PH03	S	03-29-19 13:05	0.5 ft	619862-005
PH03A	S	03-29-19 13:15	4 ft	619862-006
PH04	S	03-29-19 13:30	0.5 ft	619862-007
PH04A	S	03-29-19 13:37	4 ft	619862-008
PH05	S	03-29-19 13:45	0.5 ft	619862-009
PH05A	S	03-29-19 13:55	4.5 ft	619862-010



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU 52 Battery*

Project ID: 012919049
Work Order Number(s): 619862

Report Date: 11-APR-19
Date Received: 04/03/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3085164 Inorganic Anions by EPA 300

Lab Sample ID 620421-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered above QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 619862-001, -002, -003, -004, -005, -006, -007, -008, -009, -010.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3085188 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Batch: LBA-3085235 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 619862

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id: 012919049
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Wed Apr-03-19 12:04 pm
Report Date: 11-APR-19
Project Manager: Kalei Stout

<i>Analysis Requested</i>	<i>Lab Id:</i>	619862-001	619862-002	619862-003	619862-004	619862-005	619862-006
	<i>Field Id:</i>	PH01	PH01A	PH02	PH02A	PH03	PH03A
	<i>Depth:</i>	4- ft	10- ft	1- ft	4- ft	0.5- ft	4- ft
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL	SOIL	SOIL
	<i>Sampled:</i>	Mar-29-19 15:45	Mar-29-19 16:05	Mar-29-19 13:00	Mar-29-19 13:10	Mar-29-19 13:05	Mar-29-19 13:15
BTEX by EPA 8021B	<i>Extracted:</i>	Apr-10-19 12:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00	Apr-09-19 17:00
	<i>Analyzed:</i>	Apr-10-19 16:46	Apr-10-19 04:59	Apr-10-19 05:18	Apr-10-19 05:37	Apr-10-19 05:56	Apr-10-19 06:15
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Benzene		<0.994 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Toluene		<0.994 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Ethylbenzene		5.30 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
m,p-Xylenes		18.7 1.99	<0.00404 0.00404	<0.00400 0.00400	<0.00398 0.00398	<0.00398 0.00398	<0.00400 0.00400
o-Xylene		6.78 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Total Xylenes		25.5 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Total BTEX		30.8 0.994	<0.00202 0.00202	<0.00200 0.00200	<0.00199 0.00199	<0.00199 0.00199	<0.00200 0.00200
Inorganic Anions by EPA 300	<i>Extracted:</i>	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50
	<i>Analyzed:</i>	Apr-10-19 14:26	Apr-10-19 14:32	Apr-10-19 14:39	Apr-10-19 15:00	Apr-10-19 15:06	Apr-10-19 16:42
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Chloride		2840 24.8	158 4.95	68.1 4.97	203 5.04	100 4.99	1540 24.9
TPH by SW8015 Mod	<i>Extracted:</i>	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00
	<i>Analyzed:</i>	Apr-06-19 00:25	Apr-06-19 00:45	Apr-06-19 01:06	Apr-06-19 01:27	Apr-06-19 01:47	Apr-06-19 02:08
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL
Gasoline Range Hydrocarbons (GRO)		3660 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Diesel Range Organics (DRO)		4960 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Motor Oil Range Hydrocarbons (MRO)		191 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total TPH		8810 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0
Total GRO-DRO		8620 15.0	<14.9 14.9	<15.0 15.0	<15.0 15.0	<15.0 15.0	<15.0 15.0

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout
Midland Laboratory Director



Certificate of Analysis Summary 619862

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id: 012919049
Contact: Adrian Baker
Project Location: Delaware Basin

Date Received in Lab: Wed Apr-03-19 12:04 pm
Report Date: 11-APR-19
Project Manager: Kalei Stout

<i>Analysis Requested</i>	<i>Lab Id:</i>	619862-007	619862-008	619862-009	619862-010		
	<i>Field Id:</i>	PH04	PH04A	PH05	PH05A		
	<i>Depth:</i>	0.5- ft	4- ft	0.5- ft	4.5- ft		
	<i>Matrix:</i>	SOIL	SOIL	SOIL	SOIL		
	<i>Sampled:</i>	Mar-29-19 13:30	Mar-29-19 13:37	Mar-29-19 13:45	Mar-29-19 13:55		
BTEX by EPA 8021B	<i>Extracted:</i>	Apr-09-19 17:00	Apr-09-19 17:00	Apr-10-19 12:00	Apr-10-19 12:00		
	<i>Analyzed:</i>	Apr-10-19 06:34	Apr-10-19 07:48	Apr-10-19 16:06	Apr-10-19 16:26		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Benzene		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	<0.00200 0.00200		
Toluene		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	<0.00200 0.00200		
Ethylbenzene		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	0.0132 0.00200		
m,p-Xylenes		<0.00401 0.00401	<0.00402 0.00402	<0.00399 0.00399	0.136 0.00400		
o-Xylene		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	0.0529 0.00200		
Total Xylenes		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	0.189 0.00200		
Total BTEX		<0.00200 0.00200	<0.00201 0.00201	<0.00200 0.00200	0.202 0.00200		
Inorganic Anions by EPA 300	<i>Extracted:</i>	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50	Apr-09-19 16:50		
	<i>Analyzed:</i>	Apr-10-19 16:49	Apr-10-19 16:56	Apr-10-19 17:03	Apr-10-19 17:09		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Chloride		24.9 4.97	378 5.01	27.4 5.01	35.7 5.01		
TPH by SW8015 Mod	<i>Extracted:</i>	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00	Apr-05-19 11:00		
	<i>Analyzed:</i>	Apr-06-19 02:29	Apr-06-19 02:50	Apr-06-19 03:11	Apr-06-19 03:31		
	<i>Units/RL:</i>	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL		
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	38.8 15.0		
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	147 15.0	484 15.0		
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	16.8 15.0	61.5 15.0		
Total TPH		<15.0 15.0	<15.0 15.0	164 15.0	584 15.0		
Total GRO-DRO		<15.0 15.0	<15.0 15.0	147 15.0	523 15.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use.
The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories.
XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented.
Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Kalei Stout
Midland Laboratory Director



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH01** Matrix: Soil Date Received: 04.03.19 12.04
Lab Sample Id: 619862-001 Date Collected: 03.29.19 15.45 Sample Depth: 4 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 04.09.19 16.50 Basis: Wet Weight
Seq Number: 3085164

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	2840	24.8	mg/kg	04.10.19 14.26		5

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 04.05.19 11.00 Basis: Wet Weight
Seq Number: 3084905

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	3660	15.0	mg/kg	04.06.19 00.25		1
Diesel Range Organics (DRO)	C10C28DRO	4960	15.0	mg/kg	04.06.19 00.25		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	191	15.0	mg/kg	04.06.19 00.25		1
Total TPH	PHC635	8810	15.0	mg/kg	04.06.19 00.25		1
Total GRO-DRO	PHC628	8620	15.0	mg/kg	04.06.19 00.25		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	120	%	70-135	04.06.19 00.25	
o-Terphenyl	84-15-1	119	%	70-135	04.06.19 00.25	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH01**
Lab Sample Id: 619862-001

Matrix: Soil
Date Collected: 03.29.19 15.45

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085235

Date Prep: 04.10.19 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.994	0.994	mg/kg	04.10.19 16.46	U	500
Toluene	108-88-3	<0.994	0.994	mg/kg	04.10.19 16.46	U	500
Ethylbenzene	100-41-4	5.30	0.994	mg/kg	04.10.19 16.46		500
m,p-Xylenes	179601-23-1	18.7	1.99	mg/kg	04.10.19 16.46		500
o-Xylene	95-47-6	6.78	0.994	mg/kg	04.10.19 16.46		500
Total Xylenes	1330-20-7	25.5	0.994	mg/kg	04.10.19 16.46		500
Total BTEX		30.8	0.994	mg/kg	04.10.19 16.46		500
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
4-Bromofluorobenzene	460-00-4	120		%	70-130	04.10.19 16.46	
1,4-Difluorobenzene	540-36-3	98		%	70-130	04.10.19 16.46	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH01A**
Lab Sample Id: 619862-002

Matrix: Soil
Date Collected: 03.29.19 16.05

Date Received: 04.03.19 12.04
Sample Depth: 10 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	158	4.95	mg/kg	04.10.19 14.32		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	04.06.19 00.45	U	1
Diesel Range Organics (DRO)	C10C28DRO	<14.9	14.9	mg/kg	04.06.19 00.45	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	04.06.19 00.45	U	1
Total TPH	PHC635	<14.9	14.9	mg/kg	04.06.19 00.45	U	1
Total GRO-DRO	PHC628	<14.9	14.9	mg/kg	04.06.19 00.45	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	04.06.19 00.45	
o-Terphenyl	84-15-1	86	%	70-135	04.06.19 00.45	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH01A**
Lab Sample Id: 619862-002

Matrix: Soil
Date Collected: 03.29.19 16.05

Date Received: 04.03.19 12.04
Sample Depth: 10 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	04.10.19 04.59	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
Total BTEX		<0.00202	0.00202	mg/kg	04.10.19 04.59	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	04.10.19 04.59		
1,4-Difluorobenzene	540-36-3	99	%	70-130	04.10.19 04.59		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH02** Matrix: Soil Date Received: 04.03.19 12.04
Lab Sample Id: 619862-003 Date Collected: 03.29.19 13.00 Sample Depth: 1 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 04.09.19 16.50 Basis: Wet Weight
Seq Number: 3085164

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	68.1	4.97	mg/kg	04.10.19 14.39		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 04.05.19 11.00 Basis: Wet Weight
Seq Number: 3084905

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 01.06	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 01.06	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 01.06	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 01.06	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 01.06	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	89	%	70-135	04.06.19 01.06	
o-Terphenyl	84-15-1	88	%	70-135	04.06.19 01.06	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH02**
Lab Sample Id: 619862-003

Matrix: Soil
Date Collected: 03.29.19 13.00

Date Received: 04.03.19 12.04
Sample Depth: 1 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.10.19 05.18	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 05.18	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	04.10.19 05.18		
4-Bromofluorobenzene	460-00-4	102	%	70-130	04.10.19 05.18		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH02A**
Lab Sample Id: 619862-004

Matrix: Soil
Date Collected: 03.29.19 13.10

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	203	5.04	mg/kg	04.10.19 15.00		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 01.27	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 01.27	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 01.27	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 01.27	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 01.27	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	87	%	70-135	04.06.19 01.27	
o-Terphenyl	84-15-1	85	%	70-135	04.06.19 01.27	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH02A**
Lab Sample Id: 619862-004

Matrix: Soil
Date Collected: 03.29.19 13.10

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.10.19 05.37	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.10.19 05.37	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	04.10.19 05.37		
1,4-Difluorobenzene	540-36-3	99	%	70-130	04.10.19 05.37		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH03**
Lab Sample Id: 619862-005

Matrix: Soil
Date Collected: 03.29.19 13.05

Date Received: 04.03.19 12.04
Sample Depth: 0.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	100	4.99	mg/kg	04.10.19 15.06		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 01.47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 01.47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 01.47	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 01.47	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 01.47	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	88	%	70-135	04.06.19 01.47	
o-Terphenyl	84-15-1	84	%	70-135	04.06.19 01.47	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH03**
Lab Sample Id: 619862-005

Matrix: Soil
Date Collected: 03.29.19 13.05

Date Received: 04.03.19 12.04
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Prep Method: SW5030B

Tech: SCM

% Moisture:

Analyst: SCM

Date Prep: 04.09.19 17.00

Basis: Wet Weight

Seq Number: 3085188

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	04.10.19 05.56	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
Total BTEX		<0.00199	0.00199	mg/kg	04.10.19 05.56	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	102	%	70-130	04.10.19 05.56		
1,4-Difluorobenzene	540-36-3	99	%	70-130	04.10.19 05.56		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH03A**
Lab Sample Id: 619862-006

Matrix: Soil
Date Collected: 03.29.19 13.15

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1540	24.9	mg/kg	04.10.19 16.42		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 02.08	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 02.08	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 02.08	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 02.08	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 02.08	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	04.06.19 02.08	
o-Terphenyl	84-15-1	84	%	70-135	04.06.19 02.08	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH03A**
Lab Sample Id: 619862-006

Matrix: Soil
Date Collected: 03.29.19 13.15

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
m,p-Xylenes	179601-23-1	<0.00400	0.00400	mg/kg	04.10.19 06.15	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 06.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	100	%	70-130	04.10.19 06.15		
1,4-Difluorobenzene	540-36-3	100	%	70-130	04.10.19 06.15		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH04** Matrix: Soil Date Received: 04.03.19 12.04
Lab Sample Id: 619862-007 Date Collected: 03.29.19 13.30 Sample Depth: 0.5 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 04.09.19 16.50 Basis: Wet Weight
Seq Number: 3085164

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	24.9	4.97	mg/kg	04.10.19 16.49		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 04.05.19 11.00 Basis: Wet Weight
Seq Number: 3084905

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 02.29	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 02.29	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 02.29	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 02.29	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 02.29	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	85	%	70-135	04.06.19 02.29	
o-Terphenyl	84-15-1	81	%	70-135	04.06.19 02.29	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH04**
Lab Sample Id: 619862-007

Matrix: Soil
Date Collected: 03.29.19 13.30

Date Received: 04.03.19 12.04
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	04.10.19 06.34	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 06.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	100	%	70-130	04.10.19 06.34		
4-Bromofluorobenzene	460-00-4	101	%	70-130	04.10.19 06.34		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH04A**
Lab Sample Id: 619862-008

Matrix: Soil
Date Collected: 03.29.19 13.37

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	378	5.01	mg/kg	04.10.19 16.56		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 02.50	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	04.06.19 02.50	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	04.06.19 02.50	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	04.06.19 02.50	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	04.06.19 02.50	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	04.06.19 02.50	
o-Terphenyl	84-15-1	85	%	70-135	04.06.19 02.50	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH04A**
Lab Sample Id: 619862-008

Matrix: Soil
Date Collected: 03.29.19 13.37

Date Received: 04.03.19 12.04
Sample Depth: 4 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085188

Date Prep: 04.09.19 17.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	04.10.19 07.48	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
Total BTEX		<0.00201	0.00201	mg/kg	04.10.19 07.48	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	98	%	70-130	04.10.19 07.48		
4-Bromofluorobenzene	460-00-4	95	%	70-130	04.10.19 07.48		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH05** Matrix: Soil Date Received: 04.03.19 12.04
Lab Sample Id: 619862-009 Date Collected: 03.29.19 13.45 Sample Depth: 0.5 ft
Analytical Method: Inorganic Anions by EPA 300 Prep Method: E300P
Tech: CHE % Moisture:
Analyst: CHE Date Prep: 04.09.19 16.50 Basis: Wet Weight
Seq Number: 3085164

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	27.4	5.01	mg/kg	04.10.19 17.03		1

Analytical Method: TPH by SW8015 Mod Prep Method: TX1005P
Tech: ARM % Moisture:
Analyst: ARM Date Prep: 04.05.19 11.00 Basis: Wet Weight
Seq Number: 3084905

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	04.06.19 03.11	U	1
Diesel Range Organics (DRO)	C10C28DRO	147	15.0	mg/kg	04.06.19 03.11		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	16.8	15.0	mg/kg	04.06.19 03.11		1
Total TPH	PHC635	164	15.0	mg/kg	04.06.19 03.11		1
Total GRO-DRO	PHC628	147	15.0	mg/kg	04.06.19 03.11		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	90	%	70-135	04.06.19 03.11	
o-Terphenyl	84-15-1	90	%	70-135	04.06.19 03.11	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH05**
Lab Sample Id: 619862-009

Matrix: Soil
Date Collected: 03.29.19 13.45

Date Received: 04.03.19 12.04
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085235

Date Prep: 04.10.19 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	04.10.19 16.06	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
Total BTEX		<0.00200	0.00200	mg/kg	04.10.19 16.06	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	102	%	70-130	04.10.19 16.06		
1,4-Difluorobenzene	540-36-3	98	%	70-130	04.10.19 16.06		



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH05A**
Lab Sample Id: 619862-010

Matrix: Soil
Date Collected: 03.29.19 13.55

Date Received: 04.03.19 12.04
Sample Depth: 4.5 ft

Analytical Method: Inorganic Anions by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3085164

Date Prep: 04.09.19 16.50

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	35.7	5.01	mg/kg	04.10.19 17.09		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3084905

Date Prep: 04.05.19 11.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	38.8	15.0	mg/kg	04.06.19 03.31		1
Diesel Range Organics (DRO)	C10C28DRO	484	15.0	mg/kg	04.06.19 03.31		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	61.5	15.0	mg/kg	04.06.19 03.31		1
Total TPH	PHC635	584	15.0	mg/kg	04.06.19 03.31		1
Total GRO-DRO	PHC628	523	15.0	mg/kg	04.06.19 03.31		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	86	%	70-135	04.06.19 03.31	
o-Terphenyl	84-15-1	89	%	70-135	04.06.19 03.31	



Certificate of Analytical Results 619862



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH05A**
Lab Sample Id: 619862-010

Matrix: Soil
Date Collected: 03.29.19 13.55

Date Received: 04.03.19 12.04
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3085235

Date Prep: 04.10.19 12.00

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	04.10.19 16.26	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	04.10.19 16.26	U	1
Ethylbenzene	100-41-4	0.0132	0.00200	mg/kg	04.10.19 16.26		1
m,p-Xylenes	179601-23-1	0.136	0.00400	mg/kg	04.10.19 16.26		1
o-Xylene	95-47-6	0.0529	0.00200	mg/kg	04.10.19 16.26		1
Total Xylenes	1330-20-7	0.189	0.00200	mg/kg	04.10.19 16.26		1
Total BTEX		0.202	0.00200	mg/kg	04.10.19 16.26		1
Surrogate	Cas Number	% Recovery		Units	Limits	Analysis Date	Flag
1,4-Difluorobenzene	540-36-3	97		%	70-130	04.10.19 16.26	
4-Bromofluorobenzene	460-00-4	121		%	70-130	04.10.19 16.26	

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 619862

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085164

MB Sample Id: 7675407-1-BLK

Matrix: Solid

LCS Sample Id: 7675407-1-BKS

Prep Method: E300P

Date Prep: 04.09.19

LCSD Sample Id: 7675407-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	261	104	246	98	90-110	6	20	mg/kg	04.10.19 11:29	

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085164

Parent Sample Id: 619862-003

Matrix: Soil

MS Sample Id: 619862-003 S

Prep Method: E300P

Date Prep: 04.09.19

MSD Sample Id: 619862-003 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	68.1	249	518	181	511	178	90-110	1	20	mg/kg	04.10.19 14:46	X

Analytical Method: Inorganic Anions by EPA 300

Seq Number: 3085164

Parent Sample Id: 620421-001

Matrix: Soil

MS Sample Id: 620421-001 S

Prep Method: E300P

Date Prep: 04.09.19

MSD Sample Id: 620421-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	6.93	250	257	100	240	95	90-110	7	20	mg/kg	04.10.19 13:04	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084905

MB Sample Id: 7675252-1-BLK

Matrix: Solid

LCS Sample Id: 7675252-1-BKS

Prep Method: TX1005P

Date Prep: 04.05.19

LCSD Sample Id: 7675252-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1050	105	988	99	70-135	6	20	mg/kg	04.05.19 18:46	
Diesel Range Organics (DRO)	<8.13	1000	1070	107	964	96	70-135	10	20	mg/kg	04.05.19 18:46	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	102		128		114		70-135	%	04.05.19 18:46
o-Terphenyl	104		110		109		70-135	%	04.05.19 18:46

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 619862

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: TPH by SW8015 Mod

Seq Number: 3084905

Parent Sample Id: 619861-001

Matrix: Soil

MS Sample Id: 619861-001 S

Prep Method: TX1005P

Date Prep: 04.05.19

MSD Sample Id: 619861-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	1700	998	2380	68	2390	69	70-135	0	20	mg/kg	04.05.19 19:51	X
Diesel Range Organics (DRO)	3300	998	4240	94	4270	97	70-135	1	20	mg/kg	04.05.19 19:51	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	120		127		70-135	%	04.05.19 19:51
o-Terphenyl	127		128		70-135	%	04.05.19 19:51

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085188

MB Sample Id: 7675465-1-BLK

Matrix: Solid

LCS Sample Id: 7675465-1-BKS

Prep Method: SW5030B

Date Prep: 04.09.19

LCSD Sample Id: 7675465-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.0959	96	0.0962	97	70-130	0	35	mg/kg	04.10.19 01:50	
Toluene	<0.000455	0.0998	0.0970	97	0.0967	97	70-130	0	35	mg/kg	04.10.19 01:50	
Ethylbenzene	<0.000564	0.0998	0.0900	90	0.0894	90	70-130	1	35	mg/kg	04.10.19 01:50	
m,p-Xylenes	<0.00101	0.200	0.178	89	0.178	89	70-130	0	35	mg/kg	04.10.19 01:50	
o-Xylene	<0.000344	0.0998	0.0901	90	0.0919	92	70-130	2	35	mg/kg	04.10.19 01:50	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	90		98		100		70-130	%	04.10.19 01:50
4-Bromofluorobenzene	89		91		99		70-130	%	04.10.19 01:50

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085235

MB Sample Id: 7675486-1-BLK

Matrix: Solid

LCS Sample Id: 7675486-1-BKS

Prep Method: SW5030B

Date Prep: 04.10.19

LCSD Sample Id: 7675486-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000383	0.0996	0.0984	99	0.106	107	70-130	7	35	mg/kg	04.10.19 13:46	
Toluene	<0.000454	0.0996	0.100	100	0.107	108	70-130	7	35	mg/kg	04.10.19 13:46	
Ethylbenzene	<0.000563	0.0996	0.0940	94	0.100	101	70-130	6	35	mg/kg	04.10.19 13:46	
m,p-Xylenes	<0.00101	0.199	0.187	94	0.200	101	70-130	7	35	mg/kg	04.10.19 13:46	
o-Xylene	<0.000343	0.0996	0.0935	94	0.101	102	70-130	8	35	mg/kg	04.10.19 13:46	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		98		100		70-130	%	04.10.19 13:46
4-Bromofluorobenzene	88		95		99		70-130	%	04.10.19 13:46

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 619862

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085188

Parent Sample Id: 619861-005

Matrix: Soil

MS Sample Id: 619861-005 S

Prep Method: SW5030B

Date Prep: 04.09.19

MSD Sample Id: 619861-005 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000493	0.101	0.0857	84	0.0786	79	70-130	9	35	mg/kg	04.10.19 02:29	
Toluene	<0.000459	0.101	0.0515	51	0.0428	43	70-130	18	35	mg/kg	04.10.19 02:29	X
Ethylbenzene	<0.000569	0.101	0.0339	34	0.0270	27	70-130	23	35	mg/kg	04.10.19 02:29	X
m,p-Xylenes	<0.00102	0.202	0.104	51	0.0927	47	70-130	11	35	mg/kg	04.10.19 02:29	X
o-Xylene	0.000372	0.101	0.0822	81	0.0789	79	70-130	4	35	mg/kg	04.10.19 02:29	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		101		70-130	%	04.10.19 02:29
4-Bromofluorobenzene	103		100		70-130	%	04.10.19 02:29

Analytical Method: BTEX by EPA 8021B

Seq Number: 3085235

Parent Sample Id: 620613-001

Matrix: Soil

MS Sample Id: 620613-001 S

Prep Method: SW5030B

Date Prep: 04.10.19

MSD Sample Id: 620613-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000386	0.100	0.0932	93	0.0782	79	70-130	18	35	mg/kg	04.10.19 14:26	
Toluene	<0.000457	0.100	0.0926	93	0.0787	79	70-130	16	35	mg/kg	04.10.19 14:26	
Ethylbenzene	<0.000566	0.100	0.0849	85	0.0718	72	70-130	17	35	mg/kg	04.10.19 14:26	
m,p-Xylenes	<0.00102	0.200	0.169	85	0.144	72	70-130	16	35	mg/kg	04.10.19 14:26	
o-Xylene	<0.000345	0.100	0.0849	85	0.0728	73	70-130	15	35	mg/kg	04.10.19 14:26	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	99		97		70-130	%	04.10.19 14:26
4-Bromofluorobenzene	99		98		70-130	%	04.10.19 14:26

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



Houston, TX (281) 240-4200 Dallas, TX (214) 802-0300 San Antonio, TX (210) 509-3334
Midland, TX (432) 704-5440 El Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
Hobbs, NM (505) 392-7550 Phoenix, AZ (480) 355-0900 Atlanta, GA (770) 449-8800 Tampa, FL (813) 620-2000

www.xenco.com Page 1 of 1

Chain of Custody

Work Order No:

10192402

Project Manager:	Adrian Baker	Bill to: (if different)	Kyle Lippell
Company Name:	LT Environmental, Inc., Permian office	Company Name:	XTO
Address:	3300 North A Street	Address:	3104 Green Street
City, State ZIP:	Midland, TX 79705	City, State ZIP:	Midland, TX 79705
Phone:	432.704.5178	Email:	abaker@xenco.com

Program:	UST/PST	PRP	Brownfields	RC	Superfund
State of Project:					
Reporting Level:	Level II	Level III	STUST	RRP	Level IV
Deliverables:	EDD	ADAPT	Other:		

Project Name:	PLU 53 Battery	Turn Around	
Project Number:	012919049	Routine	☒
P.O. Number:	200 5314	Rush:	
Sampler's Name:	Anna Lopez	Due Date:	
SAMPLE RECEIPT	Temp Blank:	Yes	No
Temperature (°C):	0.504	Thermometer ID:	VE
Received Inlet:	Yes	No	
Cooler Custody Seals:	Yes	No	
Sample Custody Seals:	Yes	No	
Correction Factor:	-0.1	Total Containers:	

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number	TPH (%)	BTEX	Chloride	Sample Comments															
PH01	S	3/24	1545	4'	1																			
PH01A	S		1605	10'	1																			
PH02	S		1300	1'	1																			
PH02A	S		1340	4'	1																			
PH03	S		1305	0.5'	1																			
PH03A	S		1315	4'	1																			
PH04	S		1330	0.5'	1																			
PH04A	S		1337	4'	1																			
PH04A	S		1346	0.5'	1																			
PH05	S		1355	4.5'	1																			
PH05A	S		1355	4.5'	1																			

Total 200.7 / 6010	200.8 / 6020:	8RCRA 13PPM Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
Circle Method(s) and Metal(s) to be analyzed	TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U		1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
		03/29/19			04/01/2019 12:12
3	4	4/3/19	6		

ORIGIN D:CAOA (575) 887-6245
XENCO
PAC N MAIL
910 W PIERCE ST
CARLSBAD, NM 88220
UNITED STATES US

SHIP DATE: 02APR19
ACTWGT: 58.00 LB
CAD: 101813706/NET4100
DIMS: 26x14x14 IN
BILL RECIPIENT

TO HOLD FOR XENCO

FEDEX EXPRESS SHIP CENTER
FEDEX SHIP CENTER
3600 COUNTY RD 1276 S


MIDLAND TX 79711

(800) 794-1296

REF:

PO:

DEPT:




J191010610701uv

TRK# 7748 6665 6197
0201

WED - 03 APR HOLD
STANDARD OVERNIGHT

41 MAFA

HLD
MAFA
LBB
TX-US



After printing this label:

1. Use the 'Print' button on this page to print your label to your laser or inkjet printer.
2. Fold the printed page along the horizontal line.
3. Place label in shipping pouch and affix it to your shipment so that the barcode portion of the label can be read and scanned.

Warning: Use only the printed original label for shipping. Using a photocopy of this label for shipping purposes is fraudulent and could result in additional billing charges, along with the cancellation of your FedEx account number.

Use of this system constitutes your agreement to the service conditions in the current FedEx Service Guide, available on fedex.com. FedEx will not be responsible for any claim in excess of \$100 per package, whether the result of loss, damage, delay, non-delivery, misdelivery, or misinformation, unless you declare a higher value, pay an additional charge, document your actual loss and file a timely claim. Limitations found in the current FedEx Service Guide apply. Your right to recover from FedEx for any loss, including intrinsic value of the package, loss of sales, income interest, profit, attorney's fees, costs, and other forms of damage whether direct, incidental, consequential, or special is limited to the greater of \$100 or the authorized declared value. Recovery cannot exceed actual documented loss. Maximum for items of extraordinary value is \$1,000, e.g. jewelry, precious metals, negotiable instruments and other items listed in our Service Guide. Written claims must be filed within strict time limits, see current FedEx Service Guide.



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 04/03/2019 12:04:02 PM

Work Order #: 619862

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.4
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 04/03/2019

Checklist reviewed by:

Kalei Stout

Kalei Stout

Date: 04/03/2019

Analytical Report 623711

for
LT Environmental, Inc.

Project Manager: Ashley Ager

PLU 52 Battery

13-MAY-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-29), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-19-19), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-20)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)



13-MAY-19

Project Manager: **Ashley Ager**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **623711**

PLU 52 Battery

Project Address: Delaware Basin

Ashley Ager:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 623711. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 623711 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
SW09	S	05-06-19 10:25	0 - 4.5 ft	623711-001
SW08	S	05-01-19 13:35	0 - 4.5 ft	623711-002
SW10	S	05-06-19 11:45	0 - 4.5 ft	623711-003
FS06	S	05-01-19 15:00	4.5 ft	623711-004
FS07	S	05-06-19 10:30	4.5 ft	623711-005



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU 52 Battery*

Project ID:
Work Order Number(s): 623711

Report Date: 13-MAY-19
Date Received: 05/09/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3088597 BTEX by EPA 8021B

Surrogate 4-Bromofluorobenzene recovered above QC limits. Matrix interferences is suspected;

Samples affected are: 623711-003.

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 623711

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id:

Contact: Ashley Ager

Project Location: Delaware Basin

Date Received in Lab: Thu May-09-19 04:30 pm

Report Date: 13-MAY-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	623711-001	623711-002	623711-003	623711-004	623711-005	
	Field Id:	SW09	SW08	SW10	FS06	FS07	
	Depth:	0-4.5 ft	0-4.5 ft	0-4.5 ft	4.5- ft	4.5- ft	
	Matrix:	SOIL	SOIL	SOIL	SOIL	SOIL	
	Sampled:	May-06-19 10:25	May-01-19 13:35	May-06-19 11:45	May-01-19 15:00	May-06-19 10:30	
BTEX by EPA 8021B	Extracted:	May-09-19 16:30	May-09-19 16:30	May-09-19 16:30	May-09-19 16:30	May-09-19 16:30	
	Analyzed:	May-10-19 00:44	May-10-19 01:03	May-10-19 01:22	May-10-19 01:41	May-10-19 02:00	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Benzene		<0.00199 0.00199	<0.00198 0.00198	<0.00200 0.00200	<0.00201 0.00201	<0.00202 0.00202	
Toluene		<0.00199 0.00199	<0.00198 0.00198	0.0364 0.00200	<0.00201 0.00201	<0.00202 0.00202	
Ethylbenzene		<0.00199 0.00199	<0.00198 0.00198	0.0205 0.00200	<0.00201 0.00201	<0.00202 0.00202	
m,p-Xylenes		<0.00398 0.00398	<0.00397 0.00397	0.432 0.00399	<0.00402 0.00402	<0.00404 0.00404	
o-Xylene		<0.00199 0.00199	<0.00198 0.00198	0.107 0.00200	<0.00201 0.00201	<0.00202 0.00202	
Total Xylenes		<0.00199 0.00199	<0.00198 0.00198	0.539 0.00200	<0.00201 0.00201	<0.00202 0.00202	
Total BTEX		<0.00199 0.00199	<0.00198 0.00198	0.596 0.00200	<0.00201 0.00201	<0.00202 0.00202	
Chloride by EPA 300	Extracted:	May-10-19 12:00	May-10-19 12:00	May-10-19 12:00	May-10-19 12:00	May-10-19 12:00	
	Analyzed:	May-10-19 18:37	May-10-19 18:42	May-10-19 18:47	May-10-19 18:52	May-11-19 16:40	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Chloride		332 5.02	260 5.00	437 4.97	1370 24.9	1540 25.2	
TPH by SW8015 Mod	Extracted:	May-09-19 17:00	May-09-19 17:00	May-09-19 17:00	May-09-19 17:00	May-09-19 17:00	
	Analyzed:	May-10-19 01:26	May-10-19 01:47	May-10-19 02:06	May-10-19 02:27	May-10-19 02:47	
	Units/RL:	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	mg/kg RL	
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<15.0 15.0	15.7 15.0	<15.0 15.0	
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	153 15.0	219 15.0	<15.0 15.0	
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	31.5 15.0	<15.0 15.0	<15.0 15.0	
Total TPH		<15.0 15.0	<15.0 15.0	185 15.0	235 15.0	<15.0 15.0	
Total GRO-DRO		<15.0 15.0	<15.0 15.0	153 15.0	235 15.0	<15.0 15.0	

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW09**
Lab Sample Id: 623711-001

Matrix: Soil
Date Collected: 05.06.19 10.25

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	332	5.02	mg/kg	05.10.19 18.37		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 01.26	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 01.26	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 01.26	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 01.26	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 01.26	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	105	%	70-135	05.10.19 01.26	
o-Terphenyl	84-15-1	104	%	70-135	05.10.19 01.26	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW09**
Lab Sample Id: 623711-001

Matrix: Soil
Date Collected: 05.06.19 10.25

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.10.19 00.44	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.10.19 00.44	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	84	%	70-130	05.10.19 00.44		
1,4-Difluorobenzene	540-36-3	98	%	70-130	05.10.19 00.44		



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW08**
Lab Sample Id: 623711-002

Matrix: Soil
Date Collected: 05.01.19 13.35

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	260	5.00	mg/kg	05.10.19 18.42		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 01.47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 01.47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 01.47	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 01.47	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 01.47	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	101	%	70-135	05.10.19 01.47	
o-Terphenyl	84-15-1	99	%	70-135	05.10.19 01.47	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW08**
Lab Sample Id: 623711-002

Matrix: Soil
Date Collected: 05.01.19 13.35

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
Toluene	108-88-3	<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
Ethylbenzene	100-41-4	<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
m,p-Xylenes	179601-23-1	<0.00397	0.00397	mg/kg	05.10.19 01.03	U	1
o-Xylene	95-47-6	<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
Total Xylenes	1330-20-7	<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
Total BTEX		<0.00198	0.00198	mg/kg	05.10.19 01.03	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	99	%	70-130	05.10.19 01.03		
4-Bromofluorobenzene	460-00-4	78	%	70-130	05.10.19 01.03		



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW10**
Lab Sample Id: 623711-003

Matrix: Soil
Date Collected: 05.06.19 11.45

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	437	4.97	mg/kg	05.10.19 18.47		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 02.06	U	1
Diesel Range Organics (DRO)	C10C28DRO	153	15.0	mg/kg	05.10.19 02.06		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	31.5	15.0	mg/kg	05.10.19 02.06		1
Total TPH	PHC635	185	15.0	mg/kg	05.10.19 02.06		1
Total GRO-DRO	PHC628	153	15.0	mg/kg	05.10.19 02.06		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	05.10.19 02.06	
o-Terphenyl	84-15-1	106	%	70-135	05.10.19 02.06	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **SW10**
Lab Sample Id: 623711-003

Matrix: Soil
Date Collected: 05.06.19 11.45

Date Received: 05.09.19 16.30
Sample Depth: 0 - 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.10.19 01.22	U	1
Toluene	108-88-3	0.0364	0.00200	mg/kg	05.10.19 01.22		1
Ethylbenzene	100-41-4	0.0205	0.00200	mg/kg	05.10.19 01.22		1
m,p-Xylenes	179601-23-1	0.432	0.00399	mg/kg	05.10.19 01.22		1
o-Xylene	95-47-6	0.107	0.00200	mg/kg	05.10.19 01.22		1
Total Xylenes	1330-20-7	0.539	0.00200	mg/kg	05.10.19 01.22		1
Total BTEX		0.596	0.00200	mg/kg	05.10.19 01.22		1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	98	%	70-130	05.10.19 01.22		
4-Bromofluorobenzene	460-00-4	132	%	70-130	05.10.19 01.22	**	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS06**
Lab Sample Id: 623711-004

Matrix: Soil
Date Collected: 05.01.19 15.00

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1370	24.9	mg/kg	05.10.19 18.52		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	15.7	15.0	mg/kg	05.10.19 02.27		1
Diesel Range Organics (DRO)	C10C28DRO	219	15.0	mg/kg	05.10.19 02.27		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 02.27	U	1
Total TPH	PHC635	235	15.0	mg/kg	05.10.19 02.27		1
Total GRO-DRO	PHC628	235	15.0	mg/kg	05.10.19 02.27		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	104	%	70-135	05.10.19 02.27	
o-Terphenyl	84-15-1	106	%	70-135	05.10.19 02.27	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS06**
Lab Sample Id: 623711-004

Matrix: Soil
Date Collected: 05.01.19 15.00

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.10.19 01.41	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.10.19 01.41	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	91	%	70-130	05.10.19 01.41		
1,4-Difluorobenzene	540-36-3	99	%	70-130	05.10.19 01.41		



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS07**
Lab Sample Id: 623711-005

Matrix: Soil
Date Collected: 05.06.19 10.30

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	1540	25.2	mg/kg	05.11.19 16.40		5

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 02.47	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 02.47	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 02.47	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 02.47	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 02.47	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	105	%	70-135	05.10.19 02.47	
o-Terphenyl	84-15-1	106	%	70-135	05.10.19 02.47	



Certificate of Analytical Results 623711



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **FS07**
Lab Sample Id: 623711-005

Matrix: Soil
Date Collected: 05.06.19 10.30

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
Toluene	108-88-3	<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
Ethylbenzene	100-41-4	<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
m,p-Xylenes	179601-23-1	<0.00404	0.00404	mg/kg	05.10.19 02.00	U	1
o-Xylene	95-47-6	<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
Total Xylenes	1330-20-7	<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
Total BTEX		<0.00202	0.00202	mg/kg	05.10.19 02.00	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	90	%	70-130	05.10.19 02.00		
1,4-Difluorobenzene	540-36-3	103	%	70-130	05.10.19 02.00		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 623711

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

MB Sample Id: 7677645-1-BLK

Matrix: Solid

LCS Sample Id: 7677645-1-BKS

Prep Method: E300P

Date Prep: 05.10.19

LCSD Sample Id: 7677645-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	251	100	90-110	0	20	mg/kg	05.10.19 17:40	

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

Parent Sample Id: 623709-001

Matrix: Soil

MS Sample Id: 623709-001 S

Prep Method: E300P

Date Prep: 05.10.19

MSD Sample Id: 623709-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.04	252	257	102	257	102	90-110	0	20	mg/kg	05.10.19 17:55	

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

Parent Sample Id: 623712-001

Matrix: Soil

MS Sample Id: 623712-001 S

Prep Method: E300P

Date Prep: 05.10.19

MSD Sample Id: 623712-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	136	249	379	98	381	98	90-110	1	20	mg/kg	05.10.19 19:07	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3088608

MB Sample Id: 7677599-1-BLK

Matrix: Solid

LCS Sample Id: 7677599-1-BKS

Prep Method: TX1005P

Date Prep: 05.09.19

LCSD Sample Id: 7677599-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1010	101	1030	103	70-135	2	20	mg/kg	05.09.19 22:25	
Diesel Range Organics (DRO)	<8.13	1000	1030	103	1040	104	70-135	1	20	mg/kg	05.09.19 22:25	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	95		123		129		70-135	%	05.09.19 22:25
o-Terphenyl	97		116		121		70-135	%	05.09.19 22:25

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 623711

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: TPH by SW8015 Mod

Seq Number: 3088608

Parent Sample Id: 623710-002

Matrix: Soil

MS Sample Id: 623710-002 S

Prep Method: TX1005P

Date Prep: 05.09.19

MSD Sample Id: 623710-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	10.1	1000	1010	100	996	99	70-135	1	20	mg/kg	05.09.19 23:26	
Diesel Range Organics (DRO)	10.1	1000	1000	99	1000	99	70-135	0	20	mg/kg	05.09.19 23:26	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	127		123		70-135	%	05.09.19 23:26
o-Terphenyl	126		118		70-135	%	05.09.19 23:26

Analytical Method: BTEX by EPA 8021B

Seq Number: 3088597

MB Sample Id: 7677588-1-BLK

Matrix: Solid

LCS Sample Id: 7677588-1-BKS

Prep Method: SW5030B

Date Prep: 05.09.19

LCSD Sample Id: 7677588-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.111	111	0.113	113	70-130	2	35	mg/kg	05.09.19 21:17	
Toluene	<0.000455	0.0998	0.103	103	0.104	104	70-130	1	35	mg/kg	05.09.19 21:17	
Ethylbenzene	<0.000564	0.0998	0.109	109	0.109	109	70-130	0	35	mg/kg	05.09.19 21:17	
m,p-Xylenes	<0.00101	0.200	0.226	113	0.227	114	70-130	0	35	mg/kg	05.09.19 21:17	
o-Xylene	<0.000344	0.0998	0.110	110	0.112	112	70-130	2	35	mg/kg	05.09.19 21:17	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		100		104		70-130	%	05.09.19 21:17
4-Bromofluorobenzene	74		80		87		70-130	%	05.09.19 21:17

Analytical Method: BTEX by EPA 8021B

Seq Number: 3088597

Parent Sample Id: 623709-001

Matrix: Soil

MS Sample Id: 623709-001 S

Prep Method: SW5030B

Date Prep: 05.09.19

MSD Sample Id: 623709-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000538	0.100	0.114	113	0.111	109	70-130	3	35	mg/kg	05.09.19 21:55	
Toluene	0.000458	0.100	0.104	104	0.101	100	70-130	3	35	mg/kg	05.09.19 21:55	
Ethylbenzene	<0.000567	0.100	0.109	109	0.106	105	70-130	3	35	mg/kg	05.09.19 21:55	
m,p-Xylenes	<0.00102	0.201	0.227	113	0.221	110	70-130	3	35	mg/kg	05.09.19 21:55	
o-Xylene	<0.000346	0.100	0.111	111	0.108	107	70-130	3	35	mg/kg	05.09.19 21:55	

Surrogate


	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		103		70-130	%	05.09.19 21:55
4-Bromofluorobenzene	88		86		70-130	%	05.09.19 21:55

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



www.xenco.com Page 1 of 1

Work Order Comments

Program: UST/PST ☐ PRP ☐ Brownfields ☐ RRC ☐ Superfund ☐

State of Project:

Reporting Level II ☐ Level III ☐ PST/UST ☐ TRRP ☐ Level IV ☐

Deliverables: EDD ☐ ADAPT ☐ Other:

[illegible]

Sample Identification					Matrix	Date Sampled	Time Sampled	Depth	Number	TPH	BTE	Chloro	Sample Comments
SW09					S	5/6/19	1625	0-4.5'	2				
SW08					S	5/1/19	1335	0-4.5'	2				
SW10					S	5/6/19	1145	0-4.5'	2				
FS06					S	5/1/19	1500	4.5'	2				
FS07					S	5/6/19	1030	4.5'	2				

Total	200.7 / 6010	200.8 / 6020:	
Circle Method(s)	and Metal(s) to be analyzed		
8RCRA	13PPM	Texas 11	Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO ₂ Na Sr Ti Sn U V Zn
TCPLP / SPLP	6010:	8RCRA	Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Tl U
			1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
1 <i>Amie Baya</i>	<i>[Signature]</i>	5/8/19 9:50	<i>[Signature]</i>	<i>[Signature]</i>	05/08/2019 10:05
3			4		
5			6		



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 05/09/2019 04:30:00 PM

Work Order #: 623711

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Katie Lowe

Date: 05/09/2019

Checklist reviewed by:

Jessica Kramer

Date: 05/10/2019

Analytical Report 623713

for
LT Environmental, Inc.

Project Manager: Ashley Ager

PLU 52 Battery

13-MAY-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-29), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-19-19), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-20)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)



13-MAY-19

Project Manager: **Ashley Ager**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **623713**

PLU 52 Battery

Project Address: Delaware Basin

Ashley Ager:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 623713. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 623713 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH06	S	05-02-19 09:10	0.5 ft	623713-001
PH06A	S	05-02-19 09:25	4.5 ft	623713-002
PH07	S	05-02-19 10:07	2.0 ft	623713-003
PH07A	S	05-02-19 10:15	4.5 ft	623713-004



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU 52 Battery*

Project ID:
Work Order Number(s): 623713

Report Date: 13-MAY-19
Date Received: 05/09/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3088597 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.



Certificate of Analysis Summary 623713

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52 Battery



Project Id:

Contact: Ashley Ager

Project Location: Delaware Basin

Date Received in Lab: Thu May-09-19 04:30 pm

Report Date: 13-MAY-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	623713-001	623713-002	623713-003	623713-004		
	Field Id:	PH06	PH06A	PH07	PH07A		
	Depth:	0.5- ft	4.5- ft	2.0- ft	4.5- ft		
	Matrix:	SOIL	SOIL	SOIL	SOIL		
	Sampled:	May-02-19 09:10	May-02-19 09:25	May-02-19 10:07	May-02-19 10:15		
BTEX by EPA 8021B	Extracted:	May-09-19 16:30	May-09-19 16:30	May-09-19 16:30	May-09-19 16:30		
	Analyzed:	May-10-19 03:15	May-10-19 03:34	May-10-19 03:53	May-10-19 04:12		
	Units/RL:	mg/kg	mg/kg	mg/kg	mg/kg		
		RL	RL	RL	RL		
Benzene		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
Toluene		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
Ethylbenzene		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
m,p-Xylenes		<0.00398 0.00398	<0.00399 0.00399	<0.00401 0.00401	<0.00402 0.00402		
o-Xylene		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
Total Xylenes		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
Total BTEX		<0.00199 0.00199	<0.00200 0.00200	<0.00200 0.00200	<0.00201 0.00201		
Chloride by EPA 300	Extracted:	May-10-19 12:00	May-10-19 12:00	May-10-19 12:00	May-10-19 12:00		
	Analyzed:	May-10-19 19:49	May-10-19 19:54	May-10-19 19:59	May-10-19 20:04		
	Units/RL:	mg/kg	mg/kg	mg/kg	mg/kg		
		RL	RL	RL	RL		
Chloride		<5.00 5.00	7.69 5.02	130 4.98	327 4.97		
TPH by SW8015 Mod	Extracted:	May-09-19 17:00	May-09-19 17:00	May-09-19 17:00	May-09-19 17:00		
	Analyzed:	May-10-19 05:28	May-10-19 05:49	May-10-19 06:09	May-10-19 06:29		
	Units/RL:	mg/kg	mg/kg	mg/kg	mg/kg		
		RL	RL	RL	RL		
Gasoline Range Hydrocarbons (GRO)		<15.0 15.0	<15.0 15.0	<14.9 14.9	<15.0 15.0		
Diesel Range Organics (DRO)		<15.0 15.0	<15.0 15.0	61.5 14.9	<15.0 15.0		
Motor Oil Range Hydrocarbons (MRO)		<15.0 15.0	<15.0 15.0	<14.9 14.9	<15.0 15.0		
Total TPH		<15.0 15.0	<15.0 15.0	61.5 14.9	<15.0 15.0		
Total GRO-DRO		<15.0 15.0	<15.0 15.0	61.5 14.9	<15.0 15.0		

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH06**
Lab Sample Id: 623713-001

Matrix: Soil
Date Collected: 05.02.19 09.10

Date Received: 05.09.19 16.30
Sample Depth: 0.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	<5.00	5.00	mg/kg	05.10.19 19.49	U	1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 05.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 05.28	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 05.28	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 05.28	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 05.28	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	101	%	70-135	05.10.19 05.28	
o-Terphenyl	84-15-1	96	%	70-135	05.10.19 05.28	



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH06**
Lab Sample Id: 623713-001

Matrix: Soil
Date Collected: 05.02.19 09.10

Date Received: 05.09.19 16.30
Sample Depth: 0.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.10.19 03.15	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.10.19 03.15	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	83	%	70-130	05.10.19 03.15		
1,4-Difluorobenzene	540-36-3	98	%	70-130	05.10.19 03.15		



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH06A**
Lab Sample Id: 623713-002

Matrix: Soil
Date Collected: 05.02.19 09.25

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	7.69	5.02	mg/kg	05.10.19 19.54		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 05.49	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 05.49	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 05.49	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 05.49	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 05.49	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	113	%	70-135	05.10.19 05.49	
o-Terphenyl	84-15-1	107	%	70-135	05.10.19 05.49	



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH06A**
Lab Sample Id: 623713-002

Matrix: Soil
Date Collected: 05.02.19 09.25

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
m,p-Xylenes	179601-23-1	<0.00399	0.00399	mg/kg	05.10.19 03.34	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.10.19 03.34	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	99	%	70-130	05.10.19 03.34		
4-Bromofluorobenzene	460-00-4	80	%	70-130	05.10.19 03.34		



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH07**
Lab Sample Id: 623713-003

Matrix: Soil
Date Collected: 05.02.19 10.07

Date Received: 05.09.19 16.30
Sample Depth: 2.0 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	130	4.98	mg/kg	05.10.19 19.59		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<14.9	14.9	mg/kg	05.10.19 06.09	U	1
Diesel Range Organics (DRO)	C10C28DRO	61.5	14.9	mg/kg	05.10.19 06.09		1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<14.9	14.9	mg/kg	05.10.19 06.09	U	1
Total TPH	PHC635	61.5	14.9	mg/kg	05.10.19 06.09		1
Total GRO-DRO	PHC628	61.5	14.9	mg/kg	05.10.19 06.09		1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	100	%	70-135	05.10.19 06.09	
o-Terphenyl	84-15-1	101	%	70-135	05.10.19 06.09	



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH07**
Lab Sample Id: 623713-003

Matrix: Soil
Date Collected: 05.02.19 10.07

Date Received: 05.09.19 16.30
Sample Depth: 2.0 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
Toluene	108-88-3	<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
Ethylbenzene	100-41-4	<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
m,p-Xylenes	179601-23-1	<0.00401	0.00401	mg/kg	05.10.19 03.53	U	1
o-Xylene	95-47-6	<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
Total Xylenes	1330-20-7	<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
Total BTEX		<0.00200	0.00200	mg/kg	05.10.19 03.53	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
1,4-Difluorobenzene	540-36-3	102	%	70-130	05.10.19 03.53		
4-Bromofluorobenzene	460-00-4	88	%	70-130	05.10.19 03.53		



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH07A**
Lab Sample Id: 623713-004

Matrix: Soil
Date Collected: 05.02.19 10.15

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: Chloride by EPA 300

Tech: SPC

Analyst: SPC

Seq Number: 3088730

Date Prep: 05.10.19 12.00

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	327	4.97	mg/kg	05.10.19 20.04		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3088608

Date Prep: 05.09.19 17.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.10.19 06.29	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.10.19 06.29	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.10.19 06.29	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.10.19 06.29	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.10.19 06.29	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	100	%	70-135	05.10.19 06.29	
o-Terphenyl	84-15-1	97	%	70-135	05.10.19 06.29	



Certificate of Analytical Results 623713



LT Environmental, Inc., Arvada, CO

PLU 52 Battery

Sample Id: **PH07A**
Lab Sample Id: 623713-004

Matrix: Soil
Date Collected: 05.02.19 10.15

Date Received: 05.09.19 16.30
Sample Depth: 4.5 ft

Analytical Method: BTEX by EPA 8021B

Tech: ALJ

Analyst: SCM

Seq Number: 3088597

Date Prep: 05.09.19 16.30

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
Toluene	108-88-3	<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
Ethylbenzene	100-41-4	<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
m,p-Xylenes	179601-23-1	<0.00402	0.00402	mg/kg	05.10.19 04.12	U	1
o-Xylene	95-47-6	<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
Total Xylenes	1330-20-7	<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
Total BTEX		<0.00201	0.00201	mg/kg	05.10.19 04.12	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	88	%	70-130	05.10.19 04.12		
1,4-Difluorobenzene	540-36-3	100	%	70-130	05.10.19 04.12		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 623713

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

MB Sample Id: 7677645-1-BLK

Matrix: Solid

LCS Sample Id: 7677645-1-BKS

Prep Method: E300P

Date Prep: 05.10.19

LCSD Sample Id: 7677645-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.00	250	251	100	251	100	90-110	0	20	mg/kg	05.10.19 17:40	

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

Parent Sample Id: 623709-001

Matrix: Soil

MS Sample Id: 623709-001 S

Prep Method: E300P

Date Prep: 05.10.19

MSD Sample Id: 623709-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<5.04	252	257	102	257	102	90-110	0	20	mg/kg	05.10.19 17:55	

Analytical Method: Chloride by EPA 300

Seq Number: 3088730

Parent Sample Id: 623712-001

Matrix: Soil

MS Sample Id: 623712-001 S

Prep Method: E300P

Date Prep: 05.10.19

MSD Sample Id: 623712-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	136	249	379	98	381	98	90-110	1	20	mg/kg	05.10.19 19:07	

Analytical Method: TPH by SW8015 Mod

Seq Number: 3088608

MB Sample Id: 7677599-1-BLK

Matrix: Solid

LCS Sample Id: 7677599-1-BKS

Prep Method: TX1005P

Date Prep: 05.09.19

LCSD Sample Id: 7677599-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	1010	101	1030	103	70-135	2	20	mg/kg	05.09.19 22:25	
Diesel Range Organics (DRO)	<8.13	1000	1030	103	1040	104	70-135	1	20	mg/kg	05.09.19 22:25	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	95		123		129		70-135	%	05.09.19 22:25
o-Terphenyl	97		116		121		70-135	%	05.09.19 22:25

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
Log Diff. = Log(Sample Duplicate) - Log(Original Sample)

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 623713

LT Environmental, Inc.

PLU 52 Battery

Analytical Method: TPH by SW8015 Mod

Seq Number: 3088608

Parent Sample Id: 623710-002

Matrix: Soil

MS Sample Id: 623710-002 S

Prep Method: TX1005P

Date Prep: 05.09.19

MSD Sample Id: 623710-002 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	10.1	1000	1010	100	996	99	70-135	1	20	mg/kg	05.09.19 23:26	
Diesel Range Organics (DRO)	10.1	1000	1000	99	1000	99	70-135	0	20	mg/kg	05.09.19 23:26	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	127		123		70-135	%	05.09.19 23:26
o-Terphenyl	126		118		70-135	%	05.09.19 23:26

Analytical Method: BTEX by EPA 8021B

Seq Number: 3088597

MB Sample Id: 7677588-1-BLK

Matrix: Solid

LCS Sample Id: 7677588-1-BKS

Prep Method: SW5030B

Date Prep: 05.09.19

LCSD Sample Id: 7677588-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.000384	0.0998	0.111	111	0.113	113	70-130	2	35	mg/kg	05.09.19 21:17	
Toluene	<0.000455	0.0998	0.103	103	0.104	104	70-130	1	35	mg/kg	05.09.19 21:17	
Ethylbenzene	<0.000564	0.0998	0.109	109	0.109	109	70-130	0	35	mg/kg	05.09.19 21:17	
m,p-Xylenes	<0.00101	0.200	0.226	113	0.227	114	70-130	0	35	mg/kg	05.09.19 21:17	
o-Xylene	<0.000344	0.0998	0.110	110	0.112	112	70-130	2	35	mg/kg	05.09.19 21:17	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	91		100		104		70-130	%	05.09.19 21:17
4-Bromofluorobenzene	74		80		87		70-130	%	05.09.19 21:17

Analytical Method: BTEX by EPA 8021B

Seq Number: 3088597

Parent Sample Id: 623709-001

Matrix: Soil

MS Sample Id: 623709-001 S

Prep Method: SW5030B

Date Prep: 05.09.19

MSD Sample Id: 623709-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	0.000538	0.100	0.114	113	0.111	109	70-130	3	35	mg/kg	05.09.19 21:55	
Toluene	0.000458	0.100	0.104	104	0.101	100	70-130	3	35	mg/kg	05.09.19 21:55	
Ethylbenzene	<0.000567	0.100	0.109	109	0.106	105	70-130	3	35	mg/kg	05.09.19 21:55	
m,p-Xylenes	<0.00102	0.201	0.227	113	0.221	110	70-130	3	35	mg/kg	05.09.19 21:55	
o-Xylene	<0.000346	0.100	0.111	111	0.108	107	70-130	3	35	mg/kg	05.09.19 21:55	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	104		103		70-130	%	05.09.19 21:55
4-Bromofluorobenzene	88		86		70-130	%	05.09.19 21:55

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec

Houston, TX (281) 240-4200 Dallas, TX (214) 902-0300 San Antonio, TX (210) 509-3334
 Midland, TX (432-704-5440) EL Paso, TX (915) 585-3443 Lubbock, TX (806) 794-1296
 Hobbs, NM (575-392-7550) Phoenix, AZ (480-355-0900) Atlanta, GA (770-449-8800) Tampa, FL (813-620-2000)

www.xenco.com Page 1 of 1

Project Manager:	Ashley Agan	Bill to: (if different)	Kyle Littell
Company Name:	LT Environmental	Company Name:	XTP
Address:	3300 North A Street	Address:	5104 E Green Street
City, State ZIP:	Midland TX 79705	City, State ZIP:	Midland TX 79705
Phone:	(979) 385-1096	Email:	agans@ltenv.com

Project Name:	PLU 52 Battery	Turn Around	☐ Routine ☐ Rush: same day
Project Number:	22P-5314	Due Date:	
P.O. Number:			
Sampler's Name:	Anna Rogers		

SAMPLE RECEIPT			
Temperature (°C):	0.9/1.8	Temp Blank:	Yes No
Received intact:	Yes No	Wet Ice:	Yes No
Cooler Custody Seals:	Yes No N/A	Correction Factor:	
Sample Custody Seals:	Yes No N/A	Total Containers:	

Number of Containers
 TPIT (EPA 8015)
 BTEX (EPA 8021)
 Chloride (EPA 300.6)

Sample Identification	Matrix	Date Sampled	Time Sampled	Depth	Number of Containers	ANALYSIS REQUEST	Work Order Notes
PTH06	S	5/6/19	9:10	0.5'	2		
PTH06A	S	5/2/19	9:25	4.5'	2		
PTH07	S	5/2/19	10:04	2.0'	1		
PTH07A	S	5/2/19	10:15	4.5'	2		

Total 200.7 / 6010 200.8 / 6020: 8RCRA 13PPM Texas 11 Al Sb As Ba Be B Cd Ca Cr Co Cu Fe Pb Mg Mn Mo Ni K Se Ag SiO2 Na Sr Ti Sn U V Zn
 Circle Method(s) and Metal(s) to be analyzed TCLP / SPLP 6010: 8RCRA Sb As Ba Be Cd Cr Co Cu Pb Mn Mo Ni Se Ag Ti U
 1631 / 245.1 / 7470 / 7471 : Hg

Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples, and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
Anna Rogers	[Signature]	5/8/19 9:50	[Signature]	[Signature]	05/08/19 10:05



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 05/09/2019 04:30:00 PM

Work Order #: 623713

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used :

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Katie Lowe

Date: 05/09/2019

Checklist reviewed by:

Jessica Kramer

Date: 05/10/2019

Analytical Report 625614

for
LT Environmental, Inc.

Project Manager: Ashley Ager

PLU 52

29-MAY-19

Collected By: Client



**1211 W. Florida Ave
Midland TX 79701**

Xenco-Houston (EPA Lab Code: TX00122):
Texas (T104704215-19-29), Arizona (AZ0765), Florida (E871002-24), Louisiana (03054)
Oklahoma (2017-142)

Xenco-Dallas (EPA Lab Code: TX01468):
Texas (T104704295-19-19), Arizona (AZ0809), Arkansas (17-063-0)

Xenco-El Paso (EPA Lab Code: TX00127): Texas (T104704221-18-14)
Xenco-Lubbock (EPA Lab Code: TX00139): Texas (T104704219-19-20)
Xenco-Midland (EPA Lab Code: TX00158): Texas (T104704400-18-18)
Xenco-San Antonio (EPA Lab Code: TNI02385): Texas (T104704534-18-4)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona (AZ0757)
Xenco-Atlanta (LELAP Lab ID #04176)
Xenco-Tampa: Florida (E87429), North Carolina (483)



29-MAY-19

Project Manager: **Ashley Ager**

LT Environmental, Inc.

4600 W. 60th Avenue

Arvada, CO 80003

Reference: XENCO Report No(s): **625614**

PLU 52

Project Address: Delaware Basin

Ashley Ager:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number(s) 625614. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 625614 will be filed for 45 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

Jessica Kramer

Project Assistant

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.

Certified and approved by numerous States and Agencies.

A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Midland - San Antonio - Phoenix - Oklahoma - Latin America



Sample Cross Reference 625614



LT Environmental, Inc., Arvada, CO

PLU 52

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
PH03B	S	05-24-19 12:30	6 ft	625614-001



CASE NARRATIVE

Client Name: *LT Environmental, Inc.*

Project Name: *PLU 52*

Project ID:
Work Order Number(s): 625614

Report Date: 29-MAY-19
Date Received: 05/28/2019

Sample receipt non conformances and comments:

None

Sample receipt non conformances and comments per sample:

None

Analytical non conformances and comments:

Batch: LBA-3090378 Chloride by EPA 300

Lab Sample ID 625614-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Chloride recovered below QC limits in the Matrix Spike and Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 625614-001.

The Laboratory Control Sample for Chloride is within laboratory Control Limits, therefore the data was accepted.

Batch: LBA-3090399 BTEX by EPA 8021B

Soil samples were not received in Terracore kits and therefore were prepared by method 5030.

Lab Sample ID 625614-001 was randomly selected for Matrix Spike/Matrix Spike Duplicate (MS/MSD). Benzene, m,p-Xylenes, o-Xylene recovered below QC limits in the Matrix Spike Duplicate. Outlier/s are due to possible matrix interference. Samples in the analytical batch are: 625614-001.

The Laboratory Control Sample for Benzene, m,p-Xylenes, o-Xylene is within laboratory Control Limits, therefore the data was accepted.



Certificate of Analysis Summary 625614

LT Environmental, Inc., Arvada, CO

Project Name: PLU 52



Project Id:

Contact: Ashley Ager

Project Location: Delaware Basin

Date Received in Lab: Tue May-28-19 07:36 am

Report Date: 29-MAY-19

Project Manager: Jessica Kramer

Analysis Requested	Lab Id:	625614-001					
	Field Id:	PH03B					
	Depth:	6- ft					
	Matrix:	SOIL					
	Sampled:	May-24-19 12:30					
BTEX by EPA 8021B	Extracted:	May-28-19 15:15					
	Analyzed:	May-28-19 17:08					
	Units/RL:	mg/kg RL					
	Benzene	<0.00199 0.00199					
	Toluene	<0.00199 0.00199					
	Ethylbenzene	<0.00199 0.00199					
	m,p-Xylenes	<0.00398 0.00398					
	o-Xylene	<0.00199 0.00199					
	Total Xylenes	<0.00199 0.00199					
	Total BTEX	<0.00199 0.00199					
Chloride by EPA 300	Extracted:	May-28-19 12:40					
	Analyzed:	May-28-19 15:09					
	Units/RL:	mg/kg RL					
	Chloride	393 4.97					
TPH by SW8015 Mod	Extracted:	May-28-19 15:00					
	Analyzed:	May-28-19 22:28					
	Units/RL:	mg/kg RL					
	Gasoline Range Hydrocarbons (GRO)	<15.0 15.0					
	Diesel Range Organics (DRO)	<15.0 15.0					
	Motor Oil Range Hydrocarbons (MRO)	<15.0 15.0					
	Total TPH	<15.0 15.0					
	Total GRO-DRO	<15.0 15.0					

This analytical report, and the entire data package it represents, has been made for your exclusive and confidential use. The interpretations and results expressed throughout this analytical report represent the best judgment of XENCO Laboratories. XENCO Laboratories assumes no responsibility and makes no warranty to the end use of the data hereby presented. Our liability is limited to the amount invoiced for this work order unless otherwise agreed to in writing.

Houston - Dallas - Midland - Tampa - Phoenix - Lubbock - San Antonio - El Paso - Atlanta - New Mexico

Jessica Kramer

Jessica Kramer
Project Assistant



Certificate of Analytical Results 625614



LT Environmental, Inc., Arvada, CO

PLU 52

Sample Id: **PH03B**
Lab Sample Id: 625614-001

Matrix: Soil
Date Collected: 05.24.19 12.30

Date Received: 05.28.19 07.36
Sample Depth: 6 ft

Analytical Method: Chloride by EPA 300

Tech: CHE

Analyst: CHE

Seq Number: 3090378

Date Prep: 05.28.19 12.40

Prep Method: E300P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Chloride	16887-00-6	393	4.97	mg/kg	05.28.19 15.09		1

Analytical Method: TPH by SW8015 Mod

Tech: ARM

Analyst: ARM

Seq Number: 3090497

Date Prep: 05.28.19 15.00

Prep Method: TX1005P

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Gasoline Range Hydrocarbons (GRO)	PHC610	<15.0	15.0	mg/kg	05.28.19 22.28	U	1
Diesel Range Organics (DRO)	C10C28DRO	<15.0	15.0	mg/kg	05.28.19 22.28	U	1
Motor Oil Range Hydrocarbons (MRO)	PHCG2835	<15.0	15.0	mg/kg	05.28.19 22.28	U	1
Total TPH	PHC635	<15.0	15.0	mg/kg	05.28.19 22.28	U	1
Total GRO-DRO	PHC628	<15.0	15.0	mg/kg	05.28.19 22.28	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1-Chlorooctane	111-85-3	94	%	70-135	05.28.19 22.28	
o-Terphenyl	84-15-1	75	%	70-135	05.28.19 22.28	



Certificate of Analytical Results 625614



LT Environmental, Inc., Arvada, CO

PLU 52

Sample Id: **PH03B**
Lab Sample Id: 625614-001

Matrix: Soil
Date Collected: 05.24.19 12.30

Date Received: 05.28.19 07.36
Sample Depth: 6 ft

Analytical Method: BTEX by EPA 8021B

Tech: SCM

Analyst: SCM

Seq Number: 3090399

Date Prep: 05.28.19 15.15

Prep Method: SW5030B

% Moisture:

Basis: Wet Weight

Parameter	Cas Number	Result	RL	Units	Analysis Date	Flag	Dil
Benzene	71-43-2	<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
Toluene	108-88-3	<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
Ethylbenzene	100-41-4	<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
m,p-Xylenes	179601-23-1	<0.00398	0.00398	mg/kg	05.28.19 17.08	U	1
o-Xylene	95-47-6	<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
Total Xylenes	1330-20-7	<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
Total BTEX		<0.00199	0.00199	mg/kg	05.28.19 17.08	U	1
Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag	
4-Bromofluorobenzene	460-00-4	108	%	70-130	05.28.19 17.08		
1,4-Difluorobenzene	540-36-3	95	%	70-130	05.28.19 17.08		

- X** In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.
- B** A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.
- D** The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.
- E** The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.
- F** RPD exceeded lab control limits.
- J** The target analyte was positively identified below the quantitation limit and above the detection limit.
- U** Analyte was not detected.
- L** The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.
- H** The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.
- K** Sample analyzed outside of recommended hold time.
- JN** A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

** Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit

SDL Sample Detection Limit

LOD Limit of Detection

PQL Practical Quantitation Limit

MQL Method Quantitation Limit

LOQ Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

SMP Client Sample

BLK

Method Blank

BKS/LCS Blank Spike/Laboratory Control Sample

BKSD/LCSD

Blank Spike Duplicate/Laboratory Control Sample Duplicate

MD/SD Method Duplicate/Sample Duplicate

MS

Matrix Spike

MSD: Matrix Spike Duplicate

+ NELAC certification not offered for this compound.

* (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation



QC Summary 625614

LT Environmental, Inc.

PLU 52

Analytical Method: Chloride by EPA 300

Seq Number: 3090378

MB Sample Id: 7678646-1-BLK

Matrix: Solid

LCS Sample Id: 7678646-1-BKS

Prep Method: E300P

Date Prep: 05.28.19

LCSD Sample Id: 7678646-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	<0.858	250	234	94	233	93	90-110	0	20	mg/kg	05.28.19 13:08	

Analytical Method: Chloride by EPA 300

Seq Number: 3090378

Parent Sample Id: 625608-001

Matrix: Soil

MS Sample Id: 625608-001 S

Prep Method: E300P

Date Prep: 05.28.19

MSD Sample Id: 625608-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	749	250	952	81	952	81	90-110	0	20	mg/kg	05.28.19 13:30	X

Analytical Method: Chloride by EPA 300

Seq Number: 3090378

Parent Sample Id: 625614-001

Matrix: Soil

MS Sample Id: 625614-001 S

Prep Method: E300P

Date Prep: 05.28.19

MSD Sample Id: 625614-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Chloride	393	249	615	89	613	88	90-110	0	20	mg/kg	05.28.19 15:17	X

Analytical Method: TPH by SW8015 Mod

Seq Number: 3090497

MB Sample Id: 7678780-1-BLK

Matrix: Solid

LCS Sample Id: 7678780-1-BKS

Prep Method: TX1005P

Date Prep: 05.28.19

LCSD Sample Id: 7678780-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<8.00	1000	945	95	961	96	70-135	2	20	mg/kg	05.28.19 18:45	
Diesel Range Organics (DRO)	<8.13	1000	902	90	924	92	70-135	2	20	mg/kg	05.28.19 18:45	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	109		93		99		70-135	%	05.28.19 18:45
o-Terphenyl	104		97		104		70-135	%	05.28.19 18:45

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



QC Summary 625614

LT Environmental, Inc.

PLU 52

Analytical Method: TPH by SW8015 Mod

Seq Number: 3090497

Parent Sample Id: 625610-001

Matrix: Soil

MS Sample Id: 625610-001 S

Prep Method: TX1005P

Date Prep: 05.28.19

MSD Sample Id: 625610-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Gasoline Range Hydrocarbons (GRO)	<7.99	998	910	91	874	88	70-135	4	20	mg/kg	05.28.19 19:59	
Diesel Range Organics (DRO)	<8.11	998	843	84	855	86	70-135	1	20	mg/kg	05.28.19 19:59	

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1-Chlorooctane	83		82		70-135	%	05.28.19 19:59
o-Terphenyl	76		84		70-135	%	05.28.19 19:59

Analytical Method: BTEX by EPA 8021B

Seq Number: 3090399

MB Sample Id: 7678713-1-BLK

Matrix: Solid

LCS Sample Id: 7678713-1-BKS

Prep Method: SW5030B

Date Prep: 05.28.19

LCSD Sample Id: 7678713-1-BSL

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.0998	0.101	101	0.103	103	70-130	2	35	mg/kg	05.28.19 15:16	
Toluene	<0.00200	0.0998	0.102	102	0.101	101	70-130	1	35	mg/kg	05.28.19 15:16	
Ethylbenzene	<0.00200	0.0998	0.115	115	0.114	114	70-130	1	35	mg/kg	05.28.19 15:16	
m,p-Xylenes	<0.00399	0.200	0.241	121	0.236	117	70-130	2	35	mg/kg	05.28.19 15:16	
o-Xylene	<0.00200	0.0998	0.114	114	0.113	113	70-130	1	35	mg/kg	05.28.19 15:16	

Surrogate

	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	102		89		90		70-130	%	05.28.19 15:16
4-Bromofluorobenzene	104		101		101		70-130	%	05.28.19 15:16

Analytical Method: BTEX by EPA 8021B

Seq Number: 3090399

Parent Sample Id: 625614-001

Matrix: Soil

MS Sample Id: 625614-001 S

Prep Method: SW5030B

Date Prep: 05.28.19

MSD Sample Id: 625614-001 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Benzene	<0.00200	0.100	0.0761	76	0.0652	65	70-130	15	35	mg/kg	05.28.19 15:54	X
Toluene	<0.00200	0.100	0.0766	77	0.0741	73	70-130	3	35	mg/kg	05.28.19 15:54	
Ethylbenzene	<0.00200	0.100	0.0856	86	0.0751	74	70-130	13	35	mg/kg	05.28.19 15:54	
m,p-Xylenes	<0.00401	0.200	0.180	90	0.136	68	70-130	28	35	mg/kg	05.28.19 15:54	X
o-Xylene	<0.00200	0.100	0.0855	86	0.0629	62	70-130	30	35	mg/kg	05.28.19 15:54	X

Surrogate

	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,4-Difluorobenzene	92		92		70-130	%	05.28.19 15:54
4-Bromofluorobenzene	104		111		70-130	%	05.28.19 15:54

MS/MSD Percent Recovery
Relative Percent Difference
LCS/LCSD Recovery
Log Difference

$[D] = 100 * (C - A) / B$
 $RPD = 200 * |(C - E) / (C + E)|$
 $[D] = 100 * (C) / [B]$
 $\text{Log Diff.} = \text{Log}(\text{Sample Duplicate}) - \text{Log}(\text{Original Sample})$

LCS = Laboratory Control Sample
A = Parent Result
C = MS/LCS Result
E = MSD/LCSD Result

MS = Matrix Spike
B = Spike Added
D = MSD/LCSD % Rec



www.xenco.com Page 1 of 1

Project Name:	PLU 52	Turn Around	ANALYSIS REQUEST	Work Order Notes	
Project Number:		Routine ☐			
P.O. Number:	2RP - 5314	Rush: 24hr			
Sampler's Name:	Robert McAfee	Due Date:			
SAMPLE RECEIPT					
Temperature (°C):	0.50.3	Temp Blank:	Yes ☒ No ☐	Wet Ice:	Yes ☒ No ☐
Received intact:	Yes ☒ No ☐	Thermometer:	12		
Cooler Custody Seals:	Yes ☒ No ☐ N/A	Correction Factor:	0.02		
Sample Custody Seals:	Yes ☒ No ☐ N/A	Total Containers:			
Number of Containers					
EPA 8015)					
EPA 0=8021)					
le (EPA 300.0)					
TAT starts the day received by the lab, if received by 4:30pm					

Total 200.7 / 6010	200.8 / 6020:	8RCRA	13PPM	Texas 11	Al	Sb	As	Ba	Be	B	Cd	Ca	Cr	Co	Cu	Fe	Pb	Mg	Mn	Mo	Ni	K	Se	Ag	SiO2	Na	Sr	Ti	Sn	U	V	Zn
<i>Circle Method(s) and Metal(s) to be analyzed</i>		TCLP / SPLP	6010:	8RCRA	Sb	As	Ba	Be	Cd	Cr	Co	Cu	Pb	Mn	Mo	Ni	Se	Ag	Ti	U												
Notice: Signature of this document and relinquishment of samples constitutes a valid purchase order from client company to Xenco, its affiliates and subcontractors. It assigns standard terms and conditions of service. Xenco will be liable only for the cost of samples and shall not assume any responsibility for any losses or expenses incurred by the client if such losses are due to circumstances beyond the control of Xenco. A minimum charge of \$75.00 will be applied to each project and a charge of \$5 for each sample submitted to Xenco, but not analyzed. These terms will be enforced unless previously negotiated.																																
																								1631 / 245.1 / 7470 / 7471 : .Hg								

Relinquished by: (Signature)	Received by: (Signature)	Date/Time	Relinquished by: (Signature)	Received by: (Signature)	Date/Time
<i>Michael M. [Signature]</i>	<i>[Signature]</i>	5/21/14		<i>[Signature]</i>	5/26/14

Revised Date 051418 Rev. 2018



XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In



Client: LT Environmental, Inc.

Date/ Time Received: 05/28/2019 07:36:00 AM

Work Order #: 625614

Acceptable Temperature Range: 0 - 6 degC

Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : R8

Sample Receipt Checklist

Comments

#1 *Temperature of cooler(s)?	.3
#2 *Shipping container in good condition?	Yes
#3 *Samples received on ice?	Yes
#4 *Custody Seals intact on shipping container/ cooler?	N/A
#5 Custody Seals intact on sample bottles?	N/A
#6 *Custody Seals Signed and dated?	N/A
#7 *Chain of Custody present?	Yes
#8 Any missing/extra samples?	No
#9 Chain of Custody signed when relinquished/ received?	Yes
#10 Chain of Custody agrees with sample labels/matrix?	Yes
#11 Container label(s) legible and intact?	Yes
#12 Samples in proper container/ bottle?	Yes
#13 Samples properly preserved?	Yes
#14 Sample container(s) intact?	Yes
#15 Sufficient sample amount for indicated test(s)?	Yes
#16 All samples received within hold time?	Yes
#17 Subcontract of sample(s)?	N/A
#18 Water VOC samples have zero headspace?	N/A

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:

PH Device/Lot#:

Checklist completed by:

Brianna Teel

Brianna Teel

Date: 05/28/2019

Checklist reviewed by:

Jessica Kramer

Jessica Kramer

Date: 05/28/2019





LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH01

Date:

3/29/19

Project Name:

PLU 52 Battery

RP Number:

2RP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Lat/Long:

32.091747, -103.785564

Field Screening:

TPH & CI- / PID + Test Strips

Logged By:

Anna Byers

Method:

Track Hoe

Hole Diameter:

2.5ft x 5ft

Total Depth:

10'

Comments:

High Range CI- strips & Low Range CI- Strips

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			excavated
					1			
					2			
					3			
					4			silt sand (m.c.), brown, low plasticity odor, poorly graded caliche @ 5.0', compact, light tan color, odorous, dry, well graded
M	289.2	1212	Y	PH01	4.0'			
					5			
D	-	500	N		6	6.0'		
					7			
D	-	105	N		8	8.0'		
					9			
D	320	21.2	N	PH01A	10	10'		
					11			TOT DEPTH
					12			

LT Environmental, Inc.
Analytical ServicesLT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH02

Date:

3/29/19

Project Name:

PLU 52 Battery

RP Number:

2RP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Lat/Long:

32.091775, -108.785586

Field Screening:

TPH (PID) / CI-

Logged By:

Anne Byers

Method: Track Hole

Hole Diameter:

2.5' x 5'

Total Depth:

4.0'

Comments:

High Range CI- strips

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D			N		0			caliche (pad)
M	<1875	5.9	N			0.5'		brown silt sand (m.c.), low plasticity, no odor, poorly graded 
M		9.1	N	PH02	1	1.0'		
M		6.1	N		2	2.0'		
M			N		3	3.0'		
M		3.0	N	PH02A	4	4.0'		
					5			TDT DEPTH
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH03

Date:

3/29/19

Project Name:

PLU 52 Battery

RP Number:

RRP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Anna Byers

Method: Track Hoe

Lat/Long:

32.091706, -103.785526

Field Screening:

PID(LPH) + Cl⁻

Hole Diameter:

2.5" x 5"

Total Depth:

4.0'

Comments:

High Range Cl⁻ strips

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D			N		0			
M	4175	44.9	N	PH03	0.5'			
M		6.4	N		1	1.0'		
					2			
M		6.2	N		3	2.5'		
					4	4.0'		
M		6.1	N	PH03A				
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

poorly graded, brown silt sand (m.c.),
low plasticity, no odor

TOT DEPTH



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier: PH03

Date: 05/24/19

Project Name:
PLU 52

RP Number:

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Robert M.

Method: Pof hole

Lat/Long:

Field Screening:

Hole Diameter: 2'

Total Depth:

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
					0			Excavation to 4'
					1			
					2			
					3			
					4			
dry	1200	5.5	N		5	3'	S	caliche white, trace sand PG
dry	580	80.4	N		6	6'	S	Caliche/sand light brown - white PG
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH04

Date:

3/29/19

Project Name:

PLU 52 Battery

RP Number:

2RP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Logged By: Anna Byers

Method: Track Hole

Lat/Long:

32.091654, -108.785577

Field Screening:

Cl- & TPH (PID)

Hole Diameter:

2.5' x 5.0'

Total Depth:

4.0'

Comments:

Cl- High Range Strips

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D			N		0			
M	<1875	18.1	N	PH01, 0.5'		0.5'		
M	<1875	56.5	N		1	1.0'		Caliche brown silt sand(m.-c.), low plasticity, no odor, poorly graded
					2	2.0'		
M	<1875	30.2	N		3			
					4	4.0'		
M	<1875	44.6	N	PH01A 4.0'				
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			

TOT DEPTH



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PHOS

Date:

3/29/19

Project Name:

PLU 52 Battery

RP Number:

RRP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Lat/Long:

32.091675, -105.785628

Field Screening:

TPH (PID) + CI

Logged By: Anna Byers

Method: Track Hole

Hole Diameter:

2.5' x 5.0'

Total Depth:

4.5'

Comments:

High Range CI Strips

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D M	<1875	137	N	PHOS	0	0.5'		caliche brown silt sand (m. + c), poorly graded, no odor, no plasticity ↓ Tot Depth
M	<1875	105	N		1	1.5'		
M	<1875	240	N		2	2.5'		
M	<1875	209.5	N	PHOS A	3	4.5'		
					4			
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH06

Date:

5/2/19

Project Name:

PLU 52 Battery

RP Number:

2RP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Lat/Long: 09 17 17

32.091656, -103.785750

Field Screening:

TPH (PID) & CI-

Logged By: Anna Byers

Method: Track hoe

Hole Diameter:

2.5' x 5.0'

Total Depth:

4.5'

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
Dry	<172.8	0.1	NO	PH06	0	0.5'		brown silt sand (m.-to c.), well graded, no plasticity or odor
Dry	<172.8	1.0			1	1.0'		brown silt sand (m. to c.), poorly graded no plasticity, no odor
Dry	<172.8	2.3			2	2.0'		
M	<172.8	0.2			3	3.0'		↓ brown silt sand, poorly graded (m. to coarse)
M	<172.8	1.2	↓	PH06A	4	4.5'		↓ TOT DEPTH
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			



LT Environmental, Inc.
508 West Stevens Street
Carlsbad, New Mexico 88220

Compliance · Engineering · Remediation

Identifier:

PH07

Date:

5/2/19

Project Name:

PLU 52 Battery

RP Number:

2RP-5314

LITHOLOGIC / SOIL SAMPLING LOG

Lat/Long:

32.091656, -103.785650

Field Screening:

TPH (PID) + CI-

Logged By:

Anna Byers

Method: Track Hoe

Total Depth:

4.5'

Comments:

Moisture Content	Chloride (ppm)	Vapor (ppm)	Staining	Sample #	Depth (ft. bgs.)	Sample Depth	Soil/Rock Type	Lithology/Remarks
D					0			
D	<172.8	0.6	Z		0.5'			dry, brown silt sand (m.-c.), no plasticity poorly graded moist, brown silt sand (c.), poorly graded, low plasticity, organics ↓ TO DEPTH
M	<172.8	1.0	Z		1.0'			
M	172.8	2.4	N	PH07	2.0'			
M	<172.8	5.4	N		3.0'			
M	428.8	4.8	N	PH07A	4.5			
					5			
					6			
					7			
					8			
					9			
					10			
					11			
					12			





View facing south of the excavation.

Project: 012919042	XTO Energy, Inc. Poker Lake Unit 052 Battery	 <i>Advancing Opportunity</i>
May 1, 2019	Photographic Log	



View facing southwest of the excavation.

Project: 012919042	XTO Energy, Inc. Poker Lake Unit 052 Battery	 <i>Advancing Opportunity</i>
May 6, 2019	Photographic Log	



View facing southwest of the excavation.

Project: 012919042	XTO Energy, Inc. Poker Lake Unit 052 Battery	 <i>Advancing Opportunity</i>
May 6, 2019	Photographic Log	