

Venegas, Victoria, EMNRD

From: Venegas, Victoria, EMNRD
Sent: Thursday, September 12, 2019 10:46 AM
To: 'Watson, Debbie'; Bratcher, Mike, EMNRD; Hamlet, Robert, EMNRD; Amos, James
Cc: Kevin Smith; Lori O'Brien
Subject: -Longview Federal 12-2H 2RP-5502
Attachments: (C-141 Final) Longview Federal 12-2H 2RP-5502 9.12.19.pdf

Longview Federal 12-2H 2RP-5502

Ms. Watson,
OCD has received your closure request and final C-141 for Longview Federal 12-2H 2RP-5502, thank you. This closure is approved.
Regards,

Victoria Venegas
EMNRD
OCD-District II
Artesia
Victoria.Venegas@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Watson, Debbie <Deborah.Watson@wpenergy.com>
Sent: Friday, June 21, 2019 8:02 AM
To: Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>; Amos, James <jamos@blm.gov>
Cc: Kevin Smith <ksmith@hrlcomp.com>; Lori O'Brien <lobrien@hrlcomp.com>
Subject: [EXT] Confirmation Sampling Notification-Longview Federal 12-2H

Good Morning,

This email serves as notification of confirmation sample collection for the recent spill at the Longview Federal 12-2H (API 30-015-42236). HRL will be onsite to collect samples on Tuesday, June 25 at 8:30 AM.

Please contact me with any questions. Thank you.

Have a great weekend,

Debbie

Deborah Watson
Environmental Specialist
5315 Buena Vista Drive | Carlsbad, NM 88220
office 575.885.7561 | cell 505.386.9693
deborah.watson@wpenergy.com



If you have received this message in error, please reply to advise the sender of the error and then immediately delete this message. Thank you.