

## Venegas, Victoria, EMNRD

---

**From:** Watson, Debbie <Deborah.Watson@wpxenergy.com>  
**Sent:** Friday, September 6, 2019 12:40 PM  
**To:** Bratcher, Mike, EMNRD; Hamlet, Robert, EMNRD; Venegas, Victoria, EMNRD; Amos, James  
**Cc:** ksmith; Lori O'Brien  
**Subject:** [EXT] Confirmation Sampling Notification RDU #055 (2RP-5520) - Resamples SP6 and SP35

Good Afternoon,

This email serves as confirmation sampling notification for the Ross Draw Unit #55 (2RP-5520). Two samples (SP6 and SP35) from the August 20 sampling event did not clear the 600ppm chloride closure standard. HRL will be on location on Tuesday, September 10 around 1 PM to resample SP6 and SP35.

Please contact me with any questions. Thank you.

Have a great weekend,

Debbie

Deborah Watson  
HSE Specialist  
5315 Buena Vista Drive | Carlsbad, NM 88220  
office 575.885.7561 | cell 505.386.9693  
[deborah.watson@wpxenergy.com](mailto:deborah.watson@wpxenergy.com)



*If you have received this message in error, please reply to advise the sender of the error and then immediately delete this message. Thank you.*

---

**From:** Kevin Smith <ksmith@hrlcomp.com>  
**Sent:** Tuesday, August 20, 2019 8:10 AM  
**To:** mike.bratcher@state.nm.us; Victoria.Venegas@state.nm.us; Robert.Hamlet@state.nm.us; Amos, James <jamos@blm.gov>; Billings, Bradford, EMNRD <Bradford.Billings@state.nm.us>  
**Cc:** Watson, Debbie <deborah.watson@wpxenergy.com>; Lori O'Brien <lobrien@hrlcomp.com>  
**Subject:** [EXTERNAL] Confirmation Sampling Notification RDU #055 (2RP-5520) - Resamples

---

CAUTION: This email was sent from an EXTERNAL source. Use caution when clicking links or opening attachments.

---

Good Morning,

This email serves as confirmation sampling notification for the Ross Draw Unit #55 spill (2RP-5520) which occurred on June 21, 2019. HRL will be on location to collect resamples of areas that exceeded closure standards from the first sampling event. Sampling is scheduled to take place on Thursday, August 22 around 8:00 AM.

Please let me know if you any questions.

Thanks,

**Kevin Smith** | Environmental Scientist

HRL Compliance Solutions, Inc.

P.O. Box 1708 | Artesia, NM 88211-1708

main 575.616.7398 | mobile 936.689.0078

[Web](#) | [vCard](#) | [Map](#) | [f](#) | [in](#)



**HRL**  
COMPLIANCE  
SOLUTIONS

Confidentiality Note: This email and any attachments are confidential and only for the use as authorized by HRL Compliance Solutions, Inc. If you receive this message in error or are not the intended recipient, you should not retain, distribute, disclose or use any of this information. Permanently delete the e-mail and any attachments or copies.