

North Brushy Federal #35-1			Analytical Results - Hall Environmental Analysis Laboratory						
Excavation Footprint									Reported in mg/kg
NM OCD Table 1 Thresholds (GW <50')			600	10	50	100			
Sample ID	Depth (ft)	Sampling Date	Chloride	Benzene	BTEX	GRO	DRO	MRO	Total TPH
SP1	2	8/12/2109	540	ND	ND	ND	ND	ND	ND
SP2	2	8/12/2109	83	ND	ND	ND	ND	ND	ND
SP3	2	8/12/2109	310	ND	ND	ND	ND	ND	ND
SP4	2	8/12/2109	240	ND	ND	ND	ND	ND	ND
SP5	2	8/12/2109	330	ND	ND	ND	ND	ND	ND
SP6	2	8/12/2109	280	ND	ND	ND	ND	ND	ND
SP7	2	8/12/2109	300	ND	ND	ND	ND	ND	ND
SP8	2	8/12/2109	210	ND	ND	ND	ND	ND	ND
SP9	2	8/12/2109	280	ND	ND	ND	ND	ND	ND
SP10	2	8/12/2109	130	ND	ND	ND	ND	ND	ND
SP11	2	8/12/2109	230	ND	ND	ND	ND	ND	ND
SP12	2	8/12/2109	360	ND	ND	ND	ND	ND	ND
SP13	2	8/12/2109	240	ND	ND	ND	ND	ND	ND
SP14	2	8/12/2109	210	ND	ND	ND	ND	ND	ND
SP15	2	8/12/2109	210	ND	ND	ND	ND	ND	ND
SP16	2	8/12/2109	270	ND	ND	ND	ND	ND	ND
SP17	2	8/12/2109	250	ND	ND	ND	ND	ND	ND
SP18	2	8/12/2109	320	ND	ND	ND	ND	ND	ND
SP19	2	8/12/2109	250	ND	ND	ND	ND	ND	ND
SP20	2	8/12/2109	400	ND	ND	ND	ND	ND	ND
SP21	2	8/12/2109	71	ND	ND	ND	ND	ND	ND
SP22	2	8/12/2109	230	ND	ND	ND	ND	ND	ND
SP23	2	8/12/2109	260	ND	ND	ND	ND	ND	ND
SP24	2	8/12/2109	220	ND	ND	ND	ND	ND	ND
SP25	2	8/12/2109	260	ND	ND	ND	ND	ND	ND
SP26	2	8/12/2109	400	ND	ND	ND	ND	ND	ND
SP27	2	8/12/2109	220	ND	ND	ND	ND	ND	ND
SP28	2	8/12/2109	220	ND	ND	ND	ND	ND	ND
SP29	2	8/12/2109	210	ND	ND	ND	ND	ND	ND
SP30	2	8/12/2109	260	ND	ND	ND	ND	ND	ND
SP31	2	8/12/2109	280	ND	ND	ND	ND	ND	ND
SP32	2	8/12/2109	270	ND	ND	ND	ND	ND	ND
SP33	2	8/12/2109	310	ND	ND	ND	ND	ND	ND
SP34	2	8/12/2109	220	ND	ND	ND	ND	ND	ND

North Brushy Federal #35-1			Analytical Results - Hall Environmental Analysis Laboratory						
Excavation Footprint									Reported in mg/kg
NM OCD Table 1 Thresholds (GW)			600	10	50	100			
Sample ID	Depth (ft)	Sampling Date	Chloride	Benzene	BTEX	GRO	DRO	MRO	Total TPH
SP35	2	8/12/2109	250	ND	ND	ND	ND	ND	ND
SP36	2	8/12/2109	270	ND	ND	ND	ND	ND	ND
SP37	2	8/12/2109	250	ND	ND	ND	ND	ND	ND
SP38	2	8/12/2109	270	ND	ND	ND	ND	ND	ND
SP39	2	8/12/2109	260	ND	ND	ND	ND	ND	ND
SP40	2	8/12/2109	190	ND	ND	ND	ND	ND	ND
SP41	2	8/12/2109	200	ND	ND	ND	ND	ND	ND
SP42	2	8/12/2109	150	ND	ND	ND	ND	ND	ND
SP43	2	8/12/2109	200	ND	ND	ND	ND	ND	ND
SP44	2	8/12/2109	190	ND	ND	ND	ND	ND	ND
SP45	2	8/12/2109	160	ND	ND	ND	ND	ND	ND
SP46	2	8/12/2109	220	ND	ND	ND	ND	ND	ND
SP47	2	8/12/2109	100	ND	ND	ND	ND	ND	ND
SP48	2	8/12/2109	140	ND	ND	ND	ND	ND	ND
SP49	2	8/12/2109	92	ND	ND	ND	ND	ND	ND
SP50	2	8/12/2109	330	ND	ND	ND	ND	ND	ND
SP51	2	8/12/2109	140	ND	ND	ND	ND	ND	ND
SP52	2	8/12/2109	160	ND	ND	ND	ND	ND	ND
SP53	2	8/12/2109	190.0	ND	ND	ND	ND	ND	ND
SP54	2	8/12/2109	160	ND	ND	ND	ND	ND	ND
SP55	2	8/12/2109	310	ND	ND	ND	ND	ND	ND
SP56	2	8/12/2109	62	ND	ND	ND	ND	ND	ND
SP57	2	8/12/2109	200	ND	ND	ND	ND	ND	ND
SP58	2	8/12/2109	92	ND	ND	ND	ND	ND	ND
SP59	2	8/12/2109	66	ND	ND	ND	ND	ND	ND
SP60	2	8/12/2109	170	ND	ND	ND	ND	ND	ND
SP61	2	8/12/2109	240	ND	ND	ND	ND	ND	ND
SP62	2	8/12/2109	240	ND	ND	ND	ND	ND	ND
SP63	2	8/12/2109	160	ND	ND	ND	ND	ND	ND

North Brushy Federal #35-1			Analytical Results - Hall Environmental Analysis Laboratory						
Excavation Footprint			Reported in mg/kg						
NM OCD Table 1 Thresholds			600	10	50	100			
Sample ID	Depth (ft)	Sampling Date	Chloride	Benzene	BTEX	GRO	DRO	MRO	Total TPH
SP64	2	8/12/2109	260	ND	ND	ND	ND	ND	ND
SP65	2	8/12/2109	310	ND	ND	ND	ND	ND	ND
SP66	2	8/23/2019	230	ND	ND	ND	ND	ND	ND
SP67	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP68	2	8/23/2019	310	ND	ND	ND	ND	ND	ND
SP69	2	8/23/2019	93	ND	ND	ND	ND	ND	ND
SP70	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP71	2	8/23/2019	210	ND	ND	ND	ND	ND	ND
SP72	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP73	2	8/23/2019	64	ND	ND	ND	ND	ND	ND
SP74	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP75	2	8/23/2019	110	ND	ND	ND	ND	ND	ND
SP76	2	8/23/2019	76	ND	ND	ND	ND	ND	ND
SP77	2	8/23/2019	110	ND	ND	ND	ND	ND	ND
SP78	2	8/23/2019	490	ND	ND	ND	ND	ND	ND
SP79	2	8/23/2019	370	ND	ND	ND	ND	ND	ND
SP80	2	8/23/2019	530	ND	ND	ND	ND	ND	ND
SP81	2	8/23/2019	210	ND	ND	ND	ND	ND	ND
SP82	2	8/23/2019	360	ND	ND	ND	ND	ND	ND
SP83	2	8/23/2019	120	ND	ND	ND	ND	ND	ND
SP84	2	8/23/2019	140	ND	ND	ND	ND	ND	ND
SP85	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP86	2	8/23/2019	530	ND	ND	ND	ND	ND	ND
SP87	2	8/23/2019	200	ND	ND	ND	ND	ND	ND
SP88	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP89	2	8/23/2019	70	ND	ND	ND	ND	ND	ND
SP90	2	8/23/2019	170	ND	ND	ND	ND	ND	ND
SP91	1	8/23/2019	120	ND	ND	ND	ND	ND	ND
SP92	1	8/23/2019	190	ND	ND	ND	ND	ND	ND
SP93	2	8/23/2019	200	ND	ND	ND	ND	ND	ND
SP94	2	8/23/2019	230	ND	ND	ND	ND	ND	ND
SP95	2	8/23/2019	190	ND	ND	ND	ND	ND	ND

North Brushy Federal #35-1			Analytical Results - Hall Environmental Analysis Laboratory						
Excavation Footprint			Reported in mg/kg						
NM OCD Table 1 Thresholds (GW)			600	10	50	100			
Sample ID	Depth (ft)	Sampling Date	Chloride	Benzene	BTEX	GRO	DRO	MRO	Total TPH
SP96	2	8/23/2019	520	ND	ND	ND	ND	ND	ND
SP97	2	8/23/2019	220	ND	ND	ND	ND	ND	ND
SP98	2	8/23/2019	430	ND	ND	ND	ND	ND	ND
SP99	2	8/23/2019	930	ND	ND	ND	ND	ND	ND
-		9/18/2019	200	-	-	-	-	-	-
SP100	2	8/23/2019	210	ND	ND	ND	ND	ND	ND
SP101	2	8/23/2019	230	ND	ND	ND	ND	ND	ND
SP102	2	8/23/2019	140	ND	ND	ND	ND	ND	ND
SP103	2	8/23/2019	290	ND	ND	ND	ND	ND	ND
SP104	2	8/23/2019	170	ND	ND	ND	ND	ND	ND
SP105	2	8/23/2019	200	ND	ND	ND	ND	ND	ND
SP106	2	8/23/2019	480	ND	ND	ND	ND	ND	ND
SP107	2	8/23/2019	320	ND	ND	ND	ND	ND	ND
SP108	2	8/23/2019	240	ND	ND	ND	ND	ND	ND
SP109	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP110	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP111	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP112	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP113	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP114	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP115	2	8/23/2019	520	ND	ND	ND	ND	ND	ND
SP116	2	8/23/2019	ND	ND	ND	ND	ND	ND	ND
SP117	2	8/23/2019	880	ND	ND	ND	ND	ND	ND
-	2.5	9/18/2019	200	-	-	-	-	-	-
SP118	2	8/23/2019	560	ND	ND	ND	ND	ND	ND
SP119	2	8/23/2019	190	ND	ND	ND	ND	ND	ND
SP120	2	8/23/2019	130	ND	ND	ND	ND	ND	ND
SP121	2	8/23/2019	200	ND	ND	ND	ND	ND	ND
SP122	2	8/23/2019	370	ND	ND	ND	ND	ND	ND
SP123	2	8/23/2019	240	ND	ND	ND	ND	ND	ND
SP124	2	8/23/2019	410	ND	ND	ND	ND	ND	ND
SP125	2	8/23/2019	230	ND	ND	ND	ND	ND	ND

North Brushy Federal #35-1			Analytical Results - Hall Environmental Analysis Laboratory						
Excavation Footprint			Reported in mg/kg						
NM OCD Table 1 Thresholds (GW			600	10	50	100			
Sample	Depth (ft)	Sampling	Chloride	Benzene	BTEX	GRO	DRO	MRO	Total TPH
SW1	Composite	8/12/2019	210	ND	ND	ND	ND	ND	ND
SW2	Composite	8/12/2019	290	ND	ND	ND	ND	ND	ND
SW3	Composite	8/12/2019	180	ND	ND	ND	ND	ND	ND
SW4	Composite	8/12/2019	270	ND	ND	ND	ND	ND	ND
SW5	Composite	8/12/2019	220	ND	ND	ND	ND	ND	ND
SW6	Composite	8/12/2019	600	ND	ND	ND	ND	ND	ND
SW7	Composite	8/12/2019	230	ND	ND	ND	ND	ND	ND
SW8	Composite	8/23/2019	140	ND	ND	ND	ND	ND	ND
SW9	Composite	8/23/2019	290	ND	ND	ND	ND	ND	ND
SW10	Composite	8/23/2019	650	ND	ND	ND	ND	ND	ND
-	-	9/18/2019	250	-	-	-	-	-	-
SW11	Composite	8/23/2019	430	ND	ND	ND	ND	ND	ND
SW12	Composite	8/23/2019	360	ND	ND	ND	ND	ND	ND
SW13	Composite	8/23/2019	410	ND	ND	ND	ND	ND	ND
SW14	Composite	8/23/2019	180	ND	ND	ND	ND	ND	ND
SW15	Composite	8/23/2019	350	ND	ND	ND	ND	ND	ND