

2500 North Eleventh Street ■ Enid, OK 73701 ■ (580) 234-8780 ■ Fax (580) 237-4302 ■ www.envirotechconsulting.com

June 18<sup>th</sup>, 2020

State of New Mexico Energy, Minerals, and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Re: Devon Energy Rattlesnake Containment and Recycling Facility C-147 Extension

To Whom It May Concern:

On behalf of Devon Energy, ENVIROTECH ENGINEERING & CONSULTING, INC. respectfully submits the enclosed C-147 form and summary of monthly inspections and leak detection for the Rattlesnake Containment and Recycling Facility. For original site plans and submittals, please refer to the facility's original registration application, OCD Registration number 1RF-004, received June 29<sup>th</sup>, 2015. In accordance with NMAC 19.15.34.10 RECYCLING CONTAINMENTS, Devon Energy wishes to seek a one-year extension to the facility.

## NMAC 19.15.34.10 RECYCLING CONTAINMENTS

C. Registered recycling containments may be operated for five years from the date on which the registration is filed with the division. The operator may extend the allowed time on an annual basis thereafter with division approval if, 30 days prior to the registration expiration, the operator files a form C-147 with an attached summary showing all monthly inspections at the containment, including the monitoring of the leak detection system, showing the containment's integrity has not been compromised.

Should you have any questions or require additional information, please do not hesitate to contact me at your convenience.

Sincerely,

ENVIROTECH ENGINEERING & CONSULTING, INC.

Jimmy Stallings, P.É.

President

Enclosures

Updated C-147 Form Summary of Monthly Inspections and Leak Detection Reports STATING OF STATING OF

020193-00

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-147 Revised April 3, 2017

Recycling Facility and/or Recycling Containment Type of Facility: Recycling Facility Recycling Containment\* Type of action: Permit Registration Modification □ Extension Closure Other (explain) \* At the time C-147 is submitted to the division for a Recycling Containment, a copy shall be provided to the surface owner. Be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances. Operator: <u>Devon Energy Corporation</u> (For multiple operators attach page with information) OGRID #: 6137 Address: 333 West Sheridan, Oklahoma City, Oklahoma 737102-8260 Facility or well name (include API# if associated with a well): Rattlesnake Containment and Recycling Facility OCD Permit Number: \_\_\_\_ 1RF-004 (For new facilities the permit number will be assigned by the district office) U/L or Qtr/Qtr Section 16 Township 26 South Range 34 East County: Lea Surface Owner: Federal State Private Tribal Trust or Indian Allotment Location of recycling facility (if applicable): Latitude 32.04581 Longitude -103.48014 NAD83 Proposed Use: 
☐ Drilling\* ☐ Completion\* ☐ Production\* ☐ Plugging \* \*The re-use of produced water may NOT be used until fresh water zones are cased and cemented Other, requires permit for other uses. Describe use, process, testing, volume of produced water and ensure there will be no adverse impact on groundwater or surface water. △ Above ground tanks △ Recycling containment □ Activity permitted under 19.15.17 NMAC explain type Activity permitted under 19.15.36 NMAC explain type: For multiple or additional recycling containments, attach design and location information of each containment ☐ Closure Report (required within 60 days of closure completion): ☐ Recycling Facility Closure Completion Date: **Recycling Containment:** Annual Extension after initial 5 years (attach summary of monthly leak detection inspections for previous year) Center of Recycling Containment (if applicable): Latitude 32.0406127 Longitude -103.479173 NAD83 ☐ For multiple or additional recycling containments, attach design and location information of each containment ☑ Lined ☑ Liner type: Thickness 30 mil (secondary) 60-mil (primary) ☑ LLDPE ☑ HDPE ☐ PVC ☐ Other String-Reinforced Liner Seams: Welded Factory Other <u>Field Welds</u> Volume: <u>346,465</u> bbl Dimensions: L <u>400</u> x W <u>400</u> x D <u>17</u> Recycling Containment Closure Completion Date:

Bonding:  Covered under bonding pursuant to 19.15.8 NMAC per 19.15.34.15(A)(2) NMAC (These containments are limited to only the well operated by the owners of the containment.)  Bonding in accordance with 19.15.34.15(A)(1). Amount of bond \$ (work on these facilities cannot commence amounts are approved)  Attach closure cost estimate and documentation on how the closure cost was calculated.	
5.	
Fencing:  ☐ Four foot height, four strands of barbed wire evenly spaced between one and four feet  ☐ Alternate. Please specify Chain Link Game Fence	
6.	
Signs:  ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.16.8 NMAC	
7.	
Variances:  Justifications and/or demonstrations that the proposed variance will afford reasonable protection against contamination of fresh water, hur environment.  Check the below box only if a variance is requested:  □ Variance(s): Requests must be submitted to the appropriate division district for consideration of approval. If a Variance is requested variance information on a separate page and attach it to the C-147 as part of the application.  If a Variance is requested, it must be approved prior to implementation.	
8.	
Siting Criteria for Recycling Containment  Instructions: The applicant must provide attachments that demonstrate compliance for each siting criteria below as part of the applicate examples of the siting attachment source material are provided below under each criteria.	ation. Potential
General siting	
Ground water is less than 50 feet below the bottom of the Recycling Containment.  NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☑ No ☐ NA
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; written approval obtained from the municipality	☐ Yes ⊠ No ☐ NA
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Minerals Division	☐ Yes ☑ No
<ul> <li>Within an unstable area.</li> <li>Engineering measures incorporated into the design; NM Bureau of Geology &amp; Mineral Resources; USGS; NM Geological Society; topographic map</li> </ul>	☐ Yes ⊠ No
Within a 100-year floodplain. FEMA map	☐ Yes ⊠ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse, or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; aerial photo; satellite image	☐ Yes ⊠ No
Within 500 horizontal feet of a spring or a fresh water well used for domestic or stock watering purposes, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; visual inspection (certification) of the proposed site	☐ Yes ⊠ No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; topographic map; visual inspection (certification) of the proposed site	☐ Yes ⊠ No

Recycling Facility and/or Containment Checklist: Instructions: Each of the following items must be attached to the application. It Design Plan - based upon the appropriate requirements.  Operating and Maintenance Plan - based upon the appropriate requirements.  Closure Plan - based upon the appropriate requirements.  Site Specific Groundwater Data -  Siting Criteria Compliance Demonstrations -  Certify that notice of the C-147 (only) has been sent to the surface owner.		k in the box, that the documents are attached.
Operator Application Certification:  I hereby certify that the information and attachments submitted with this application.  Name (Print):	ion are true, accurate and Title: Date: Telephone:	
Title: _ Environmental Specialist  OCD Conditions  Additional OCD Conditions on Attachment	OCD Permit Number:	Approval Date: 01/27/2021 1RF-4

			Missing cap on leak detect pipe
			Missing cap on leak detect pipe
	X		Fresh water pumped out of leak detection
	×		Fresh water pumped out of leak detection
2/7/2016  /.0			
			North stinger floating, missing leak detect cap
7/13/2016 6.5			
7/22/2016 6.0			
7/26/2016 6.0			
8/4/2016 6.5			
8/9/2016 6.5			
8/29/2016 6.0			Leak detection cap missing
			0
10/1/2016 6.0			
10/11/2016 6.0			
10/17/2016 6.0			
10/25/2016 6.0			
11/1/2016 6.5		×	Slight erosion
1/16/201/ 11.0			

	11.0		
2/6/2017	9.5	×	slight erosion
2/13/2017	6.5		
2/20/2017	6.5		
2/27/2017	5.0	×	slight erosion
3/6/2017	4.5	×	slight erosion
3/13/2017	8.0	×	slight erosion
3/20/2017	8.0	×	slight erosion
3/27/2017	6.5		
4/3/2017	5.0	×	slight erosion
4/10/2017	6.5		D
4/17/2017	6.0		
4/24/2017	6.5		
5/5/2017			
5/12/2017	6.0		
5/19/2017	5.5		
5/24/2017	5.5		
6/2/2017	6.0		
6/9/2017	5.5		
6/15/2017	0.9		
6/23/2017	- L- V		
6/30/2017	7.0		
7/8/2017	2. 4		
7/07/6//			
17	0.0		
7/21/201/	9.0		
//2//201/	6.0		
8/4/2017	6.0		
8/10/2017	0.9		
8/16/2017	6.0		
8/24/2017	6.0		
9/1/2017	6.0		
7/102/2/6	0 9		
1,7			
7/107/51/5	0.0		
9/21/2017	6.5		
9/29/2017	6.0		
10/6/2017	6.0		
10/12/2017	2.0		
10/20/2017	1.5		
10/26/2017	2.0		
11/2/2017	25		
11/9/2017	0.1		
	D 1		
11/16/201/	5.5		
11/25/2017	7.0		
12/1/2017	9.0		
12/8/2017	8.0		
12/14/2017	8.0		

1/5/2018 1/12/2018 1/12/2018	0.7			
/12/2018				
/19/2018	0.6			
	10.0			
1/26/2018	11.0			
2/2/2018	11.0			
2/9/2018	11.0			
2/16/2018	11.0			
2/23/2018	11.0			
3/2/2018	11.0			
3/9/2018	11.0			
3/16/2018	11.0			
3/23/2018	11.0			
3/30/2018	11.0			
4/20/2018	11.0			
4/27/2018	11.0			
5/4/2018	11.0			
5/11/2018	9.0			
5/18/2018	10.0			
5/25/2018	10.0			
6/8/2018	11.0			
6/15/2018	9.0			
6/22/2018	8.5			
6/29/2018	7.0			
7/6/2018	7.0			
7/13/2018	6.0			
7/20/2018	10.0			
7/27/2018	10.0			
8/3/2018	10.0			
8/24/2018	10.0			
8/31/2018				
9/7/2018	10.5			
11/19/2018	10.0			
11/26/2018	11.0			
12/3/2018	10.0			
12/10/2018	7.0			
12/17/2018	3.5			
12/28/2018	8.5			
1/1/2019	9.5			
1/7/2019	7.0			
1/14/2019	6.5			
1/21/2019	6.5			
1/28/2019	7.5			
2/4/2019	7.5			
2/11/2019	7.5			
18/2019	7.5			
2/25/2019	7.5			

7.5 7.7 7.7 7.0 7.0 7.0 7.0 8.5 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0		
7.5 7.5 7.6 7.7 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.0 8.5 8.5 8.5 8.5 8.6 8.6 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0		
7.5 7.0 7.0 7.0 7.0 7.0 7.0 7.0 8.5 8.5 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0 8.0		
2.0           7.0           7.0           1.0           5.0           6.5           8.5           8.5           8.5           8.5           8.5           8.6           8.7           9.0           0.0		
7.0 7.0 7.0 7.0 7.0 7.0 8.2 8.2 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0		
7.0 7.0 1.10 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.5 8.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
11.0 5.0 5.0 6.5 8.5 8.5 8.5 8.5 8.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9.0 9		
110 6.5 6.5 6.5 8.8 8.8 8.0 0.0 0.0 0.0 0.0 0.0		
\$65 8.5 8.5 8.6 8.5 8.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		mall washouts
6.5 3.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
8.5 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0		
3.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0		
0.00 0.00 0.00 0.00 0.00 0.00 0.00 0.0		mall washout N of pond
		5

DATE         Fluid Level         SCADA ISSUES         BIRD DETERRENT ISSUES         FLUID IN LEAN DETECTION         FENCE ISSUES         BERM OR LINER ISSUES         SITE VISIT NOTES           5/15/2020         10.0 <t< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></t<>							
Fluid Level SCADA ISSUES BIRD DETERRENT ISSUES FLUID IN LEAN DETECTION  10.0  10.0  8.0  7.0	SITE VISIT NOTES						
Fluid Level SCADA ISSUES BIRD DETERRENT ISSUES FLUID IN LEAN DETECTION  10.0  10.0  8.0  7.0	BERM OR LINER ISSUES						
Fluid Level SCADA ISSUES BIRD DETERRENT ISSUES  10.0 10.0 8.0 7.0	FENCE ISSUES						
	FLUID IN LEAN DETECTION						
	BIRD DETERRENT ISSUES						
	SCADA ISSUES						
	Fluid Level		10.0	10.0		8.0	7.0
		5/8/2020	5/15/2020	5/22/2020	5/29/2020	6/5/2020	6/12/2020