1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 1301 W. Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Branns Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505

Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

March 12, 2004

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \(\subseteq \text{No } \subseteq \)

Type in action. Augmented to a part	A OCTOR-PLANE MAIN [] CAUSAGE OF A PIX OF OCTOR-PLAN		
Operator: Merit Energy Telephone (606) -279 - 6300 o-mail address:			
Address: PO BOX 300 White face TX 79379			
Pacility or well name: Frend 011 # 2 API # 300 150 5250 U/L or Qu/Qu K Sec. 19 T175 R 3/8			
County: Latitude Longitude NAD: 1927 1983 Surface Owner Federal State Private Indian			
Pk	Relow-grade tunk		
Type: Drilling Production Disposal	Volume:bbl Type of fluid:		
Workover W Emergency	Construction susterial:	RECEIVE	D
Lined Vulined	Double-walled, with leak detection? Yes 🔲 If not,		
Liner type: Synthetic (Vihickness 12 mil) Clay (Volume		MAY 1 2 700	4
100 m		OCB-ARTE	SIA
Depth to ground water (vertical distance from bottom of pit to seasonal high	Less than 50 feet	(20 points)	
water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	î
water encountries of Browns weeks.	100 feet or more	(0 points) 🗸	
Walland and the first the 200 for first the said	Yes	(20 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	C ¹⁵	(0 points)	1
want source, it was tree town to their want want sources;	0		
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(0 paints)	
	Ranking Score (Total Points)	٥	
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:			
onsite Offsite If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end			
date. (4) Groundwater encountered: No Tyes Tif yes, show depth below ground surfaceft. and attach sample results. (5) Attach soil sample results and a			
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of finy knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NIMOCD guidelines , or an (attached) alternative OCD-approved plan Date: 5 - 12 - 44			
Printed Name/Title Branch Ridey lead Runger Signature Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or			
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval-MAY 17 2004 Date:			
\sim			
Printed Name Title Tour C-144 is approved with the liner must be a 12-mil woven. **Stipulation; the liner must be a 12-mil woven.** **THY O.C.D. PRIOR — Pit(s) must meet all stipulation; the liner must be a 12-mil woven.			
Also note your choice of liner mandates the TO CONSTRUCTION OF requirements of Rule			
manner in which the pit may be closed. The pit's		-	110
contents and the liner shall be removed and disposed of in a manner approved by the	·	9.15.2.50.	
division.			