# N.M. Oil Cons. DIV-Dist. 2 1301 W. Grand Avenue Artesia, NM 88210

	and change OOC 11	U .				
Form 3160-3	T 11/2	$\lambda$	0 OMD No. 1004	0126		
(August 1999) UNITED STATES	1-04-20	)	OMB No. 1004 Expires November			
	TERIOR 23	89707 .	5. Lease Serial No.	30, 2000		
DEPARTMENT OF THE IN BUREAU OF LAND MANAGE	TERIOR MENT	89707772	LC-04731	I. 1D		
	/2/3	<b>A</b>	\$6. If Indian, Allottee or Trib			
APPLICATION FOR PERMIT TO DR	ILL OR REENTER	1 2004	S	c Hanne		
			Tilf Unit or CA Agreement	Name and No.		
1a. Type of Work: X DRILL REEN	VIER OR RE	CEIVED - ARTESIA	718	,		
	\& 000	- Allies	(8./Lease Name and Well No	).		
b. Type of Well: Oil Well Gas Other	Single C	Multiple Zone,	Shelby AVL Fede			
Well	Zone	2 87 E C 21 NO		ai Coill. #1		
2. Name of Operator			9. API Well No.			
Yates Petroleum Corporation		North	30-015-3			
3A. Address 105 South Fourth Street	b. Phone No. (include area code	´	Field and Pool, or Explo	<u>.</u>		
Artesia, New Mexico 88210  4. Location of Well (Report location clearly and in accordance with any S	(505) 748-147	7	11 See T. P. M. es Pils			
	_		11. Sec., T., R., M., or Bik,	and Survey of Area		
At surface 660' FSL & 1			Cooling 24 T4	e poe		
At proposed prod. Zone  14. Distance in miles and direction from nearest town or post office*	<u>ne</u>		Section 24, T13	13. State		
•				1		
Approximately 20 miles SE of Artesia, New Mexico  15. Distance from proposed*	6. No. of Acres in lease	17 Spacing Un	Eddy it dedicated to this well	<u>  NM</u>		
location to nearest	to. 110. of Acres in lease	17. Opacing on	it dedicated to this wen			
(Also to nearest drig. unit line, if any)	280.00		W/2			
	19. Proposed Depth	20. BLM/BIA F	Bond No. on file			
applied for, on this lease, ft.	11,900'		585997			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22. Approximate date work will	start*	23. Estimated duration			
3445' GL	ASAP		45 Days	8		
	24. Attachments					
The following, completed in accordance with the requirements of Onshore		attached to this	form:			
	•					
1. Well plat certified by a registered surveyor.		-	unless covered by an existing	bond on file (see		
2. A Drilling Plan.	Item 20 above	,				
3. A Surface Use Plan (if the location is on National Forest System Lands,	•					
SUPO shall be filed with the appropriate Forest Service Office.	6. Such other site authorized off		ation and/or plans as may be re	equired by the		
		ice.				
25. Signature	Name (Printed/Typed)		Date			
Email: debbiec@ypcnmcom	Cy Cowan			4/30/04		
<i>I</i>						
Title: Regulatory Agent/Land Department Approved by (Signature)	Name (Printed/Typed)		Date			
/s/ Joe G. Lara	Name (Printed/Typed)	Joe G. L	ara     Jan	UL 0 7 2004		
Title N FIELD MANAGER	Office _					
Mr.			LD OFFICE			
Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct						
conditions of approval, if any, are attached.  APPROVAL FOR 1 YEAR						
Title 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make it a cr						
States any false, fictitious or fraudulent statements or representations as to a			Ke to any department of agenc	y of the Officed		
The state of the s						

\*(Instructions on reverse)

Controlled Water Backs

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED District I,

1625 N. French Dr., Hobbs, NM 88240

#### State of New Mexico

Energy, Minerals & Natural Resources Department

Form C-102 Revised August 15, 2000

District II

811 South First, Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410 District IV

320

1220 S. St. Francis Dr., Santa Fe, NM 87505

OIL CONSERVATION DIVISION 1220 South St. Francis Dr.

Santa Fe, NM 87505

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

AMENDED REPORT WELL LOCATION AND ACREAGE DEDICATION DLAT

1	API Number			<sup>2</sup> Pool Code	AND ACK	<sup>3</sup> Pool Name				
							Wildcat M	orrow		
<sup>4</sup> Property (	ode				<sup>5</sup> Property	Name			6,	Well Number
				Sh	elby AVL Fe	deral Com.				1
7 OGRID I	No.				<sup>8</sup> Operator	Name				<sup>2</sup> Elevation
02557	5			Yate	es Petroleum	roleum Corporation 3445'				
					<sup>10</sup> Surface	Location				
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/We	st line	County
N	24	185	29E		660	South	1980	We	st	Eddy
			<sup>11</sup> B	ottom Ho	ole Location l	f Different From	n Surface			
UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/We	st line	County
12 Dedicated Acres	13 Joint o	r Infill 14 C	onsolidation	Code 15 Or	der No.					<u> </u>

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A

NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION 17 OPERATOR CERTIFICATION hereby certify that the information contained herein is to the best of my knowledge and FEE Cy Cowan Printed Name FEE **Regulatory Agent** 04/30/2004 SURVEYOR CERTIFICATION V-5345 hereby certify that the well location shown on this plat vas plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. REFER TO ORIGINAL PLAT Date of Survey Signature and Seal of Professional Surveyor: K-3791 LC-047311-B 1980' 660, Certificate Number

District I. 1825 N. Franch Dr. Hobbs, NM 88240

District ii 811 South First, Artesia, NM 88210

District III 1900 Rio Brozos Rd., Aztec NM 87410

District B' 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico Energy, Minerals & Natural Resources


## OIL CONSERVATION DIVISION


2040 South Pacheco Santa Fe, N M 87505 Form C-102
Revised March 17, 1999
Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

AMENDED REPORT


### WELL LOCATION AND ACREAGE DEDICATION PLAT


					Ì			Wildc	at M	orrow		
Property Cod	Je l	~ <del></del>	· · · · · · · · · · · · · · · · · · ·		Property No						Well	umber
	<u></u>	SHELBY "AVL" FED. COM.						<del></del>	1			
OGRID No.	.		774005		Operation N		0055	30 D 4 M T C			Elevat	
025575	<u>'                                     </u>	<del></del>	YATE	,				PORATIO	N		3445	<u> </u>
					ice Loc						<u> </u>	
UL or Lot No.	Section	Township	Ronge	t	ot idn.	t.	from the	North/South	- 1	et from the	East/West line	County
N .	24	18-8	29-	E		. 0	60	SOUTI	1 1	980	WEST	EDDY
								From 5				
UL or Lot No.	Section.	Township	Range	L	od, ich.	Feat	from the	North/South	ine Fe	ot from the	East/West line	County
Dedicated Acres	Joint or	Infill   Consolidation	n Code	Order	No	<u> </u>		<u> </u>	<u>I</u>	<del></del>	L	L
320	i journe or	WITH COMMONWAIN		VI.UUL	Try.							
NO ALLON	MADLE	WILL BE AS	SIGNED	) T()	THIS CO	714DI	FTION	LINTI	ALI	INITERE	ST HAVE	REEN
		OR A NON-										· PEFIX
COLFOCEIL	# 17 CE	*** \(\alpha\) (46)	S CERTIFY.	***** C	THE THE			a FINDE	<u></u>	····	<del></del>	CIGATION
FEE		1				į					TOR CERT	
rac										HEREIN IS	ERTIFY THAT THE TRUE AND CORRE Y KNOWLEDGE AN	S INFUREATION OF TO THE D DELIEF
							ı			DEDI OF M	I ANUFALIVOS AN	PEMBI.
ł <b>I</b>		į					<u>}</u>					
											1	)
												'
		FEE									116	
				·						Signature	501	von
		i								200	1 3 3	
										Printed No.	he Cy Co	owan
	į									Title I	Regulator	/ Agent
										Date 7	April 30,	2002
				<del> </del>						<del></del>	<del> </del>	<del></del>
V-53	سيل										YOR CERT	
1 A77	10						j			SHOWN ON	THIS PLAT WAS	LOTTED FROM
							! !			ME OR UND	CERTIPY THAT THE THIS PLAT WAS I S OP ACTUAL SU ER MY SUPERVIS IS TRUE AND COI Y KNOWLEDGE AN	ION, AND THAT
							1			BEST OF M	Y KNOWLEDGE AM	BELIEF.
	-	il ·									•	
							!				11, 200	02
							!			Date of 5	urvev	_
	_229-22						}			Signature or	MEX.	ond Surveyor
K-37	91	LC-0475	III-B				j I			/ 97	EN MEXICO	$\langle \ \rangle$
							) [				\$ CO	1 1
	1980'	<u>(</u>					l 			$   \Delta   $	( EA12. )	ا چ
		Ψ					ĺ				5412	/\Z\
		0					i !			A STAN	R. Klik	VŽ1
	į	099		l			1			Nine	PES PER SIGN	412
[ <b>L</b>							ŀ			Contino	COLDERATION COM	<b>%</b> ✓∕






Typical 5,000 psi choke manifold assembly with at least these minimun features







# YATES PETROLEUM CORPORATION Shelby AVL Federal Com. #1

660' FSL & 1980' FWL Section. 24 -T18S-R29E Eddy County, New Mexico

1. The estimated tops of geologic markers are as follows:

Yates	960'	Strawn	10,350'
Queen	1810'	Atoka	10,600'
Bone Spring	3870'	Morrow Clastics	10,840
Wolf Camp	9000'	Austin Cycle	11,750'
Penn	9740'	TD	11,900'
Canyon	10,090'		·

2. The estimated depths at which anticipated water, oil or gas formations are expected to be encountered:

Water:

Approx 250' - 350'

Oil or Gas:

All Potential Zones

3. Pressure Control Equipment: BOPE will be installed on the 8 5/8" casing and rated for 5000 BOP systems will be consistent with API RP 53. Pressure tests will be conducted before drilling out from under all casing strings which are set and cemented in place. Blowout Preventor controls will be installed prior to drilling the surface plug and will remain in use until the well is completed or abandoned. Preventors will be inspected and operated at least daily to ensure good mechanical working order, and this inspection recorded on the daily drilling report. See Exhibit B.

### **Auxiliary Equipment:**

- A. Auxiliary Equipment: Kelly cock, pit level indicators, flow sensor equipment and a sub with full opening valve to fit the drill pipe and collars will be available on the rig floor in the open position at all times for use when kelly is not in use.
- 4. THE PROPOSED CASING AND CEMENTING PROGRAM:
  - A. Casing Program: (All New)

<u>Hole Size</u>	Casing Size	Wt./Ft	<u>Grade</u>	Coupling	Interval	Length
14 3/4"	11 3/4"	42#	H-40	ST&C	0-400'	400'
11"	8 5/8"	34#	J-55	ST&C	0-3200'	3200'
7 7/8"	5 1/2"	17#	J-80	LT&C	0-2500'	2500'
7 7/8"	5 1/2"	17#	J-55	LT&C	2500-7500'	5000'
7 7/8"	5 1/2"	17#	N-80	LT&C	7500-10300'	2800'
7 7/8"	5 1/2"	17#	HCP-110	LT&C	10300-11900	' 1600'

Minimum Casing Design Factors: Collapse 1.125, Burst 1.0, Joint Strength 1.8

#### Shelby AVL Federal Com. #1

Page 2

#### B. CEMENTING PROGRAM:

Surface casing: 200 sx "C" (Yld 1.32 Wt.14.6) Tail in w/ 200 sx "C" + 2% CaCL2 (Yld 1.32 Wt 14.6)

Intermediate Casing: 1500 sx Lite (Yld 2.05 Wt 12.6); Tail in w/200 sx "C" (Yld 1.32 Wt. 14.6)

Production Casing: TOC-2700'; 700 sx Lite (Yld 2.05 Wt. 12.6). Tail in w/ 500 sx Super "C" (Yld

1.67 Wt 13.0)

Nitrified mud will be used ahead of cement.

#### 5. Mud Program and Auxiliary Equipment:

<u>Interval</u>	<u>Type</u>	<u>Weight</u>	<u>Viscosity</u>	Fluid Loss
0-400'	FW Gel/Paper	8.6-9.0	32-36	N/C
400'-3200'	Brine	10.0-10.2	28	N/C
3200'-10500'	Cut Brine	8.8-9.5	28	N/C
10500'-11900'	Salt Gel/Starch/Drispac/KCL	9.5-10.0	32-40	<10cc

Sufficient mud material(s) to maintain mud properties, control lost circulation and contain a blow out will be available at the well site during drilling operations. Mud will be checked hourly by rig personnel.

#### 6. EVALUATION PROGRAM:

Samples: 10' samples 5000' to TD.

Logging: Platform HALS

Coring: Sidewall cores as warranted.

DST's: As warranted.

### 7. Abnormal Conditions, Bottom hole pressure and potential hazards:

Anticipated BHP:

From:	0	TO:	400'	Anticipated Max. BHP:	150	PSI
From:	400'	TO:	3200'	Anticipated Max. BHP:	1300	PSI
From:	3200'	TO:	TD	Anticipated Max. BHP:	5750	PSI

No abnormal pressures or temperatures are anticipated.

Lost Circulation Zones Anticipated: None.

H2S Zones Anticipated: None

#### 8. ANTICIPATED STARTING DATE:

Plans are to drill this well as soon as possible after receiving approval. It should take approximately 30 days to drill the well with completion taking another 15 days.

#### MULTI-POINT SURFACE USE AND OPERATIONS PLAN Yates Petroleum Corporation

Shelby AVL Federal Com. #1 660' FSL & 1980' FWL Section. 24, T-18S-R29E Eddy County, New Mexico

This plan is submitted with Form 3160-3, Application for Permit to Drill, covering the above described well. The purpose of this plan is to describe the location of the proposed well, the proposed construction activities and operations plan, the magnitude of the surface disturbance involved and the procedures to be followed in rehabilitating the surface after completion of the operations, so that a complete appraisal can be made of the environmental effect associated with the operations.

#### EXISTING ROADS:

Exhibit A is a portion of the BLM map showing the well and roads in the vicinity of the proposed location. The proposed well site is located approximately 20 miles southeast of Artesia, New Mexico and the access route to the location is indicated in red and green on Exhibit A.

#### **DIRECTIONS:**

Go east of Artesia on Highway 82 to State Road 360. Turn right on 360 and go to the intersection of Highway 360 and Old Loco Road. From here continue east on 360 for approx. 1.5 miles. Turn north here at yellow cattle guard and Myco East Turkey Track Fed. Com. #3 well sign. Go north on existing lease road and go approximately 1.1 miles. The new access road will start here going east.

#### PLANNED ACCESS ROAD.

- A. The proposed new access will go east for approximately 400' to the northwest corner of the drilling pad. The road will lie in a west to east direction.
- B. The new road will be 14 feet in width (driving surface) and will be adequately drained to control runoff and soil erosion.
- C. The new road will be bladed with drainage on one side. Traffic turnouts may be built.
- D. The route of the road is visible.
- E. Existing roads will be maintained in the same or better condition.

#### 3. LOCATION OF EXISTING WELL

- A. There is drilling activity within a one-mile radius of the well site.
- B. Exhibit D shows existing wells within a one-mile radius of the proposed well site.

#### 4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES

- A. There are no production facilities on this lease at the present time.
- B. In the event that the well is productive, the necessary production facilities will be installed on the drilling pad. If the well is productive oil, an electric self-contained unit will be used to provide the necessary power. No power will be required if the well is productive of gas.

# Shelby AVL Federal Com. #1 Page 2

#### LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with a fresh water system. The water will be obtained from commercial sources and will be hauled to the location by truck over the existing and proposed roads shown in Exhibit A.

#### 6. SOURCE OF CONSTRUCTION MATERIALS:

Dirt contractor will locate closest pit and obtain any permits and materials needed for construction.

### 7. METHODS OF HANDLING WASTE DISPOSAL:

A. Drill cuttings will be disposed of in the reserve pits.

B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.

C. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or separate disposal application will be submitted.

D. Oil produced during operations will be stored in tanks until sold.

E. Current laws and regulations pertaining to the disposal of human waste will be complied with.

F. All trash, junk, and other waste materials will be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not approved.

#### 8. ANCILLARY FACILITIES: None.

#### 9. WELLSITE LAYOUT:

- A. Exhibit C shows the relative location and dimensions of the well pad, the reserve pits, the location of the drilling equipment, rig orientation and access road approach.
- B. The reserve pits will be plastic lined.
- C. A 400' x 400' area has been staked and flagged.

#### 10. PLANS FOR RESTORATION

- A. After finishing drilling and/or completion operations, all equipment and other material not needed for further operations will be removed. The location will be cleaned of all trash and junk to leave the well site in as aesthetically pleasing a condition as possible.
- B. Unguarded pits, if any, containing fluids will be fenced until they have dried and been leveled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled level after they have evaporated and dried.
- 11. SURFACE OWNERSHIP: Private surface owned by Bogle Limited Company of Dexter New Mexico. YPC has made a surface agreement with Mr. Lewis Derrick representing Bogle Limited Company.

# Shelby AVL Federal Com. #1 Page 3

#### 12. OTHER INFORMATION:

- A. Topography: Refer to the existing archaeological report for a description of the topography, flora, fauna, soil characteristics, dwellings, historical and cultural sites.
- B. The primary surface use is for grazing.

### 13. OPERATOR'S REPRESENTATIVE

A. Through A.P.D. Approval:

B. Through Drilling Operations, Completions and Production:

Cy Cowan, Regulatory Agent Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471 Pinson McWhorter, Operations Manager Yates Petroleum Corporation 105 South Fourth Street Artesia, New Mexico 88210 Phone (505) 748-1471

#### 14. CERTIFICATION:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions which presently exist; that the statements made in this plan are to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by Yates Petroleum Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

04/30/04

Regulatory Agent