

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry Other			5. Lease Serial No. NMNM02860		
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr., Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator Bass Enterprises Production Co.			7. Unit or CA Agreement Name and no. NMNM71016X		
3. Address P. O. Box 2760 Midland TX 79702		3.a Phone No. (Include area code) (432)683-2277			
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At Surface Sec. 18, T24S, R30E, Mer NMP, 410' FNL 450' FEL, 32.13256 N Lat, 103.54490 W Lon At top prod. interval reported below At total depth			8. Lease Name and Well No. Poker Lake Unit 200		
			9. API Well No. 30-015-32882		
			10. Field and Pool, or Exploratory Nash Draw-Delaware		
			11. Sec., T., R., M., on Block and Survey or Area Sec. 18, T24S, R30E, N		
			12. County or Parish Eddy		13. State NM
14. Date Spudded 12/14/2003		15. Date T.D. Reached 12/21/2003		16. Date Completed ☐ D & A ☒ Ready to Prod. 01/24/2004	
17. Elevations (DF, RKB, RT, GL)* 3178 GL					

18. Total Depth: MD 7515 TVD	19. Plug Back T.D.: MD 7427 TVD	20. Depth Bridge Plug Set: MD TVD
21. Type of Electric & Other Mechanical Logs Run (Submit copy of each) CN-AIT-GR, PE:TD		22. Was well cored? ☒ No ☐ Yes (Submit analysis) Was DST run? ☒ No ☐ Yes (Submit analysis) Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	8.625 J-55	32.0	0	181					
7.875	5.500 J-55	15.5	0	6562					
12.250	8.625 J-55	28.0	181	799					
12.250	8.625	28.0	799	875		555		0	0
7.875	HCK	17.0	6562	7515		430		4915	0
	5.500 L-80								

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.875	7046							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) DELAWARE	7190	7396	7386 TO 7396	0.470	20	PRODUCING
B)			7190 TO 7200	0.470	20	PRODUCING
C)						
D)						

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
7386 TO 7396	750 GALS 7 1/2% NEFE HCL ACID
7386 TO 7396	FRAC 100,002 GALS SW & 28,698 GALS VIKING 3000 + 77,266# 16/30 OTTAWA + 26,822# CR 4000
7190 TO 7200	FRAC 16,709 GAL 10# BRINE + 58,271 GALS VIKING 3000# + 8,100 LBS 14/30 LITE PROP +
7190 TO 7200	176,923 # 16/30 BRADY + 15,570# 16/30 CR 4000

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/24/04	1/31/04	24	→	300	479	350			ELECTRIC PUMPING UNIT
Choice Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
14/64"	550	620	→	300	479	350			

Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

RECEIVED

MAR 19 2004
OCD-ARTESIA

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

30. Summary of Porous Zones (Include Aquifers):

Show all important zones or porosity and contents thereof. Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				RUSTLER	521
				TOP SALT	871
				LOWER BRUSHY CANYON 8A	6991
				BONE SPRING	7273

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.)

2. Geological Report

3. DST Report

4. Directional Survey

5. Sundry Notice for plugging and cement verification


6. Core Analysis

7. Other

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Cindi GoodmanTitle Production Clerk

Signature



Date

3/18/04

Title 18 U.S.C. Section 101 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States and false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DISTRICT I
1625 N. French Dr., Hobbs, NM 88240

DISTRICT II
811 South First, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised March 17, 1999

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-32882	Pool Code 47545	Pool Name NASH DRAW - DELAWARE
Property Code 001796	Property Name POKER LAKE UNIT	Well Number 200
OGRID No. 001801	Operator Name BASS ENTERPRISES PRODUCTION COMPANY	Elevation 3178'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
A	18	24 S	30 E		410	NORTH	450	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill I	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION


	OPERATOR CERTIFICATION I hereby certify the the information contained herein is true and complete to the best of my knowledge and belief. <i>Cindi Goodman</i> Signature Cindi Goodman Printed Name Production Clerk Title 3/11/04 Date	
	SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 19, 2003 Date Surveyed <i>GARY L. JONES</i> Signature & Seal of Professional Surveyor 7977 No. 3075 Certificate No. 7977 BASIN SURVEY	
	RECEIVED MAR 19 2004 OCD-ARTESIA	



KEY ENERGY DRILLING, INC.
6 Desta Drive
Suite 4400
Midland, Texas 79705
Phone 915-570-0494
Fax 915-570-0465

To: Whom It May Concern:

RE: STATE OF NEW MEXICO
OIL AND GAS DIVISION
INCLINATION REPORT



Lease Name: POKER LAKE UNIT
Well Number: #200
County/State: EDDY COUNTY, NEW MEXICO
Operator: BASS ENTERPRISES PRODUCTION CO
Address: P O BOX 2760
Address: MIDLAND TX 79702-2760
Location:

RECEIVED
MAR 19 2004
OCD-ARTESIA


I, **CHOYR GILBERT**, Contract Manager for Key Energy Drilling, Inc., 6 Desta Drive, Suite 4400, Midland, TX 79705, declare that I am authorized to make this certification, that I have personal knowledge of the inclination data and facts placed on this form and that such data and facts are true, correct, and complete to the best of my knowledge.

Sworn to and Subscribed Before Me by the said


CHOYR GILBERT
Contract Manager

This the 22ND day of JANUARY, 2004




Signature of Notary Public
In and for the State of Texas

LORETTA J HENDERSON
Print Name of Notary Public

**STATE OF NEW MEXICO
OIL AND GAS DIVISION**

INCLINATION REPORT

FIELD NAME	LEASE NAME POKER LAKE UNIT	WELL NUMBER #200
------------	--------------------------------------	----------------------------

OPERATOR BASS ENTERPRISES PRODUCTION CO	COUNTY EDDY
---	-----------------------


ADDRESS P O BOX 2760, MIDLAND TX 79702-2760

LOCATION



RECORD OF INCLINATION

MEASURED DEPTH FEET	COURSE LENGTH HUNDREDS OF FEET	ANGLE OF INCLINATION DEGREE	DISPLACEMENT PER HUNDRED FEET	COURSE DISPLACEMENT FEET	ACCUMULATIVE DISPLACEMENT
350	3.50	0.500	0.87	3.05	3.05
823	4.73	1.000	1.75	8.25	11.31
1301	4.78	1.500	2.62	12.51	23.82
1772	4.71	2.000	3.49	16.44	40.26
1991	2.19	1.500	2.62	5.73	45.99
2210	2.19	0.500	0.87	1.91	47.90
2644	4.34	1.000	1.75	7.57	55.48
2800	1.56	1.000	1.75	2.72	58.20
3018	2.18	2.500	4.36	9.51	67.71
3361	3.43	3.500	6.10	20.94	88.65
3361	0.00	3.500	6.10	0.00	88.65
3455	0.94	3.000	5.23	4.92	93.57
3611	1.56	2.500	4.36	6.80	100.37
4050	4.39	1.500	2.62	11.49	111.86
4493	4.43	2.000	3.49	15.46	127.33
4993	5.00	1.500	2.62	13.09	140.41
5426	4.33	1.000	1.75	7.56	147.97
5926	5.00	0.500	0.87	4.36	152.33
6426	5.00	0.500	0.87	4.36	156.70
6926	5.00	0.500	0.87	4.36	161.06
7325	3.99	0.500	0.87	3.48	164.54
7448	1.23	1.000	1.75	2.15	166.69
	-74.48		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69
	0.00		0.00	0.00	166.69

THIS INFORMATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE.

SIGNATURE OF AUTHORIZED REPRESENTATIVE 	NAME OF COMPANY KEY ENERGY DRILLING, INC.
NAME OF PERSON AND TITLE CHOYR GILBERT - CONTRACT MANAGER	TELEPHONE NUMBER (432) 620-0300

SECTION 18, TOWNSHIP 24 SOUTH, RANGE 30 EAST, N.M.P.M.,
EDDY COUNTY, NEW MEXICO.



BASS ENTERPRISES PRODUCTION CO.

REF: POKER LAKE UNIT No. 200 / Well Pad Topo

THE POKER LAKE UNIT No. 200 LOCATED 410' FROM
THE NORTH LINE AND 450' FROM THE EAST LINE OF
SECTION 18, TOWNSHIP 24 SOUTH, RANGE 30 EAST,
N.M.P.M., EDDY COUNTY, NEW MEXICO.

BASIN SURVEYS P.O. BOX 1786-HOBBS, NEW MEXICO

W.O. Number: 3075

Drawn By: K. GOAD

Date: 03-21-2003

Disk: KJG CD#7 - 3075A.DWG

Survey Date: 03-19-2003

Sheet 1 of 1 Sheets