

Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Ave., Artesia, NM 88210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised March 25, 1999

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐		WELL API NO. 30-015-20681 5. Indicate Type of Lease STATE ☒ FEE ☐ 6. State Oil & Gas Lease No.
2. Name of Operator HEC Petroleum, Inc. formerly Hallwood Petroleum, Inc.		7. Lease Name or Unit Agreement Name: Catclaw Draw Unit
3. Address of Operator 500 W. Illinois, Midland, TX 79701		8. Well No. 4
4. Well Location Unit Letter <u>G</u> : <u>1650</u> feet from the <u>North</u> line and <u>1650</u> feet from the <u>East</u> line Section <u>24</u> Township <u>21S</u> Range <u>25E</u> NMPM Eddy County		9. Pool name or Wildcat Catclaw Draw Morrow
10. Elevation (Show whether DR, RKB, RT, GR, etc.)		

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
 CASING TEST AND CEMENT JOB ☐
 OTHER: ☐

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached Plugging Procedure

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Russ Mathis TITLE Production Manager DATE 2/25/03

Type or print name Russ Mathis

Telephone No. (915) 687-5955

(This space for State use)

APPROVED BY [Signature] TITLE Field Rep DATE FEB 26 2003

Conditions of approval, if any:

HEC Petroleum, Inc.
Formerly, Hallwood Petroleum, Inc.
500 West Illinois
Midland, TX 79701
(915) 498-2651
(915) 498-8692 Fax

Proposed Plugging Procedure
Revised 2/25/03 per Van Barton w/ OCD


Catclaw Draw Unit #4
1650 FEL & 1650 FNL
Sec. 14, T21S, R25E
Eddy County New Mexico

1. Set CIBP @ 10400', cap with 35' cement.
2. Set CIBP @ 9800', cap with 35' cement.
3. Perf 5-1/2" csg @ 7800'. Set cement retainer @ 7700'. Squeeze with 50 sacks of cement.
4. Perf 5-1/2" csg @ 4043'. Set cement retainer @ 3943'. Squeeze with 50 sacks of cement.
5. Perf 5-1/2" csg @ 1955'. Set cement retainer @ 1855'. Squeeze with 50 sacks of cement.
6. Set CIBP @ 1000', cap with 35' cement.
7. Set CIBP @ 350', cap with 35' cement.
8. Set surface plug from surface to 60'.
9. Set dry hole marker.

Note: Hole will be circulated and filled with 9.5 ppg mud.

OPERATOR: HEC Petroleum, Inc.		API# 30-015-20581	
WELL: Carclaw Draw Unit # 4		LOCATION: G-14-21-25	
SURFACE CSG- HOLE SIZE	CSG. SIZE 13 3/8"	SET @ ?	SX. CMT. TOC. Circ
INT. CSG- HOLE SIZE	CSG. SIZE 8 5/8"	SET @ 1905'	SX. CMT. TOC. Circ
LONG STRING- HOLE SIZE 7 7/8"	CSG. SIZE 5.5"	SET @ 10,770'	SX. CMT. 300 TOC. 8,880'

OTHER- This is a re-entry



**Hanagan Petroleum Corporation
Catclaw Draw Unit #6
Unit J, Sec. 13, T21S-R25E
1650' FSL & 1650'FEL; (G.L.-3304')
Eddy Co., N.M.
30-015-20734
GEOLOGICAL TOPS PER/BRYAN G. ARRANT-OCD**

Capitan Limestone	703'
Delaware Sand	1810'
Bone Spring	4043'
3rd Bone Spring Sand	7485'
Wolfcamp	7827'
Pennsylvanian (NC)	8306'
Canyon	8788'
Atoka	9923'
Morrow Limestone	10290'
Morrow Clastics	10404'
Barnett Shale	10621'