District I 1625 N. French Dr., Hobbs. N.M. 88240 District II 1301 W. Grand Ave., Artesia, N.M. 88210 District III 1000 Rio Brazos Rd., Aztec, N.M. 87410

1220 S. St. Francis Dr.,, Santa Fe, N.M. 87505

District IV

State of New Mexico Energy, Minerals & Natural Resources Department

Form C-101 Revised February 10, 1994 Instructions on back Submit to Appropriate District Office State Lease - 6 Copies Fee lease - 5 Copies

OIL CONSERVATION DIVISION 1220 S. St. Francis Dr. Santa Fe, NM 87505

AMENDED REPORT

APPLICA	APPLICATION FOR PERMIT TO DRILL, RE - ENTER, DEEPEN, PLUGBACK, OR ADD A ZONE											
		······································	1	Operator Nam	ne and Address					² OG	RID Number	
		c/o P.O	ing Co.			REC			184860			
			Midlan				SEP 1	0 2004	30.01	API Number 5 - 33633		
	 						BEDER	ATEC	30-0 1	3 - 33633 6 Well No.		
* Property					operty Name			1 11 11 11 11 11		•		
26	5081	<u></u>				tesia Unit	,,				85	
77 7 . 1	T	T	1: 1 2	1	7 Surface		·· E	et from the	I East/N	est line	County	
UL or Lot No.	Section	Town	-1	Lot Idn		North/South	inc					
<u>A</u>	35	17		10	1201'	North		465'	<u> </u>	East	Eddy	
UL or Lot No.	Section			d Botton	Hole Loca	North/South		rom Sur	~	est line	County	
OL OF LOT NO.	Section	Towns	hip Range	Lot Idii	rect from the	Notth South	inic F	ca from me	Base	CSt IIIC	J	
	[0.0	roposed Pool 1	<u> </u>	<u> L</u>	<u> </u>		10. Pro	posed Po	ool 2	1	
Artesia	Oueer		yburg-San	Andres (03230)							
		O14										
11. Work T			12. Well Typ	e Code	13. Cal R	ole/Rotary	1	4. Lease Type C	lode	15.	Ground Level Elevation 3668'	
	fultiple		17. Proposed	Deoth		mation	 	19. Contractor			20. Spud Date	
no	_		3500	-	San A		United Drlg.			10/12/04		
<u></u>				1 Propo	sed Casing	and Cemer	t Progr	em e		***************************************		
Hole Si	70		Casing Size		ng weight/foot	Setting D		· · · · · · · · · · · · · · · · · · ·	f Cement		Estimated TOC	
12 1/4"			8 5/8"	Casti	24#				275 sx		surface	
7 7/8"		4	V2" /5 V2"	Ş	9.5/17#	3500		600 sx			surface	
			·····	_		· · · · · · · · · · · · · · · · · · ·						
	L											
					LUG BACK give litional sheets if n		present pro		and prop	osed new	productive	
								400	•			
					hole to 30							
! !				_	rface. Drill					-	, set	
		•		_	ng to TD, ce e and stimul	_		Ci C, ti	Cuiau	ing to		
		Su	11400. 1111	portorat	v and sama	are and res	٠					
		(Iı	nitial Perm	it expired	d - this is a r	e-file)						
		•										
23. I hereby certi	fy that the in	formatic	on given above is	true and comp	lete to the best	12/1-						
of my knowledge				10		//\$/OI	L CON	SERVA	TION	DIVI	SION	
Signature:	·	//	her A	lekis	A	pproved by:		T	IM W	. GU	M .	
Printed Name:			Ann E. I	Ritchie	Ti	itle:	i	DISTRIC	TI	SUPE	RVISOR	
Title:		Reg	ulatory Age		A	pproval Date: S	EP 2 2	2004	Expiration	n Date:	SEP 2 2 2005	
Date:	9-2-0		Phone:	432 684		onditions of App		<u> </u>			2005 & & 2005	
	7-4-04	+		TJ4 U04	-0301 A	ttached:						

STRICT 11

State of New Mexico Snorgy, Minerals and Natural Besources Department.

Form C-102 Revised February 10, 1994 Submit to Appropriate District Office State Lease - 4 Copies For Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd., Axtec, NM 87410

wer DD, Artesia, NM 68211-0710

OIL CONSERVATION DIVISION

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

DISTRICT IV P.O. BOX 8068, BANTA FE, N.M. 87504-2068

WELL LOCATION AND ACREAGE DEDICATION PLAT

API	Number			Pool Code	Auto	Artesia, Queen-Grayburg-San Andres						
Property	Code								iber			
оскю и 184860	o.			MELR	-	Operator Name E OPERATING CO. Rievation 3668						
					Surface Loc	ation		- · · · · · · · · · · · · · · · · · · ·				
UL or lot No.	er lot No. Section Township Range Lot Idn Feet from the North/South line Feet from the					Feet from the	Bast/West line	ne County				
Α	35	17 S	28 E	ĺ	1201	NORTH	EAST	EDDY				
			Bottom	Hole Loc	cation If Diffe	erent From Sur	face					
UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County			
Dedicated Acre	s Joint o	r Infill Co	nsolidation (Code Or	der No.				<u> </u>			
NO ALLO	WABLE W		SSIGNED '	TO THIS	COMPLETION I	UNTIL ALL INTER	ESTS HAVE BI	EEN CONSOLIDA	ATED			

OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

DAKE ONIT HAS BEEN AFT KOVED BY THE	
465'	OPERATOR CERTIFICATION I hereby certify the the information contained herein if true and complete to the best of my knowledge and being. Signature Ann F. Ritchie 9-2-04 Printed Name Regulatory Agent Title 11-28-00 915 684-6381 Date SURVEYOR CERTIFICATION
	I hereby certify that the well location shown on this plat was platted from field notes of actual surveys made by me or under my supervision, and that the same to true and correct to the best of my ballet. NOVEMBER 10, 2000 Date Surveyed. LMP Signature & Soel of Professional Surveyer. NOVEMBER 10, 2000 Certificate No. BONALD 1, EIDSON 3239 GARY RIDSON 12841

Dkinct I 162-; N. French Dr.. I I obbs. NM SW240 Didnel 11 130 I W. Grand Ax coue. Arte,ia. NNI I;N2 I 0 Di~tric! III 1000 Rio Brazos Road. Aztec, NVI S7410 Di triet IV
1220 S. St. Francis Dr., Santa Fc. NX4 87i()~,

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure


For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Is pit below-grade tan Type of action: Registration of a pit o	k covered by a "general plan"" Yes No r beloew-grade tank Cloures of a pit of below-grade	de tank
	432 846381 e-mail address: ann.ritchie@wto	r.net
Pit Type: Drilling X _ Production	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes 0 If not,	
Depth to ground water (vertical distance from bottom of pit to sessonal ghigh water elevation of ground water.) 275'	Less than SO feet Do feet or more, bui less than I 00 feet 100 feet or more 100 ft.	(20 points) (10 points) (0 points) 0
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No No	(20 points) SEP 1 0 7004 (6 points) 0 SEP 1 0 7004
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less flum 1000 feet 1 000 feet or more 1000 ft or more	(20 points) (10 points) (0 points) ()
Iffibis is a oil closure. (I) anach a diagram of the facility showing the pit's you are burying in place) onsite: offsite O if offsite, name of facility remediation start date and end date (4) Groundwater encountered: No O Yes Attach soil sample results and a diagram of sample locations and excavations.	(3) Attach a generall d	O Points e disposal location: (check the onsite box if- escription of remedial action taken including, I'L and attach, ample results. (:,)
Additional Comments:		
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidefines X . a		
Date: 9-2-04 Printed Name title Ann E. Ritchie, Regulatory Agent Your certification and NMOCD approval of thisapplication/closure does not otherwise endanger public health or the environment. Nor does it relieve the cregulations.	_ Signature / My / Well to Signature / My / Well to relieve the operator of Hability should the contents of	the pit or tank contaminate ground water or
Approval: Printed Name/Title	Signature_	SEP 13 2004

Melrose Operating Company
Drilling Rig Pad Schematic
Artesia Unid, block # 85
Eddy County, New Mexico
Wellbore is 40' North of the pit



September 15, 2004

SEP 1 7 2004

Bryan Armant
Oil Conservation Division
1301 W. Grand Ave.
Artesia, NM 88210

RE: Melrose Operating Company, Artesia, Queen-Grayburg-San Andres Pool, Artesia Unit, Township 17S, Range 28E, Eddy County, New Mexico

Concerning the above referenced Artesia Unit, operated by Melrose Operating Company, please see attached a copy of the Duke Energy Field Services gas statement. Please note on the "Analysis" that the H2S Mol% concentration is 0.4970. This letter and statement are being submitted to comply with the NMAC Rule 118 concerning drilling operations.

As per the Oil Conservation Division, Rule 118, the gas produced from the Artesia Unit is less than 100 ppm. According the the field supervisor and as per the gas statement, this unit/pool is not in a gas producing area where there is a "substantial probability of encountering H2S in concerntrations of 100 ppm or more" (Rule 118). There are no public dwelling located on the Unit or within 1/4 mile of the Artesia Unit to the best of my knowledge.

Please let us know if you need any further information concerning the gas production from the Artesia Unit, or any information concerning the drilling program for this unit.

Yours truly.

Ann E. Ritchie, Regulatory Agent Melrose Operating Company

c/o P.O. Box 953 Midland, TX 79702 (432) 684-6381 (432) 682-1458-fax ann.ritchie@wtor.net

attachment - gas analysis



A New Kind of Energy:

Production Date: July 2004 Statement Date: August 19, 2004

PERCENT OF PROCEEDS STATEMENT (Fixed Recovery)

A CAR TO THE TO WAR IN

Recipient: 1254991

MELROSE OF CO

8/19/2004 8:19:24AM

	Lease Information									
Settle ID	Payment 1D	Lease Name		Facility Name	State	Contract ID	Operator Name/1D	Pressure Base		
700317	068370031700	ARTESIA UN B	ATT #1 (1)	NM SOUR SUPERSYSTEM	УЛ	AR 1064001R	MELROSE OF CO	;4.659		
				Settlement Su	mmary					
System		LOW		· · · · · · · · · · · · · · · · · · ·						
Rate per M	C P :	6.43432	Component Value	Residue Value		Fees & Adjustments	Gross Value	Net Value		
Rate per M		4.36463	\$ 3,202.16	\$ 1,532.40		\$ 121.15	\$ 4,613 41	\$ 4,612.41		

Wellhead Information	0	Component Settlement														
Gross WH:	MCF 717.00	MMBTU 1,057.00		Theoretical Gallons	Fixed Recoveries	Allocated Gallons	Shrink MMBTU	Contract %	Seniement Gallons	Price	Component Value					
Altocation Decimal:		1.0000000	H2S				2.18									
Paystation:	717.00	1,057.00	ETHANE	2,413.38	0.8900	1,939.71	128.14	75.00	1,448.03	0.4359153	\$631.22					
			PROPANE	1,734.09	0.9000	1,560.68	142.96	75.00	1,170.51	0.6844570	\$801.16					
Raw Field Deducts	-50.19	-73.99	ISO-BLITANE	134.39	0.9700	324.36	32.32	75.00	243.27	0.8311534	5202.20					
Net Delivered:	666.81	983.01	NORMAL BUTANE	858.96	0.9700	833.19	86.42	75.00	624.89	0.8053796	\$503.27					
			PENTANES PLUS	1,509.39	0.9900	1,494.30	170.94	75.00	1,120.72	0.9496653	\$1,064.31					
Welthead BTU	(14.650W):	1.4742				•										
Gas Factor:	0.9798			· · · · · ·		·		_	·							
2 Factor:	0.9935		1	6,850.21	* ***	6,143.24	562.96		4,607.42		\$3,202.16					

Į							R	esidue Settleme	at						
	Net Delivered MMBTU	Shrink	Fuel/Flare	Theoretical Residue	Allocated Residue	-				Net Residue MCF	Not Residue MMBTU	Settlement	Settlement Residue	Price	Residue Value
	979.97	562.96	63.23	353.78	353.78			0.00		356.56	353.78	75.00	265.34	5.7753000	\$ 1,522.40

3.6790 2.6370 0.5085 1.3062 0.5794 0.5475 1.1684 10.4170

	Fee Rate	Value	L	CA:	nalysis)	
				Companents	Mol %	GPM
H2S TREATING	0.1442	\$103.41		Helium	0.0000	
NEW MEXICO GAS PROC	0.0186	\$17.74	Н	Nitrogen	5.3250	
			l	Carbon Diexide	4.2140	
			X	H2S	0.4970	
•		•	4	Other Inerts	0.0000	
Plant Product Volu	100 de	·		Methane	54.9930	
			Н	Ethane	13.8070	3.67
Plant BTU 0.9954		į		Propane	9.6300	2.63
		i	Н	Iso Butane	1.5630	0.50
			П	Nor Butane	4.1660	1.30
			П	iso Pentane	1.5920	0.57
			П	Nor Pentane	1.5200	0.54
			Н	Hexanes Plus	2.6930	1.16
				Totals	100.0010	10.41

	Cor	itacis		
Primary:	LILLE G HÉREDIA (432) 620-4072	,		
Measwement:	ANITA STOKER (303) 605-1999	Contracts:	BOB BROWN (432) 620-4209	
Taxes:	ROGER RADEBAUGH (9/8) 523-1169			
	Com	ments		