

N.M. Oil Cons. DIV-Dist. 2

1301 W. Grand Avenue

Artesia, NM 88210

Form 3160-5
(April 2004)UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator **BETTIS, BOYLE & STOVALL**3a. Address
P.O. BOX 1240, GRAHAM, TX 764503b. Phone No. (include area code)
940-549-0780

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2080' FNL & 660' FEL SEC. 21-54-8-R29E**T21S**

5. Lease Serial No.

NM-03205

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

89100326Q

8. Well Name and No.

Big Eddy Unit No. 114

9. API Well No.

300152626300S1

10. Field and Pool, or Exploratory Area

QUAHADA RIDGE ATOKA

11. County or Parish, State

EDDY CO., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other, _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

7-29-04 ROAD RIG TO LOCATION. M.I.R.U., S.D.

7-30-04 S.I.T.P - BLOW, S.I.C.P. - VACUUM, R.U. IW PUMP. LOADED CSG. WITH 2 BBLs. 3% KCL & TESTED TO 500 PSIG - OK. LOADED TBG. WITH 19 BBLs. 3% KCL, PRESSURED TO 500 PSIG, PRESSURE BLED TO 0 PSIG. TESTED TO 1200 PSIG & PRESSURE BLED TO 0 PSIG. NIPPLED DOWN TREE & NIPPLED UP HYDRAULIC BOP. RELEASED PKR.. REVERSED OUT WITH 48 BBLs. - TBG. STILL GASSY. PUMPED ADDITIONAL 20 BBLs.. TRIPPED OUT OF HOLE WITH TBG. & PKR. (385 JTS. & PUP JTS.). S.I. & S.D. FOR NIGHT.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)**KIM LIGON**Title **REGULATORY ANALYST**

Signature

Kim Ligon

Date

9/8/04

ACCEPTED FOR RECORD

SEP 15 2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

LES BABYAK**PETROLEUM ENGINEER**

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator **BETTIS, BOYLE & STOVALL**3a. Address
P.O. BOX 1240, GRAHAM, TX 764503b. Phone No. (include area code)
940-549-0780

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

2080' FNL & 660' FEL SEC. 21-5S1S-R29E

5. Lease Serial No.

NM-03205

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

89100326Q

8. Well Name and No.

Big Eddy Unit No. 114

9. API Well No.

300152626300S1

10. Field and Pool, or Exploratory Area

QUAHADA RIDGE ATOKA

11. County or Parish, State

EDDY CO., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other, _____
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has

8-02-04 S.I.T.P./S.I.C.P. - VACUUM. TOO H W/ 40 STANDS. RIG UP JSI WIRELINE. R.I.H. WITH GAMMA-RAY CCL, CORRELATE TO CBL LOG. TAG PKR. @ 12,772.5' KB. RUN GR-CCL STRIP TO CHECK PERFS. TOO H W/ LOG TOOL & R.D. JSI. PICK UP BLANKENSHIP R.B.P. & R3DG & T.I.H.. SET R.B.P. @ 12,602' KB (389 JTS. IN HOLE). LAY DOWN 1 JT. RIG UP IW PUMP TRUCK. LOAD CSG. WITH 450 BBLs. & BREAK CIRCULATION. SET PKR. @ 12,659' KB. TEST R.B.P. TO 3000 PSIG - OK. RELEASE PKR. & L.D. 11 JTS.. S.I. & S.D. FOR NIGHT.

8-03-04 SITP/SICP - 0 PSIG. R.U. CUDD PUMPING SER.. LOADED HOLE WITH 1 BBL. & BROKE CIRCULATION. SPOTTED 350 GALS. - 10% ACETIC ACID. PUMPED TO SPOT WITH 45.7 BBLs. 3% KCL. L.D. 10 JTS.. (RIG REPAIR 6 HRS - BRAKES) P.O.O.H. WITH 367 JTS. TBG.. L.D. PKR.. S.I. & S.D. FOR NIGHT.

14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

KIM LIGONTitle **REGULATORY ANALYST**

Signature



Date

9/8/04**THIS SPACE FOR FEDERAL OR STATE OFFICE USE**

Approved by _____

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

RECEIVED

2. Name of Operator **BETTIS, BOYLE & STOVALL**

SEP 17 2004

3a. Address
P.O. BOX 1240, GRAHAM, TX 76450

3b. Phone No. (include area code)
940-549-0780

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
2080' FNL & 660' FEL SEC. 21-5S1S-R29E

5. Lease Serial No.
NM-03205

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.
89100326Q

8. Well Name and No.
Big Eddy Unit No. 114

9. API Well No.
300152626300S1

10. Field and Pool, or Exploratory Area
QUAHADA RIDGE ATOKA

11. County or Parish, State
EDDY CO., NM

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input checked="" type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

8-04-04 SITP - 0 PSIG. R.U. HYDRO-TEST. P.U. R.B.P. RETRIEVING TOOL, LOK-SET, 6" PUP JOINT & ON/OFF TOOL. T.I.H. WITH TBG., TESTING TO 8000 PSIG BELOW SLIPS - NO LEAKS (367 JTS. IN HOLE). R.U. I-W PUMP & REVERSED 3 BBLs. INTO TBG. SET PKR. @ 11,905' WITH 17,000# COMPRESSION. TESTED CSG. TO 500 PSIG - OK. NIPPLE DOWN B.O.P. - NIPPLED UP TREE. TESTED TREE TO 3000 PSIG - OK. R.D. HYDRO-TEST. R.U. JSI WITH GREASE PACK LUBRICATOR. R.I.H. WITH W.L. TO PERFORATE THRU TBG.. CHECK CCL & ADJUSTED - RAN STRIP LOG. PERFORATED WITH 19/16 JET @ 12,002 - 12,008' AND 12,208 - 12,214' (GH LOG) WITH 3 SPF @ 120 DEG. (36 HOLES). CHECKED SITP - 2100 PSIG (2.5 HRS.). S.I. & S.D. FOR NIGHT.

8-05-04 27 HRS. SITP - 2100 PSIG. R.U. JSI WIRELINE TO RUN BHP TEST. T.O.O.H. WITH WIRELINE. BLED PRESSURE TO 0 PSIG. R.D. JSI, R.D. & MOVE OFF KEY RIG. SHUT WELL IN WAITING ON PULLING UNIT TO CHANGE OUT WELLHEAD EQUIPMENT.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

KIM LIGON

Title **REGULATORY ANALYST**

Signature

Kim Ligon

Date

9/8/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)