


Submit To Appropriate District Office State Lease - 6 copies Fee Lease - 5 copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505	State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505	Form C-105 Revised June 10, 2003 WELL API NO. 30-015-33453 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> State Oil & Gas Lease No. E-647
WELL COMPLETION OR RECOMPLETION REPORT AND LOG		
1a. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> DRY <input type="checkbox"/> OTHER _____ b. Type of Completion: NEW <input checked="" type="checkbox"/> WORK <input type="checkbox"/> DEEPEN <input type="checkbox"/> PLUG <input type="checkbox"/> DIFF. WELL OVER BACK RESVR. <input type="checkbox"/> OTHER RECEIVED		7. Lease Name or Unit Agreement Name DAD STATE
2. Name of Operator MARBOB ENERGY CORPORATION		8. Well No. 39
3. Address of Operator PO BOX 227, ARTESIA, NM 88211-0227		9. Pool name or Wildcat ARTESIA; GLORIETA-YESO (OIL)
4. Well Location Unit Letter C : 990 Feet From The NORTH Line and 1792 Feet From The WEST Line Section 35 Township 17S Range 28E NMPM EDDY County		
10. Date Spudded 7/13/04	11. Date T.D. Reached 7/23/04	12. Date Compl. (Ready to Prod.) 9/16/04
13. Elevations (DF& RKB, RT, GR, etc.) 3684' GL		14. Elev. Casinghead
15. Total Depth 4370'	16. Plug Back T.D. 4355'	17. If Multiple Compl. How Many Zones?
18. Intervals Drilled By		19. Producing Interval(s), of this completion - Top, Bottom, Name 3824' - 4155' YEDO
20. Was Directional Survey Made NO		21. Type Electric and Other Logs Run DLL, CSNG
22. Was Well Cored NO		23. CASING RECORD (Report all strings set in well)
CASING SIZE	WEIGHT LB./FT.	DEPTH SET
8 5/8"	24#	501'
5 1/2"	17#	4370'
24. LINER RECORD		25. TUBING RECORD
SIZE	TOP	BOTTOM
26. Perforation record (interval, size, and number) 3824' - 4155' (20 SHOTS)		27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.
		DEPTH INTERVAL
		AMOUNT AND KIND MATERIAL USED
		3824'-4155' ACDZ W/ 2000 GAL 15% HCL
28. PRODUCTION		
Date First Production 9/17/04		Production Method (Flowing, gas lift, pumping - Size and type pump) PUMPING
		Well Status (Prod. or Shut-in) PROD
Date of Test 9/29/04	Hours Tested 24	Choke Size
		Prod'n For Test Period
		Oil - Bbl 73
		Gas - MCF 102
		Water - Bbl 261
		Gas - Oil Ratio
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate
		Oil - Bbl.
		Gas - MCF
		Water - Bbl.
		Oil Gravity - API - (Corr.)
29. Disposition of Gas (Sold, used for fuel, vented, etc.) SOLD		Test Witnessed By JONATHAN GRAY
30. List Attachments LOGS, DEVIATION SURVEY		
31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief		
Signature 		Printed Name DIANA J. CANNON Title PRODUCTION ANALYST Date 10/11/04
E-mail Address PRODUCTION@MARBOB.COM		

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates 630'	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers 880'	T. Devonian	T. Menefee	T. Madison
T. Queen 1470'	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres 2255'	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta 3725'	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T. RUSTLER 265'	T. Wingate	T.
T. Wolfcamp	T. BOWERS 1244'	T. Chinle	T.
T. Penn	T. YESO 3856'	T. Permian	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness In Feet	Lithology

From	To	Thickness In Feet	Lithology



Artesia Fishing Tool Co., Inc.

Oil Well Drilling Contractors
PO Box 1370 Artesia, NM 88211-1370
505/746-6651 746-3518 fax 748-2205

July 28, 2004

JUL 29 2004

Marbob Energy Corporation
PO Drawer 227
Artesia, NM 88211-0227

RE: DAD State #39
990' FNL & 1792' FWL
Sec. 35, T17S, R28E
Eddy County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.

DEPTH	DEVIATION
225'	1/4°
626'	1 3/4°
1132'	1 1/4°
1567'	1 1/2°
2023'	2°
2528'	2°
3018'	2°
3523'	2°
4051'	2°
4370'	1 3/4°

Very truly yours,

Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }


The foregoing was acknowledged before me
this 28th day of July, 2004.

Notary Public

RECEIVED

OCT 13 2004

OCD-ARTESIA



04-1288

Serving Southeast New Mexico and West Texas Since 1974