Form 3160-3 (August 1999)

N.M. Off Cons. DIV-Dist. & 1301 W. Grand Avenue UNITED STATEARES NM 88210

FORM APPROVED
OMB No. 1004-0136
Expires November 30, 200

George R. Smith, agent

DEPARTMENT OF THE T		IAIAI	00211	D	5. Lease Serial No.			
BUREAU OF LAND MANAG	6. If Indian, Allottee or Tribe Name							
APPLICATION FOR PERMIT TO DE	RILL OR R	EENTER	!		6. If Indian, Allottee of	Tribe Name		
la. Type of Work: DRILL REENTE	R				7. If Unit or CA Agreen	nent, Name and No.		
			_		8. Lease Name and Well	No.		
1b. Type of Well: Oil Well Gas Well Other	✓ S	ingle Zone	Multip	le Zone	Molly Federal, Well N	lo. 1		
2. Name of Operator					9. API Well No.			
McClellan Oil Corporation					30-005-			
3a. Address	3b. Phone No	•	rea code)		10. Field and Popular Ex	*		
P.O. Box 730 Roswell, NM 88202	(505) 622-		-050/6	т	Foor Ranch Wolfcam			
4. Location of Well (Report location clearly and in accordance with	any State requi	irements. 🖳	ECFIVE	יט	11. Sec., T., R., M., or B	ik. and Survey of Area		
At surface 1980' FNL & 660' FEL		à.	AY 0 6 20	NΔ				
At proposed prod. zone same		•	•		Sec. 24-T9S-R25E			
14. Distance in miles and direction from nearest town or post office*		90	B-ARTI	SIA	12. County or Parish	13. State		
19.4 road miles northeast of Roswell, NM					Chaves	NM ·		
15. Distance from proposed*	16. No. of /	Acres in leas	e	17. Spaci	ng Unit dedicated to this we	:11		
location to nearest property or lease line, ft.								
(Also to nearest drig. unit line, if any) 660'	640			320				
 Distance from proposed location* to nearest well, drilling, completed, 	19. Proposed Depth			20. BLM/	_M/BIA Bond No. on file			
applied for, on this lease, ft. 2952'	5500'			NM-230	01			
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	,					. Estimated duration		
3674' GL	April 15,	April 15, 2004			3 - 4 weeks			
	24. Atta	chments						
The following, completed in accordance with the requirements of Onsho	re Oil and Gas	Order No. I	shall be atta	ched to th	is form:			
Well plat certified by a registered surveyor.		l 4 Dand	1		ns unless sourced by an av	victing hand on file (s		
2. A Drilling Plan.			20 above).	орегаци	ns unless covered by an ex	isting bond on the (s		
3. A Surface Use Plan (if the location is on National Forest System	Lands, the		tor certifica					
SUPO shall be filed with the appropriate Forest Service Office).	,		other site sprized office		formation and/or plans as	may be required by t		
25. Signature	Name	(Printed/Ty	ped)		ļſ	Date		
Deorge & Smith	George R. Smith				0	3/19/04		
Title		<u> </u>						
Agent for McClellan Oil Corp.								
Approved by (Signature) IS/LARRY D. BRAY	Name	e (Printed/T)	ped/S/LA	RRY	D. BRAY	MAY 05 20		
Title Assistant Field Manager,	Offic	e RO SWE	LL FIELI	OFFIC		WED FOR 1 YEAR		
Lands And Minerals Application approval does not warrant or certify that the applicant holds					0 00 1 7 7 7 7			
operations thereon.	. ogui oi oquita		iose rigins in	e buoje		прричини и и и и и и и и и и и и и и и и и		
Conditions of approval, if any, are attached.								
Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make States any false, fictitious or fraudulent statements or representations as	it a crime for a	ny person k within its jur	nowingly an isdiction.	d willfully	to make to any departmen	t or agency of the Unit		
*(Instructions on reverse)					d f			
Lease Responsibility Statement: McClella								
and restrictions concerning operations cond	ucted on the	e leased la	nd or port	ion there	eot.	9 111		
					en D			

CEMENT TO COVER ALL OIL, GAS AND WATER BEARING ZONES ; 1.C., 6100iera

OCD

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

Form C-144

March 12, 2004

office

Pit or Below-Gr	ade Tank Registration or Clo	sure					
	nk covered by a "general plan"? Yes						
Type of action: Registration of a pit	or below-grade tank Closure of a pit or below-	grade tank					
perator: McClellan Oil Corporation	Telephone: (505) 622-3200	e-mail address: Sulimar@qwest.net					
ddress: P. O. Drawer 730, Roswell, New Mexico, 88202-0730							
acility or well name: Molly Federal No. 1API #:							
ounty: Chaves Latitude Longitude	NAD: 1927 🗌 1983 🔲 Surface O	Owner Federal 🗹 State 🗌 Private 🔲 Indian 🗌					
<u>it</u>	Below-grade tank						
ype: Drilling Production Disposal	Volume: bbl Type of fluid:						
Workover Emergency	Construction material:						
ined 🗹 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.						
iner type: Synthetic MThickness 12 mil Clay Volume							
bbi		RECEIVED					
	Less than 50 feet	(20 points) SEP 1 7 2004					
epth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet	(10 points) 900					
ater elevation of ground water.)	100 feet or more	(10 points) OSP-ARTESIA					
	Yes	(20 points)					
ellhead protection area: (Less than 200 feet from a private domestic	No	(0 points)					
ater source, or less than 1000 feet from all other water sources.)	(NO)	(o points)					
	Less than 200 feet	(20 points)					
istance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)					
rigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)					

hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has een/will be constructed or closed according to NMOCD guidelines 🗹, a general permit 🗌, or an (attached) alternative OCD-approved plan 🗍. Date: September 16, 2004 rinted Name/Title Mark McClellan/President

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location:

Ranking Score (Total Points)

. (3) Attach a general description of remedial action taken including remediation start date and end

ft. and attach sample results. (5) Attach soil sample results and a

our certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or therwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or egulations.

onsite offsite I If offsite, name of facility

diagram of sample locations and excavations.

date. (4) Groundwater encountered: No 🔲 Yes 🔲 If yes, show depth below ground surface

II Dep V

rinted Name/Title

1625 N. French Dr., Hobbs, NM 88240

1301 W. Grand Avenue, Artesia, NM 88210

District_III

State of New Mexico

Energy, Minerals & Natural Resources Department

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Form C-102

Revised June 10, 2003

Submit to Appropriate District Office

State Lease - 4 Copies

1000 Rio Brazos Rd., Aztec, NM 87410				Conta En NIM 07505							Fee Lease - 3 Copies		
District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505			ng	Santa Fe, NM 87505						г	7 4140	NDED REPORT	
1240 3. 31. 1141903	Dr., Santa P	C1 0 1717 1 1 2		<i></i>)('A'	TIAI	N AND ACR	EACE DI	Ento	A TYONI DI A	ጥ ጉ	AME	NDED REPORT
,	API Numbe		VVE	كيا ياك	¹ Poo	d Code				⁾ Pool No	me		
					767	' 50		Foor K	anch	Wolfcar	n/O		
1 Property	Code	Mo.1.1	. T.	edera	. 1		¹ Property 1	Name		-		• 1	Weil Number
⁷ oonm		POLI	y r	eder	1.L				····				1
14348 McClellan			an O	il c	orp	'Operator	Name					'Elevation 3674	
								Location					
UL er lot no.	Section	Township	. T	Range	L	ot Idn	Feet from the		uth line	Feet from the	East/	West line	County
H	24:	98		25E			1980	North		660	East	- İ	Chaves
					ottom	Ho	le Location I		Fron				
UL or lot no.	Section	Township	.	Range		ot Idn	Feet from the	North/So		Feet from the	East	/West line	County
"Dedicated Acres	" Joint o	Infill	" Consc	ildation	Code	" Ore	ler No.	•					
320		-											•
16					DARI X	D UN	35158	APPROVE	DBY T	THE DIVISION 17 OP I hereby ce true and ce belief. Signature Printed Name Printed Name Date	ERATOL Trify that the complete to the Mark Mark Address 25/04	R CER information of the control of	
	· .				XXXXXXXXXXXXXXXXXXXXXX					I hereby co was plotte	ertify that the d from field r er my supery ct to the best	well local notes of ac ision and of ma beli	TIFICATION tion shown on this plat tual surveys made by that the same is true

APPLICATION FOR DRILLING MCCLELLAN OIL CORPORATION

Molly Federal, Well No. 1
1980' FNL & 660' FEL, Sec. 24-T9S-R25E
Chaves County, New Mexico
Lease No.: NM-35158
(Development Well)

In conjunction with Form 3160-3, Application for Permit to Drill subject well, McClellan Oil Corporation submits the following items of pertinent information in accordance with BLM requirements:

- 1. The geologic surface formation is recent Permian with quaternary alluvium and other surficial deposits.
- 2. The estimated tops of geologic markers are as follows:

San Andres	667'	Penn Clastics	5,354'
Glorieta	1,766'	Ordovician	5,490'
Tubb	3,243'	Granite Wash	5,416'
Abo	3,988'	T.D.	5,500'
Wolfcamp	4,654'		
Penn Lime	5.232'		

3. The estimated depths at which water, oil or gas formations are anticipated to be encountered:

Water: Surface water in the Triassic between 80' - 230'.

Oil: None expected.

Gas: Possible in the Abo, Wolfcamp or Penn.

4. Proposed Casing Program:

HOLE SIZE	CASING SIZE	WEIGHT	GRADE	JOINT	SETTING DEPTH	QUANTITY OF CEMENT
12 1/4"	8 5/8 "	24.0#	J-55	ST&C	900'	Circ. 500 sx "C"
7·7/8"	5 1/2"	15.5#	J-55	ST&C	5,500'	500 sx "C"

5. Proposed Control Equipment: See Exhibit "E":

BOP Program:

A 10" 3000 psi wp Shaffer, Type E, double ram BOP, will be installed on the 8 5/8" casing and used as a 2000 psi wp system. Casing and BOP will be tested before drilling out with 7 7/8". Request waiver to test to a maximum of 1000 psi wp with a rig pump.

6.	Mud Program:		MUD WEIGHT	VIS.	W/L CONTROL
	0' - 900':	Fresh water with native mud	9.8 - 10.0 ppg	28 - 30	No W/L control
	900' - 3960':	Use 10# brine mud to top of Abo	9.8 - 10.0 ppg	28 - 30	No W/L control
	3960' - 5500':	Brine mud w/6 % diesel:	10.0 - 10.2 ppg	40 - 45	W/L control 12 cc+/-

- 7. Auxiliary Equipment: Blowout Preventer, gas detector, Kelly cock,.
- 8. Testing, Logging, and Coring Program:

Drill Stem Tests: None planned.

Logging: T.D. to 900': Schlumberger Platform Express: 3 Detector Litho Density, Azimuthal Laterlog

Micro-CFL/NGT, Borehole Compensated Sonic Natural Gamma Ray Logs

900' to surface: GR/Neutron

Coring: None planned.

Molly Federal, Well No. 1 Page 2

- 9. No abnormal pressures or temperatures are anticipated. In the event abnormal pressures are encountered, the proposed mud program will be modified to increase the mud weight. Estimated BHP of 2420 psi and surface pressure of 1210 psi (evac. hole) with BH temperature of 115°.
- 10. H2S: None expected. None in previously drilled wells.
- 11. Anticipated starting date: April 15, 2004.
 Anticipated completion of drilling operations: Approx. 4 weeks.

MULTI POINT SURFACE USE AND OPERATIONS PLAN

MCCLELLAN OIL CORPORATION

Molly Federal, Well No 1 1980' FNL & 660' FEL, Sec. 24-T9S-R25E Chaves County, New Mexico Lease No.: NM-35158 (Foor Ranch Wolfcamp)

This plan is submitted with the Application for Permit to Drill the above described well. The purpose of the plan is to describe the location of the proposed well, the proposed construction activities and operations plan, to be followed in rehabilitating the surface environmental effects associated with the operations.

1. EXISTING ROADS:

- A. Exhibit "A" is a portion of a BLM Comanche Spring Topo map showing the location of the proposed well as staked. The well site location is approximately 17 road miles northeast of Roswell, NM. Traveling east of Roswell on U.S. Highway 380 there will be 10 miles of paved road and 9.4 miles of gravel county/ ranch roads.
- B. Directions: Travel east of Roswell, NM on U. S. Highway #380 for 10 miles to the Bottomless Lakes turnoff. Turn north on gravel county road for approximately 5 miles to crossing a cattle guard that is approximately 1500 feet east of the ranch house and windmill. Continue northwest for .2 mile to a road intersection; turn right (northeast) for approximately 1.9 miles to Dallas Ranch corrals; continue north for 1 mile to a road turning west; turn west for 1.2 mile the start of the proposed access road on the left. The proposed access road will follow an Agave pipeline south for approximately 1,650 feet to the northwest corner of the proposed well site.

2. PLANNED ACCESS ROAD:

- A. Length and Width: The proposed access road will be approximately 1650 feet in length, 12 feet wide (24' Max.). The proposed and existing roads are color coded on Exhibit "A".
- B. Construction: The new access road will be constructed by grading and topping with compacted caliche. The surface will be properly drained.
- C. Turnouts: There may be one turnout increasing the width to 20 feet for passing at the mid-point.
- D. Culverts: None required.
- E. Cuts and Fills: There will be some leveling and filling of sand dunes..
- F. Gates, Cattle guards: None required.
- G. Off Lease ROW: None required.

3. LOCATION OF EXISTING WELLS:

A. Existing wells within a two-mile radius are shown on Exhibit "C".

Molly Federal, Well No 1 Page 2

4. LOCATION OF EXISTING AND/OR PROPOSED FACILITIES;

- A. McClellan Oil Corporation has no production facilities on the lease at this time.
- B. If the well proves to be commercial, the necessary production facilities and gas production-process equipment and tank battery, if required, will be installed on the drilling pad. The gas purchaser will run the gas lines to the well site.

5. LOCATION AND TYPE OF WATER SUPPLY:

A. It is planned to drill the proposed well with fresh water that will be obtained from private or commercial sources and will be transported over the existing and proposed access roads.

6. SOURCE OF CONSTRUCTION MATERIALS:

A. Caliche for surfacing the proposed access road and well site pad will be obtained from a pit on the location if available or from a private pit in the NE¼NE¼, Sec. 30-T9S-R26E. No surface materials will be disturbed except those necessary for actual grading and leveling of the drill site and access roads.

7. METHODS OF HANDLING WASTE DISPOSAL:

- A. Drill cuttings will be disposed of in the reserve pits.
- B. Drilling fluids will be allowed to evaporate in the reserve pits until the pits are dry.
- C. All pits will be fenced with normal fencing materials to prevent livestock from entering the area.
- D. Water produced during operations will be collected in tanks until hauled to an approved disposal system, or a separate disposal application will be submitted to the BLM for approval.
- E. Oil produced during operations will be stored in tanks until sold.
- F. Current laws and regulations pertaining to the disposal of human waste will be complied with.
- G. Trash, waste paper, garbage and junk will be contained in trash bins to prevent scattering by the wind and will be removed for deposit in an approved sanitary landfill within 30 days after finishing drilling and/or completion operations.

8. ANCILLARY FACILITIES:

A. None required.

Molly Federal, Well No 1 Page 3

9. WELL SITE LAYOUT:

- A. Exhibit "D" shows the relative location and dimensions of the well pad, reserve pits, and major rig components. The original pad and pit area was staked and flagged, 600' X 600' for archaeological clearance.
- B. Mat Size: 250' X 185', plus 100' X 100' reserve pits on the south.
- C Cut & Fill: None. There will be numerous cuts to level sand dunes on the north and east side of pad.
- D. The surface will be topped with compacted caliche and the reserve pits will be plastic lined.

10. PLANS FOR RESTORATION OF THE SURFACE:

- A. After completion of drilling and/or completion operations, all equipment and other material not required for operations will be removed. Pits will be filled and the location cleaned of all trash and junk to leave the well site in an aesthetically pleasing a condition as possible.
- B. Any unguarded pits containing fluids will be fenced until they are filled.
- C. If the proposed well is non-productive, all rehabilitation and/or vegetation requirements of the Bureau of Land Management will be complied with and will be accomplished as expeditiously as possible. All pits will be filled and leveled as soon as they are dry enough to be worked.

11. OTHER INFORMATION:

- A. Topography: The well site and access road are located in an area that has a northwest facing slope that drains toward the Pecos River. There is an overall 1.5% slope to the southwest from an elevation of 3674' GL.
- B. Soil: The topsoil at the well site is a light brown colored sandy loam forming large semi- active sand dunes. The soil is probably of the Berino-Pintura-Parajito land association series.
- C. Flora and Fauna: The vegetation cover is a fair grass cover of threeawn, grama, dropseed, tabosa, bush mully and buffalo grass along with plants of mesquite, broomweed, yucca, creosote, sage, feathery dalea, cacti and miscellaneous weeds and wildflowers. The wildlife consists of rabbits, antelope, deer, coyotes, rattlesnakes, lizards, dove, quail and other wildlife typical of the semi-arid desert land.
- D. Ponds and Streams: None in the immediate vicinity.
- E. Residences and Other Structures: None in immediate vicinity except a double Agave gas pipeline running north/south approximately 180 feet west of the proposed drill site.
- F. Land Use: Cattle grazing.
- G. Surface Ownership: The proposed well site and access road is on Federal surface.
- H. There is no evidence of any archaeological, historical or cultural sites in the area. Archaeological Survey Consultants, P. O. Box D, Roswell, NM 88202 is conducting an archaeological survey and their report was submitted to the appropriate government agencies.

Molly Federal, Well No 1 Page 4

12. OPERATOR'S REPRESENTATIVE:

A. The field representative for assuring compliance with the approved use and operations plan is as follows:

Mark McClellan McCLELLAN OIL CORPORATION P. O. Box 730 Roswell, NM 88202 Office Phone: (505) 622-3200 Home Phone: (505) 622-2128


13. CERTIFICATION:


I hereby certify that I have inspected the proposed drill site and access route; that I am familiar with the conditions which presently exist; that the statements made in the plan are, to the best of my knowledge, true and correct; and, that the work associated with the operations proposed herein will be performed by McClellan Oil Corporation and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

March 19, 2004

George R. Smith

Agent for: McClellan Oil Corporation









EXHIBIT "D"

MCCLELLAN OIL CORPORATION

Molly Federal, Well No. 1

Pad & Pit Layout



BOP DIAGRAM

3000% Working Pressure Dams Operated Daily

EXHIBIT "E"

MCCLELLAN OIL CORPORATION

Molly Federal, Well No. 1

BOP Specifications