| State Lease - 6 copies | | Office | | State of New Mexico | | | | | | | Form C-105 | | | | |
|--|-----------------------|-----------------------------|-----------------|--|------------------------------------|-------------------|-----------|--|-------------|---------------------------|--|---|--------------------|--|--|
| Fee Lease - 5 copies District I | | | En | Energy, Minerals and Natural Resources | | | | | | | | | | | |
| 1625 N. French Dr., F | łobbs, NM | 1 88240 | | | | | | | | | | | | | |
| District II 1301 W. Grand Avenu | ue. Artesia | a, NM 88210 | | Oi | l Conservation | Div | isio | n | ŀ | | | | | | |
| District III 1000 Rio Brazos Rd., | Agtee NI | M 97410 | | 1220 South St. Francis Dr. | | | | | | | | | | | |
| District IV | | | | | Santa Fe, NM | inta Fe, NM 87505 | | | | | | | <u> </u> | | |
| 1220 S. St. Francis Dr | | | OD DECC | ONADI. | ETION DEDOS |)T A | NID | 100 | | | | | | | |
| la. Type of Well: | JIVIPL | ETION | JK KEU | JIVIPL | ETION REPOR | KI P | שטוו | LUG | | | | | | | |
| , , , | LLX | GAS WEL | L DR | Υ | OTHER | | | | _ | 7. Ecase Itame | or out rig | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | | | |
| b. Type of Compl | | □ prepr | | ıc 🗖 | DIEE | | | | | | | | RECEIVED | | |
| . — | VER | ☐ DEEPE | N □ PLU BAC | | RESVR. OTH | ER | | | | | | | NOV 0 9 2004 | | |
| 2. Name of Operator PURVIS OPERATING CO. | | | | | | | | | | 8. Well No | | 2 | OBB-ARTEBIA | | |
| | | P.C | | EKATI | NG CO. | | | | | | | | | | |
| 3. Address of Opera | | O BOX 1 | 1006, MID | LAND | , TX 79702-8006 | | | | - 1 | | | (WOLF | CAMP) | | |
| 4. Well Location | T | . 1000 | F4 F | T. C | COUTH | | | F 4 F | Ti | . WEST | T: | | | | |
| Unit Letter | L | : 1980 | Feet From | 1 ne <u>S</u> | Line and | 1 | <u> </u> | reet Fro | m ir | ne WESI | _ Line | | | | |
| Section | 22 | | | 21-S | Range 27 | -E | | | IMPN | | | County | | | |
| 10. Date Spudded 9-26-2004 | 1 | te T.D. Reacl 10-16-2004 | , , | Date Co | mpl. (Ready to Prod.) 11-5-2004 |) | 13. | Elevations (| | e RKB, RT, GR, .67' kB | etc.) | 14. Elev. | Casinghead 3248 | | |
| 15. Total Depth | | 16. Plug Bac | | | Multiple Compl. How | Many | , | 18. Interv | | Rotary Tools | | Cable | Tools | | |
| 9365 | 1 | 92 | 89 | Zo | ones? N/A | | | Drilled By | y | √ √ | Revised June 10, 2003 ELL API NO. 30-015-33555 Indicate Type of Lease STATE X FEE ate Oil & Gas Lease No. RECEIVED NOV 0 9 2004 Well No 2 Pool name or Wildcat DNETREE DRAW (WOLFCAMP) WEST Line EDDY County GB, RT, GR, etc.) 14. Elev. Casinghead 3248 otary Tools Cable Tools 20. Was Directional Survey Made NO 2. Was Well Cored NO 8 set in well) EMENTING RECORD AMOUNT PULLED 780 sks None 800 sks None 400 sks None TUBING RECORD DEPTH SET PACKER SET TURE, CEMENT, SQUEEZE, ETC. MOUNT AND KIND MATERIAL USED 600 gal 15% NE/FE acid Well Status (Prod. or Shut-in) SI ACF Water - Bbl. Gas - Oil Ratio 670 | | | | |
| 19. Producing Inter WOLFCAME | | | | ottom, Na | ame | | | | | 2 | 0. Was Dir | | urvey Made | | |
| 21. Type Electric ar | nd Other | Logs Run | | | | | | | | 22. Was Well | Cored | | | | |
| Accelerated | Porosi | ity/HNGS | | | | | | | | <u> </u> | | NO | | | |
| 23. | | | | CA | SING RECOR | ED (| | | trin | | | | MOID WE DAM I ED | | |
| CASING SIZE | 1 | | r lb./ft. 8 | - | DEPTH SET 503' | | | LE SIZE 7 ½" | | · | | ' ^ | | | |
| 9 5/8" | | | 6 | 2696' | | | 12 1/4" | | | | | | | | |
| 7" | | | 6 | | | 8 3/4" | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 24. | l mon | | I normal (| LIN | ER RECORD | Loor | 25. | | | | | DA OWED OF | | | |
| SIZE | TOP | | ВОТТОМ | | SACKS CEMENT | SCF | REEN | | SIZ | ZE | DEPTH | SET | PACKER SET | | |
| | | | <u> </u> | | | | | | | · | | | | | |
| 26. Perforation re | ecord (in | terval, size, a | ind number) | . | <u> </u> | 27. | ACI | D, SHOT. | , FR | ACTURE, CE | MENT, S | QUEEZE | E, ETC. | | |
| | | | | | | _ | РТН І | NTERVAL | | AMOUNT A | ND KIND I | MATERIA | | | |
| 9090-9110 |)' – 2 s _l | pf – 40 ho | les w/0.32" | dia ho | le | | 9090-9110 | | | 600 gal 15% NE/FE acid | | | | | |
| | | | | | | <u> </u> | | | | | | | | | |
| | | | | | DD 4 | | Y CONT | YON | | | | | | | |
| 28 | | | | 1 1 (11) | | | | ION | , | Lucus | (D. 1. G | | | | |
| Date First Production 11-4-2 | | ľ | roduction Me | tnod (Fi | owing, gas lift, pumpin FLOWING | ig - Siz | ze and | і туре ритр | , | | (Proa. or S | nut-inj | | | |
| Date of Test | | Tested | Choke Siz | | Prod'n For | Oil | - Bbi | | Gas | G - MCF | Water - I | Bbl. | 1 | | |
| 11-4-2004 | | 4 hrs. | 10/6 | 54 | Test Period | | 3 | 3 | | 22.1 | | | 670 | | |
| Flow Tubing | Casing | Pressure | Calculated | | Oil - Bbl. | <u> </u> | Gas - | MCF | - | Water - Bbl. | Oil | Gravity - 1 | API - (Corr.) | | |
| Press. 1750 | Zei | ro – Pkr. | Hour Rate | | 198 | | | 132.7 | | | | | 48 | | |
| 29. Disposition of G | Gos (Sol | d used for fi | ol wanted ata | | | | | | | Т | Test Witne | coad Dy | | | |
| 1 | NTED | | ei, venieu, eic | .) | | | | | | | Test Withe | ssed by | | | |
| 30. List Attachmen | its elerated | l Porosity/ | HNGS, Mı | ıd Log | | | | | | 1 | | | | | |
| 31 .I hereby certi | fy that t | he informat | ion shown o | n both s | sides of this form as | true c | and c | omplete to | the | best of my kno | wledge ar | id belief | | | |
| Signature | TT 44 | in E | Ben | | Printed Name Donnie | e E. F | 3row | n Title | e P | etroleum Eng | gineer | Date | 11-8-2004 | | |
| E-mail Address | s eng | @purvisor | o.com | 4 | | | | <u>. </u> | | | | | | | |

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

| stern New Mexico | Northwe | estern New Mexico |
|------------------|---|--|
| T. Canyon | T. Ojo Alamo | T. Penn. "B" |
| T. Strawn | T. Kirtland-Fruitland | T. Penn. "C" |
| T. Atoka | T. Pictured Cliffs | T. Penn. "D" |
| T. Miss | T. Cliff House | T. Leadville |
| T. Devonian | T. Menefee | T. Madison |
| T. Silurian | T. Point Lookout | T. Elbert |
| T. Montoya | T. Mancos | T. McCracken |
| T. Simpson | T. Gallup | T. Ignacio Otzte |
| T. McKee | Base Greenhorn | T. Granite |
| T. Ellenburger | T. Dakota | Т |
| T. Gr. Wash | T. Morrison | T. |
| T. Delaware Sand | T.Todilto | T |
| T. Bone Springs | T. Entrada | T. |
| T. | T. Wingate | Т. |
| T | T. Chinle | Т. |
| T | T. Permian | T. |
| T. | T. Penn "A" | T. |
| | T. Strawn T. Atoka T. Miss T. Devonian T. Silurian T. Montoya T. Simpson T. McKee T. Ellenburger T. Gr. Wash T. Delaware Sand T. Bone Springs T. T. | T. Canyon T. Strawn T. Kirtland-Fruitland T. Atoka T. Pictured Cliffs T. Miss T. Cliff House T. Devonian T. Menefee T. Silurian T. Point Lookout T. Montoya T. Mancos T. Simpson T. Gallup T. McKee Base Greenhorn T. Ellenburger T. Gr. Wash T. Morrison T. Delaware Sand T. Todilto T. Bone Springs T. Chinle T. Chinle T. Cremian |

OIL OR GAS SANDS OR ZONES

| | | DIN DE CIT ZOTA |
|--------------------|------|-----------------------|
| No. 1, from5030to | 5065 | No. 3, fromtoto |
| No. 2, from9070 to | | No. 4, fromto |
| • | | IMPORTANT WATER SANDS |

Include data on rate of water inflow and elevation to which water rose in hole.

| No. 1, from | to | feet |
|-------------|----|------|
| No. 2. from | to | feet |
| No 3 from | to | feet |

LITHOLOGY RECORD (Attach additional sheet if necessary)

| From | То | Thickness In Feet | Lithology | From | То | Thickness In Feet | Lithology |
|------|------|----------------------|-----------------------|------|----|----------------------|-----------|
| 0 | 503 | 503 | Surface rock and sand | 2, | | | |
| 503 | 2696 | 2193 | Reef | | | | |
| 2696 | 3600 | 904 | Anhy and Ls | | | | |
| 3600 | 5200 | 1600 | Sand and Shale | | | | |
| 5200 | 6520 | 1320 | Ls and Shale | | | | |
| 6520 | 6700 | 180 | Sd and Shale | | | | |
| 6700 | 7250 | 550 | Ls and Shale | | | ! | |
| 7250 | 7500 | 250 | Ls – Sand – Shale | | : | | |
| 7500 | 9365 | 1865 | Ls - Sand - Shale | | | | , |
| | | | | | | | |
| | | | | | | | |



LLING INC. Oil Well Drilling Contractor

Post Office Box 160 • Artesia, NM 88211-0160 • Office (505) 748-8704 • Fax (505) 748-8719

October 18, 2004

Purvis Operating Company 500 W Texas Suite 960 Midland, Tx 79702

Re: Esperanza 22 #2 Section 22, T-21-S, R-27-E **Eddy County, New Mexico**

The following is a Deviation Survey on the above referenced well in Eddy County, New Mexico:

| 156' - 1/4° | 1695' - 2 1/4° | 3514' - 3/4° | 7048' - 1° |
|----------------|----------------|--------------|----------------|
| 481' - 1/2° | 1787' - 2° | 3984' - 1/4° | 7141' - 1 1/4° |
| 714' - 3/4° | 1879' - 2° | 4486' - 3/4° | 7266' - 1 1/4° |
| 960' - 3/4° | 2094' - 1 1/2° | 4985'- 1° | 7511' - 1° |
| 1296' - 2 3/4° | 2401' - 1 1/2° | 5486' - 1° | 7882' - 1 1/2° |
| 1389' - 3 1/2° | 2649' - 1 1/2° | 5985' - 3/4° | 8163' - 1 1/4° |
| 1480' - 3 3/4° | 2766' - 1° | 6484' - 1/2° | 8413' - 3/4° |
| 1573' - 2 1/2° | 3014' - 1° | 6930' - 2° | 8663' - 1/2° |
| | | | 8882' - 3/4° |
| | | | 9318' - 1 1/4° |

Sincerely,

Jerry W. Wilbanks President

STATE OF NEW MEXICO) **COUNTY OF CHAVES**

The foregoing was acknowledged before me this 18th day of October, 2004 by Jerry W. Wilbanks.

MY COMMISSION EXPIRES

June 19th, 2007

min LLong

PURVIS OPERATING CO. ESPERANZA 22 STATE COM #2 UNIT L, SECTION 22, T-21S, R-27E EDDY COUNTY, NEW MEXICO

FORMATION TOPS

| YATES | 500' |
|----------------------------------|-------|
| SEVEN RIVERS | 750' |
| QUEEN | 1200' |
| DELAWARE | 2951' |
| BRUSHY CANYON | 4980' |
| BONE SPRING CARBONATE | 5220' |
| 1 ST BONE SPRING SAND | 6526' |
| 2 ND BONE SPRING SAND | 7250' |
| 3 RD BONE SPRING SAND | 8520' |
| WOLFCAMP LS | 9029' |

RECEIVED

NOV 1 5 2004

OQU:AHTEQIA

 \bigcirc

District | 1825 N. Franch Dr. Hobbs, NM 88240

<u>District ||</u> 811 South First, Arlesia, NM 68210

District (ii) 1000 Ris Brazos Rd., Aztec NM 87410

<u>District IV</u> 2040 South Pacheco, Santa Fe, NM 87505 State of New Mexico Energy, Minerals & Natural Resources

OIL CONSERVATION DIVISION

2040 South Pacheco Santa Fe, N M 87505 Form C-102

Revised March 17, 1999

Submit to Appropriate District Office

State Lease - 4 Copies

Fee Lease - 3 Copies

XX AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

| | Wt | LLL L | OCA | MON | 1 Y | DA DN. | CRE | AGE | DEDICA | ALION F | ² L/ | 41 | | |
|--|------------------------------------|------------------|------------|------------------|----------------|----------|---------|--------------|------------------|--|--------------------------|---|---|--|
| | Number | | | Pool Code | | | 1000 | | | Name | | | | |
| 30-01! Property Co | ე- <u>კკეეე</u> de | | 97208 | | ' ' | | | | | | | Well Number | | |
| 02037 | | | | | | | | STA: | TE COM | | 2 | | | |
| OGRID No. 131559 | | j | PUR | Operation VIS OP | | ING (| COMPANY | | Elevation 3248 | | | | | |
| 10100. | <u></u> | | | | | | | | <u> </u> | | | l | | |
| UL or Lot No. Section Township Rang | | | | | | | | | | | est from the Eur | | County | |
| L | 22 21-S 27-E 1980 SOUTH | | | | | | | 660 | | VEST | EDDY | | | |
| Bottom Hole Location If Different From Surface | | | | | | | | | | | | | | |
| UL or Lot No. | Section | Towns | ship | Range | - 1 | Lot Idn. | Feel | from the | Horth/South line | Feet from the | Eo | et/West line | County | |
| Dedicated Acre | e Joint or | Infill Cor | neolidatio | n Code | Ord | er No. | | | l | <u> </u> | <u> </u> | | <u> </u> | |
| 40 | | | | | | | | | | | | | | |
| | | | | | | | | | N UNTIL A | | | | BEEN | |
| CONSOLIL | JAIED (| HAN | UN-S | SIANU | ARD | UNII H | 42 B | EEN P | PPROVED | | | | | |
| | | į | | | | | | İ | | | | | IFICATION | |
| | | } | | | | | | ŀ | | HEREIN IS | TRUE | PI INAT THE AND CORRE OWLEDGE AN | Z INFORMATION TET SO THE TO RELIEF | |
| | | ! | | | ! | | | | | | | | | |
| | | 1 | | | | | | İ | | İ | | | | |
| | | • | | | • | | | İ | | | | | | |
| | | İ | | | į | | | | | | | | | |
| | | | | | - | | | | | | | | | |
| | | į | | | i ! | | ECEI\ | | | | | | | |
| | | | | | | | | 1 | | Signature | | nnie | Moun | |
| | | 1 | | | NDV 0 9 2004 | | | | Printed Nor | Printed Name Donnia E Ryoun | | | | |
| | | | | | Ì | | 00 | D:AP | ITESIA | | | | E Brown | |
| | | | | | | | | | | Title Pe | Title Petroleum Engineer | | | |
| - | <u>Palainisininininininininini</u> | ! | | | <u> </u> | | | <u> </u> | | Date NO | ven | iber 8, | 2004 | |
| | ************ | 1 | | | | | | | | I | | | IFICATION | |
| | | | | | ! | | | } | | SHOWN ON 1 | THIS | PLAT WAS P. | VELL LOCATION LOTTED FROM | |
| 660° | | й В | aa | | İ | | | İ | | ME OR UNDI | RR M. S TR | ACTUAL SUR T SUPERVISI VE AND COR | RVBTS MÅDE BY RUN, AND TEAT RESCT TO THE D BELLEF. | |
| • • • | | N 32 | | | | | | ļ | • | BEST OF MI | ANG | WILEDGE AND | BELLEF. | |
| | | W 10 | 4 1 1 (| J3. I | | | | • | | 7777 37 | | 000 | , | |
| 40 A | cres | * | | | İ | | | į | | JULY Date of Su | Z.L. | 2004 | <u></u> | |
| | ******* | & | | | ļ | | | <u> </u> | | Signature and | 1 17. d-56 6 | I C Profession | Surveyor | |
| 1, | å | | | | | | | | | Date of Su Signoture and | W | MEXIC. | `\ | |
| | 1980. | İ | | | | | | ! | | | | 1 | 1 1 | |
| | • | | | | | | | ! | | Bd | 5 | 412 | EER | |
| | | | | | ! ! | | | | | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | X | AND | [][] | |
| | | | | | į ! | | | į | | XX Y | (O. 5 | Test Col | 9/1 | |
| | | ļ | * . | | | | | | | Cortified | #5 P | £2500#3 | / =12 | |