

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

FORM APPROVED
OMB NO. 1004-0137
Expires: November 30, 2000

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.,
Other _____

2. Name of Operator
Bass Enterprises Production Co.

3. Address
P. O. Box 2760 Midland TX 79702

3.a Phone No. (Include area code)
(432)683-2277

4. Location of Well (Report location clearly and in accordance with Federal requirements)*
At Surface SESE 660 FSL 660 FEL, 32.13361 N LAT, 103.54518 W LON
At top prod. interval reported below SESE 660 FSL 660 FEL, 32.13361 N LAT, 103.54518 W LON
At total depth SESE 660 FSL 660 FEL, 32.13361 N LAT, 103.54518 W LON

14. Date Spudded
08/09/2004

15. Date T.D. Reached
08/24/2004

16. Date Completed
☐ D & A ☒ Ready to Prod.
09/16/2004

18. Total Depth: MD 7580'
TVD

19. Plug Back T.D.: MD 7493'
TVD

20. Depth Bridge Plug Set: MD
TVD

21. Type of Electric & Other Mechanical Logs Run (Submit copy of each)
GR-CNL-LDT GR AIT

22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☐ No ☒ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12-1/4"	8-5/8" J55	32#	0'	1039'		550		0'	0
7-7/8"	5-1/2" J55	15.5	0'	6683'					0
7-7/8"	5-1/2" J55	17#	6683'	7580'		550		4572'	0

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-7/8"	7023'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) DELAWARE	7114'	7420'	7410'-7420'	0.470	20	PRODUCING
B)			7233'-7240'	0.470	14	PRODUCING
C)			7202'-7208'	0.470	12	PRODUCING
D)			7114'-7124'	0.470	20	PRODUCING

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
7410' - 7420'	136,000 GAL 10# BRINE + 28,000# 14/30 LITE PROP + 2800# 16/30 SUPER LC
7202' - 7240'	118,000 GAL 10# BRINE + 28,000# 14/30 LITE PROP + 4600# 16/30 SUPER LC
7114' - 7124'	62,000 GAL 10# BRINE + 11,000# 14/30 LITE PROP + 4500# 16/30 SUPER LC

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
9/16/04	9/28/04	24	→	227	308	202			FLOWING
Choice Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
12/64	200	400	→	227	308	202		POW	

Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

RECEIVED

OCT 22 2004

QCD-ARTESIA

DISTRICT I
1626 N. French Dr., Hobbs, NM 88240

DISTRICT II
811 South First, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV
2040 South Pacheco, Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-102
Revised March 17, 1999

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

OIL CONSERVATION DIVISION

2040 South Pacheco
Santa Fe, New Mexico 87504-2088

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number	Pool Code 47545	Pool Name Nash Draw (Delaware)
Property Code 001796	Property Name POKER LAKE UNIT	Well Number 202
OGRID No. 001801	Operator Name BASS ENTERPRISES PRODUCTION COMPANY	Elevation 3200'

Surface Location

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
P	7	24 S	30 E		660	SOUTH	660	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
Dedicated Acres 40	Joint or Infill I	Consolidation Code	Order No.						

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

RECEIVED OCT 22 2004 SANTA FE, NM				OPERATOR CERTIFICATION I hereby certify the information contained herein is true and complete to the best of my knowledge and belief. <u>William R. Dannels</u> Signature W.R. DANNELS Printed Name DIVISION DRILLING SUPT. Title 6/6/03 Date	
				SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. MARCH 10, 2003 Date Surveyed Signature Seal of Professional Surveyor W.D. No. 3077 Certificate No. Gary L. Jones 7977	
LAT - N32°13'36.1" LONG - W103°54'51.8" 3200.3' 3204.7' 3196.1' 3200.6' 660'					



GREY WOLF

INCLINATION REPORT

DATE: 09/15/04

WELL NAME AND NUMBER Poker Lake Unit #202

LOCATION: Sec. 7, T24S, R30E Eddy Co., NM

OPERATOR: Bass Enterprises Production Co.

DRILLING CONTRACTOR: Grey Wolf Drilling

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:


DEGREE	DEPTH	DEGREE	DEPTH	DEGREE	DEPTH	DEGREE	DEPTH
0.75	391	1.00	4463				
1.25	795	1.00	4835				
1.50	1186	1.00	5035				
1.50	1486	1.00	5535				
1.00	1959	0.50	6018				
2.00	2263	0.50	6499				
0.50	2463	0.50	6974				
1.00	2776	1.00	7009				
1.00	2976	0.50	7500				
1.00	3453						
1.00	3929						
2.50	4263						

Drilling Contractor:
Grey Wolf Drilling Company, LP

By: Sherry Coskrey
Sherry Coskrey, Office Manager

Subscribed and sworn to before me on this 20th day of October, 2004.

My Commission Expires:



Grey Wolf Drilling Company
6 Desta Drive, Ste 5850
Midland, Texas 79705-5516
tel (432) 684-6828
fax (432) 684-6841