

Submit 3 Copies To Appropriate District Office
District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-26413
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. 017808
7. Lease Name or Unit Agreement Name Artesia State Com
8. Well Number 3
9. OGRID Number 169355
10. Pool name or Wildcat Travis U/Penn

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

RECEIVED

1. Type of Well:
Oil Well ☒ Gas Well ☐ Other ☐

2. Name of Operator
Devon Energy Production Company, LP

DEC - 9 2004

3. Address of Operator
20 North Broadway, Suite 1500, Oklahoma City, Oklahoma 73102

4. Well Location

Unit Letter F : 1980' feet from the North line and 2100' feet from the West line

Section 23

Township 18S

Range 28E

Eddy

County

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3509' GL

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐ CHANGE PLANS ☐

PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

1. Pull existing 2-7/8" production tubing and packer from well.
 2. Set CIBP at 9640' and dump bail 35' cement on top.
 3. Circulate wellbore with 9.0# ppg mud.
 4. Cut 5-1/2" casing at 7600' and POOH.
 5. Set 150' cement plug from 7500' to 7650'. WOC. Tag plug.
 6. Set 150' cement plug from 5500' to 5650'. WOC. Tag plug.
 7. Set 150' cement plug from 2925' to 3075'. WOC. Tag plug.
 8. Set 150' cement plug from 285' to 435'. WOC. Tag plug.
 9. Set 60' surface plug. WOC.
 10. Cut casings off 3' below ground level. Set P&A marker.
 11. Restore location.
- Note: Cement class "C" at 14.8 ppg with a yield of 1.32 cu. ft/sx.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Ronnie G. Slack

TITLE: Engineering Technician

DATE 12/7/04

Type or print name Ronnie G. Slack

E-mail address: Ronnie.Slack@dvn.com

Telephone No. 405-552-4615

(This space for State use)

APPROVED BY Phil Hawkins

TITLE Field Inspector

DATE 12/17/07

Conditions of approval, if any:


DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Artesia State Com 3		Field: Travis	
Location: Sec 23-T18S-R28E; 1980' fnl & 2100' fwl		County: Eddy	State: NM
Elevation: 3509' GR		Spud Date: 8/22/90	Compl Date: 10/31/90
API#: 30-015-26413	Prepared by: Ronnie Slack	Date: 11/19/04	Rev:

Proposed P&A

14-3/4" Hole
11-3/4", 42#, H40, @ 360'
 Cmt'd w/275 sx. Cmt to surf.

11" Hole
8-5/8", 32#, K55, @ 3000'
 Cmt'd w/1200 sx. Cmt to surf.



Proposed:
 Set 60' cement plug at surface. Cut casings off 3' below GL. Install P&A marker. Clean location.

Proposed:
 Set 150' Cement plug from 285' to 435'. WOC & Tag.

Proposed:
 Set 150' Cement plug from 2925' to 3075'. WOC & Tag.

9.0 ppg mud



Proposed:
 Set 150' Cement plug from 5500' to 5650'. WOC & Tag.

9.0 ppg mud



Proposed:
 Cut 5-1/2" casing @ 7600' and POOH.
 Set 150' Cement plug from 7500' to 7650'. WOC & Tag.

TOC-7800' (cbl) (9/30/90) →

9.0 ppg mud

Proposed:
 Set CIBP @ 9640'. Dump bail 35' cement on top

CANYON (7/96)
 9669' - 9672'
 9692' - 9702'
 9713' - 9717'
 9724' - 9731'
 9745' - 9749'

ATOKA (11/18/90)
 10297' - 10328'

MORROW (10/3/90)
 10632' - 10705'
 frac'd w/29K# sand

Rcmpl sundry reports PBD @ 10197'. Sundry was to set CIBP @ 10197' + 35' cement. Missing reports to verify actual plug setting.

TCP guns released (11/18/90)

PBD @ 10515'
 CIBP @ 10550'. Capped w/35' cement.

FC @ 10938'

7-7/8" Hole
5-1/2", 17#, N80, K55, J55 @ 11025'
 Cmt'd w/600 sx. TOC-2800' (CBL)

TD @ 11025' (9/24/90)

DEVON ENERGY PRODUCTION COMPANY LP

Well Name: Artesia State Com 3		Field: Travis	
Location: Sec 23-T18S-R28E; 1980' fnl & 2100' fwl		County: Eddy	State: NM
Elevation: 3509' GR		Spud Date: 8/22/90	Compl Date: 10/31/90
API#: 30-015-26413	Prepared by: Ronnie Slack	Date: 11/19/04	Rev:

■ CURRENT

14-3/4" Hole
11-3/4", 42#, H40, @ 360'
 Cmt'd w/275 sx. Cmt to surf.

11" Hole
8-5/8", 32#, K55, @ 3000'
 Cmt'd w/1200 sx. Cmt to surf.

2-7/8" tubing

Packer @ 6965'

packer depth rpt'd on re-cmpl
 sundry. missing wrk reports to
 verify

TOC-7800' (cbl) (9/30/90) →

CANYON (7/96)
 9669' - 9672'
 9692' - 9702'
 9713' - 9717'
 9724' - 9731'
 9745' - 9749'

ATOKA (11/18/90)
 10297' - 10328'

Rcmpl sundry reports PBD @ 10197'. Sundry
 was to set CIBP @ 10197' + 35' cement.
 Missing reports to verify actual plug setting.

TCP guns released (11/18/90)

MORROW (10/3/90)
 10632' - 10705'
 frac'd w/29K# sand

PBD @ 10515'
 CIBP @ 10550'. Capped w/35' cement.

7-7/8" Hole
5-1/2", 17#, N80, K55, J55 @ 11025"
 Cmt'd w/600 sx. TOC-2800' (CBL)

FC @ 10938'

TD @ 11025' (9/24/90)

