Form 31:0-5 (August 1999)

## Oil Cons. N.M. DIV-Dist. 2

1301 W. Grand Avenue **UNITED STATES** DEPARTMENT OF THE INTERIOR ITESIA, NM 88210 BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires November 30, 2000

## SUNDRY NOTICES AND REPORTS ON WELLS

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS					LC067849			
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian	6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other Instructions on reverse side  1. Type of Well  Oil Well S Gas Well Other  2. Name of Operator Ricks Exploration, Inc.					7. If Unit or CA/Agreement, Name and/or No.			
Oil Well 🖾 Gas Well 🗆 Other					8. Well Name and No.			
2. Name of Operator Ricks Exploration, Inc.			APP 900	1 rigg "B"	Trigg "B" Federal #2			
3a. Address 110 W. Louisiana, Ste. 410, Midland, TX 79701  3b. Phone No. (include diagram) (915)6837443			<del></del>	30-015-3	30-015-32495 10. Field and Pool, or Exploratory Area			
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)			ARTESIA A	Logan D	raw-Gas			
660' FSL & 660' FWL, Sec. 34, T17S, R27E			75.05.92 82 12.30.27	/ 11. County Eddy	11. County or Parish, State Eddy			
Million and the Control of the Contr				New Mex				
12. CHECK A	PPROPRIATE BOX(ES)	TO INDICATE NAT	URE OF NOTICE,	REPORT, O	R OTHER DATA			
TYPE OF SUBMISSION		7	YPE OF ACTION	- 1 ( ) ( ) ( ) ( ) ( ) ( ) ( )				
☐ Notice of Intent	Acidize	Deepen	Production (S	tart/ Resume)	☐ Water Shut-Off			
Subsequent Report	Alter Casing Casing Repair	☐ New Construction	Reclamation Recomplete		Well Integrity  ☐ Other Spud; (	casing		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	recomplete	bandon				
Final Adandonment Notice	Convert to Injection	☐ Plug Back	☐ Water Disposa	al				
following completion of the in	le 18" 48# H-40 ST&C csg. 28n 60 jts. 8 5/8" 32# K-53 28x 50/50 Poz C + 3# LC 29 9930' N-80 csg. set @ 9910'. 20 tascillate. Pumped 2nd 200 sx H neat. 27/8" tbg. to 7520'. 260 bbls 7% KCl water CR/CBL d Morrow formation from 25 formation from 9440 - 9	set @ 450'. Cmt'd  Set @ 450'. Cmt'd  5 LT & C csg. set @  M 1 + 5% salt + 1/4  Cmt'd w/1st lead 5  stage w/820 sx 35/  r. spot 2 bbls. 10% a	w/500 sx Cl c + 2 2 2620'. Cmt'd w/ # CF & tailed w/2 65 Poz H + 5% sa acetic acid from 94	in a new interval mation, have been mation, have	I, a Form 3160-4 shall n completed, and the of 1/4# CF Circ. 0% A-10 + 2% CF CaCl2. 5% FL-52 + .15% + 5# Gilsonite + 1/2. Tested csg. to	be filed once perator has  CaCl2 +  6 R-21 +  .3% FL-  2500 psi -		
<ol> <li>I hereby certify that the foregon Name (Printed/Typed)</li> </ol>	ing is true and correct	Title						
Haylie Urias		Regu	ılatory Analyst	AP	R 1 5 2003			
Signature -	as/hr_	Date 04/10	0/2003					
	THIS SPACE	FOR FEDERAL OR	STATE OFFICE US	PETRO	LEUM ENGIN <b>EE</b>	2 J. A		
Approved by			Title	r	Date			
Conditions of approval, if any, are certify that the applicant holds legs			Office					

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or

fraudulent statements or representations as to any matter within its jurisdiction.

## **ATTACHMENT TO**

## **FORM 3160-5 - SUNDRY NOTICE**

TRIGG "B" FEDERAL #2

April 10, 2003

2-28-03	Squeeze perfs w/75 sx Cl H w/.5% FL-52 w/50 sx Cl H. 3400 psi
3-01-03	Drld cmt. From 9366' to 9377'. Drld cmt ret from 9377' to 9380'. Drld cmt from 9380' to 9443 & drld cmt. Stringers 9443 to to 9467'. RIH w/tbg to 9500' Test squeeze to 2500 psi – ok.