


Submit 3 Copies To Appropriate District Office
 District I
 1625 N. French Dr., Hobbs, NM 88240
 District II
 1301 W. Grand Avenue, Artesia, NM 87210
 District III
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources
 OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised March 25, 1999



Well API NO. 30-015-01767
 5. Indicate Type of Lease
 STATE ☒ FEE ☐
 6. State Oil & Gas Lease No.
 E-1284-2

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other		7. Lease Name or Unit Agreement Name: Fulton-Collier State
2. Name of Operator Yates Energy Corporation		8. Well No. 3
3. Address of Operator P. O. Box 2323, Roswell, New Mexico 88202		9. Pool name or Wildcat Artesia (Queen, Grayburg, SA)
4. Well Location Unit Letter <u>C</u> : <u>330</u> feet from the <u>north</u> line and <u>1630</u> feet from the <u>west</u> line Section <u>1</u> Township <u>18S</u> Range <u>28E</u> NMPM County <u>Eddy</u>		
10. Elevation (Show whether DR, RKB, RT, GR, etc.) 3662 GR		

11. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☒ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐ OTHER: ☐		SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐ CASING TEST AND CEMENT JOB ☐ OTHER: ☐
--	--	---

12. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- 1.) CIBP @2350' with 35' of cement on top.
- 2.) 25 sacks cement from 865' to 765'
- 3.) 25 sacks cement from 760' to 660' Tag
- 4.) 25 sacks cement from 682' to 582' Tag
- 5.) 25 sacks cement from 680' to 0' - was 24 hrs - Tag

Notify OCD 24 hrs. prior to any work done

Salt gel mud consisting of 10#
 Brine W/25# of gel per bbl
 must be placed between each plug

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Sheryl L. Jonas TITLE Agent for Yates Energy Corp. DATE 04/25/03

Type or print name Sheryl L. Jonas
 (This space for State use)

Telephone No. (915) 683-5511

APPROVED BY [Signature] TITLE Field Rep ID DATE MAY 9 2003

Conditions of approval, if any:

WELL COMPLETION SKETCHES SUN-5036-4-A

WELL

Fulton Collier #3


FIELD

DATE

2/18/03

Location 1C, T-18-S R-28-E

by Cheryl Jonas



OPERATOR: Yates Petroleum Corp.Inc.		API# 30-015-01767	
WELL: Fulton-Collier State # 3		LOCATION: C-1-18-28	
SURFACE CSG-HOLE SIZE	" CSG. SIZE 8 5/8"	SET @ 710' SX. CMT.	TOC. Circ
LONG STRING- HOLE SIZE	" CSG. SIZE 5.5"	SET @ 3410' SX. CMT.	TOC. Circ.
OTHER-			

