District II
1301 W. Grand Avenue, Artesia, NM 88240
District III
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of INEW IVIEXICO Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes X No.

	or below-grade tank \square Closure of a pit or below-g	
	or below-grade tank Closure of a pit or below-g-mail address: mikes@ypc.com	grade tank X
Liner type: Synthetic [Thickness 10 mil Clay [
Pit Volume 24,000 _bbl Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points)X (0 points) (0 points) (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)X
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)X
	Ranking Score (Total Points)	10 Points
If this is a pit closure: (1) Attach a diagram of the facility showing the pit' your are burying in place) onsite X offsite If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No I (5) Attach soil sample results and a diagram of sample locations and excavar Additional Comments: Closure workplan for drilling pit. The drilling pit of the 12 mill Surphytic lines on forward dilling pit in Drilling pit of the same of the property of	Yes If yes, show depth below ground surfacetions. Ontents will be mixed to stiffen the pit contents. Enc	ft. and attach sample results. apsulation trench will be excavated and lined
with a 12 mil. Synthetic liner on former drilling pit site. Drilling pit conter over the pit contents with a min. of a 3' over lap of the underlying trench and like material. A one call & 48 hour notice will be provide to the Oil Co	areas. The encapsulation trenches will then backfille	d back to grade using a min. of 3' of clean soil
Pit Closure actions to begin by NA. Ending date NA.		
I hereby certify that the information above is true and complete to the best has been will be constructed or closed according to NMOCD guideline		
Date: _1/26/2005 Signature Printed Name/Title Signature Your certification and NMOCD approval of this application/closure does not otherwise endanger public health or the environment. Nor does it relieve to regulations.	not relieve the operator of liability should the content the operator of its responsibility for compliance with	ts of the pit or tank contaminate ground water of any other federal, state, or local laws contain
Approval: Printed Name/Title Printed Name/Title Printed Name/Title OF INFORMATION. PLEASE HIGHLIGHTED AREA	SE lure	
AND/OR NOTED PROBLE	M.	A state of the party of the par

