Form 3160-5 (April 2004)

N.M. Oil Cons. DIV-Dist. 2

UNITED STATES 1201 W. Grand Avenue DEPARTMENT OF THE INTERIOR W. Grand Avenue BUREAU OF LAND MANAGEMENT 82210

FORM APPROVED OMB No. 1004-0135

SUNDRY NOTICES AND REPORTS ON WELLS

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

Expires March 31, 2007

				5. Lease Serial No. NM-42787	
abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name	
SUBMIT IN TRIPLICATE	- Other instructions	s on reverse side		7. If Unit or CA/Agree	ement, Name and/or No.
1. Type of Well Oil Well Gas Well Other				8. Well Name and No.	
2. Name of Operator				Ocotillo ACI Fe	ederal #3
Yates Petroleum Corporation	- No. (include and and a		9. API Well No.		
3a. Address	e No. (include area code) 505-748-1471		30-015-27963 10. Field and Pool, or Exploratory Area		
105 S. 4th Str., Artesia, NM 8821 4. Location of Well (Footage, Sec., T., R., M., OR Sur	303-740-1471			Draw Upper Penn	
1. 2000.001 of 71 of 16			11. County or Parish,		
1980'FNL & 1980'FEL of Section 10-T20S-R24E (Unit G, SWNE)				Eddy County, New Mexico	
12. CHECK APPROPRIATE			NOTICE, RE		
TYPE OF SUBMISSION	<u> </u>	TYPE O	F ACTION		
1112 01 002111201011				·	
	Acidize	Deepen	Production (S	Start/Resume)	Water Shut-Off
X Notice of Intent	Alter Casing	Fracture Treat	Reclamation		Well Integrity
	Casing Repair	New Construction	Recomplete		Other
Subsequent Report	Change Plans X	Plug and Abandon	Temporarily A	Abandon	
First Aleman Nation		i i			
Final Abandonment Notice 13. Describe Proposed of Completed Operation (clearly state	Convert to Injection	Plug Back	Water Dispos		
If the proposal is to deepen directionally or recomplete he Attach the Bond under which the work will be performe following completion of the involved operations. If the o testing has been completed. Final Abandonment Notice determined that the site is ready for final inspection.)	ed or provide the Bond No. on file operation results in a multiple compass shall be filed only after all requi	with BLM/BIA. Required subs eletion or recompletion in a ne- rements, including reclamation	equent reports shal w interval, a Form 3 n, have been comple	ll be filed within 30 day 3160-4 shall be filed ond	s RECEIVE
Yates Petroleum Corporation plans to	· -	his well as follows:			— ைலார ்றி
Call BLM in Carlsbad prior to starting 1. MIRU. Rig up safety trailer as nec					
2. RIH with tubing open ended to the	•	nd spot 100' (25sx)) plua inside	casing Tagn	lua-
3. Spot 100' (25sx) Abo plug at 4253'		op 00 .00 (200.)	, p		
4. Spot 100' (25sx) Glorieta plug at 1	APPROVED				
5. Spot 100' (25sx) surface shoe plug at 1215'.				AFF	NOVED
6. Spot 100' (25sx) San Andres plug7. Spot 100' (25sx) surface plug at 60					
, , ,		FEB	1 8 2005		
8. Clean up location, release equipment, Rip and seed per BLM regulations. NOTE: Yates Petroleum Corporation will use steel pits and no earth pits					
TVOTE. Tales Felloleum Corporation	i wiii use steel pits all	iu no earin piis		LES	S BABYAK
14. I hereby certify that the foregoing is true and corr	ect			PETROL	EUM ENGINEER
Name <i>(Printed/Typed)</i> Tina Huerta		Title Regulate	ory Complia	nce Supervisor	•
Tina Tuerta		Title Tregular	ory Compila	ince Supervisor	
Signature June Hu	rta	_{Date} Februar	y 17, 2005	MOCH	
)	THIS SPACE FOR FEE	DERAL OR STATE OF	FICE USE		
Approved by		Title	, cocc	Date	
Conditions of approval, if any, are attached. Approvertify that the applicant holds legal or equitable tit which would entitle the applicant to conduct operation	le to those rights in the subject	rant or	ccepted for the		
Title 18 LLS C. Section 1001 and Title 43 LLS C. Sec		any parson knowingly and	Gillfullu to molin t	a any department or a	agongs of the United

WELL NAME: Ocotillo ACI Fed # 3 Field: Dagger Draw - Canyon **LOCATION**: Sec 10, T20S-24E 1980' FNL & 1980' FEL Eddy County, NM GL: ZERO: KB: 18'

SPUD DATE: 5/16/04 COMPLETION DATE: 6/16/94

COMMENTS: 30-015-27963

BEFORE

9 5/8" 32# K-55	1165'
7" 26# & 23#, J-55 & N-80 ST&C	7978'

TOPS

420'

1919'

4203'

5331'

7487

San Andres

Glorieta

Wolfcamp

Abo

Cisco

11" hole

8 1/4" hole

Casing Collapsed @ 4,650

Top of 7/8" rods pulled in two @ 4,678'

Tubing Anchor @ 7506'

2 7/8" Tbg @ 7574'

1 1/2" dip tube @ 7842'

PBTD 7933'

Canyon Perf's: 7604' - 7670'

Acidize: 10,000 gal 20% NeFe

9 5/8" @ 1165' w/ 1555 sx (circ)

7" @ 7982' w/ 1350 sx circ to surface

PA

TD 7982'

Not to Scale

WELL NAME: Ocotillo ACI Fed #3 Field: Dagger Draw - Canyon

LOCATION: Sec 10, T20S-24E 1980' FNL & 1980' FEL

Eddy County, NM

GL: ZERO: KB: 18'

SPUD DATE: 5/16/04 COMPLETION DATE: 6/16/94

COMMENTS: 30-015-27963

After

O TO WO DOOD AND		
9 5/8" 32# K-55	1165	
7" 26# & 23#, J-55 & N-80 ST&C	7978	
_		

11" hole

8 1/4" hole

Top of tubing @ 4,620'

Casing Collapsed @ 4,650'

Top of 7/8" rods pulled in two @ 4,678'

Tubing Anchor @ 7506'

2 7/8" Tbg @ 7574'

1 1/2" dip tube @ 7842'

60' Cement Plug @ surface (TAG)

San Andres 100' Cement Plug from 470' to 370'

Shoe Plug 100' Cement Plug from1,215' to 1,115' (TAG)

9 5/8" @ 1165' w/ 1555 sx (circ)

Glorieta Plug 100' Cement Plug from1,969' to 1,869'

TOPS

 San Andres
 420'

 Glorieta
 1919'

 Abo
 4203'

 Wolfcamp
 5331'

 Cisco
 7487'

Abo Plug 100' Cement Plug from4,253' to 4,153'

Top of Collapsed Casing 100' Cement Plug from4,620' to 4,520' (TAG)

Canyon

Perf's: 7604' - 7670'

Acidize: 10,000 gal 20% NeFe

PBTD 7933'

PA

7" @ 7982' w/ 1350 sx circ to surface

TD 7982'

Not to Scale