

UNITED STATES DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

Form approved.
Budget Bureau No. 1004-0137
Expires August 31, 1985

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other _____

b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other _____

RECEIVED

FEB 24 2005

GOOD AFTERNOON

2. NAME OF OPERATOR

BURNETT OIL CO., INC. 817/332-5108

3. ADDRESS OF OPERATOR BURNETT PLAZZA- SUITE 1500

801 CHERRY STREET- UNIT #9 FORT WORTH, TEXAS 76102-6881

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)*

At surface

UNIT E, 2310' FNL, 990' FWL

At top prod. interval reported below

SAME AS SURFACE

At total depth

SAME AS SURFACE

14. PERMIT NO.

3160-3

DATE ISSUED

7/7/2004

15. DATE SPUDDED

10/25/2004

16. DATE T.D. REACHED

11/11/2004

17. DATE COMPL. (Ready to prod.)*

12/9/2004

18. ELEVATIONS (DF, RKB, RT, GR, ETC.)*

3698' GR

19. ELEV. CASINGHEAD

20. TOTAL DEPTH, MD & TVD

5382'

21. PLUG, BACK T.D., MD & TVD

5314'

22. IF MULTIPLE COMPL., HOW MANY*

23. INTERVALS DRILLED BY

→

ROTARY TOOLS

X

CABLE TOOLS

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

4535'- 4805' CEDAR LAKE YESO/LOCO HILLS PADDOCK

25. WAS DIRECTIONAL SURVEY MADE

NO

26. TYPE ELECTRIC AND OTHER LOGS RUN

DLL/MICRO-GUARD, SD,DSN,SPECTRAL GR,LSS

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9-5/8"	32.30#	428'	14-3/4"	450 sks C W/2% CaCL.	
7"	23#	5362'	8-3/4"	2250 sks CL "C" & Poz mix & 250 sks C in Two Stages	

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2-7/8"	4847'	

31. PERFORATION RECORD (Interval, size and number)

4535'- 4805' Total 24 holes @ 2 SPF.

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
4535'- 4805'	ACIDIZE W/2000 GALS 15% FE
4535'- 4805'	35,000 Gals 20% Hot HCL w/57,000 Gals WFG gel w/5000# 100 mesh sand
4535'- 4805'	5,000 Gals 15% HCL Acid

33.* PRODUCTION

DATE FIRST PRODUCTION		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)				WELL STATUS (Producing or shut-in)	
12/9/2004		Pumping 25 x 20 x 20 RWTC				Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
12/14/2004	24		→	155	195	540	
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	GRAVITY-API (CORE)	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

SOLD TO FRONTIER, INC. THROUGH GISSLER B 3-3 BATTERY.

35. LIST OF ATTACHMENTS

DLL/MICRO-GUARD,SD,DSN,SPECTRAL GR,LSS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

Stirling Landry

TITLE

PETROLEUM ENGINEER

DATE

2-18-2005

TEST WITNESSED BY

FEB 23 2005
BELTON MATHEWS

LEG BABYAK
PETROLEUM ENGINEER

*(See Instructions and Spaces for Additional Data on Reverse Side)

37. SUMMARY OF POROUS ZONES: (Show all important zones of porosity and contents thereof; cored intervals; and all drill-stem, tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures, and recoveries):

38. GEOLOGIC MARKERS

FORMATION	TOP	BOTTOM	DESCRIPTION, CONTENTS, ETC.	NAME	TOP	
					MEAS. DEPTH	TRUE VERT. DEPTH
				ALLUVIUM	SURFACE	
				ANHYDRITE	232'	
				SALT	443'	
				BASE SALT	1123'	
				SEVEN RIVERS	1577'	
				QUEEN	212'	
				GRAYBURG	2592'	
				SAN ANDRES	2907'	
				YESO	4502'	

RECEIVED

2007 JUN 22 10:11:08

NO. 401 - 1700

WELL NAME AND NUMBER Gissler B No. 35
LOCATION 990' FWL & 2310' FNL, Section 14, T17S, R30E, Eddy County NM
OPERATOR Burnett Oil Company, Inc.
DRILLING CONTRACTOR United Drilling, Inc.

The undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above described well and had conducted deviation tests and obtained the following results:

<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>	<u>Degrees @ Depth</u>
<u>1/2° 400'</u>	<u>1° 4512'</u>	<u></u>
<u>3/4° 1003'</u>	<u></u>	<u></u>
<u>3/4° 1507'</u>	<u></u>	<u></u>
<u>3/4° 2011'</u>	<u></u>	<u></u>
<u>1° 2516'</u>	<u></u>	<u></u>
<u>1° 3000'</u>	<u></u>	<u></u>
<u>1° 3502'</u>	<u></u>	<u></u>
<u>1° 4112'</u>	<u></u>	<u></u>

RECEIVED

FEB 22 2005

GOODARTER

Drilling Contractor United Drilling, Inc.

By: George A. Aho

Title: Business Manager

Subscribed and sworn to before me this 15th day of November,
2004

Charles Martin
Notary Public

My Commission Expires: 10-08-08

Chaves New Mexico
County State