State of New Mexico **Energy Minerals and Natural Resources**

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe


Form C-144

June 1, 2004

Oil Conservation Division

1220 South St. Francis Dr. office Santa Fe, NM 87505 Pit or Below-Grade Tank Registration or Closure

	nk covered by a "general plan"? Yes X l or below-grade tank Closure of a pit or below	
Decrator: _SDX Resources, IncTelephone: 432 Address: _PO Box 5061, Midland, TX 79704API #: _30-015-336		
Sounty: Eddy 1650' FSL 330' FEL NAD: 19	927 X 1983 Surface Owner Federal State X	《 Private ☐ Indian ☐
it \text{Ype: Drilling X Production } Disposal } \text{Workover } Emergency } \text{ined X Unlined } \text{iner type: Synthetic X Thickness } 12_mil Clay } \text{it Volume } 8000_bbl	Below-grade tank Volume:bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes If not, explain why not	
Depth to ground water (vertical distance from bottom of pit to seasonal high vater elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points) 0
Vellhead protection area: (Less than 200 feet from a private domestic vater source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points) 0
Distance to surface water: (horizontal distance to all wetlands, playas, rigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) 0
If this is a pit closure: (1) attach a diagram of the facility showing the pit's your are burying in place) onsite X offsite If offsite, name of facility remediation start date and end date. (4) Groundwater encountered: No Y Attach soil sample results and a diagram of carmle locations and exceptations.	. (3) Attach a genera Zes If yes, show depth below ground surface_	l description of remedial action taken including
Attach soil sample results and a diagram of sample locations and excavations Additional Comments: Closure Plan: Pits will be allowed to dry sufficiently the pit will be capped with a 20 mil synthetic liner and covered with 3' of cle	y and earthen material will be mixed with pit conte	ents as necessary. Pit liner edges will be folded in and
I hereby certify that the information above is true and complete to the best of been/will be constructed or closed according to NMOCD guidelines X, a Date:2/23/05	Signature (rational) alternative (signature) (signatur	e OCD-approved plan . Solution:
Approval: Printed Name/Title	Signature	FBB 25 2005





SDX Resources, Inc.
Drilling rig layout

East Millman Unit