Form 3160-5 (August 2007)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD Arte	sla
OCD Arte	5

FORM APPROVED OMB NO 1004-0135 Expires: July 31, 2010

	OMB NO 1004-013 Expires July 31, 201
5	Lease Serial No. NMLC029435B

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals

If Indian Allottee or Tribe Name

* OPERATORFSURMMANEREMENT CARLSBAD FIELD OFFICE

abandoned we	II. Use form 3160-3 (APD) for s	uch proposals.		6. If Indian, Allottee o	r Tribe Name	
SUBMIT IN TRI	PLICATE - Other instructions o	n reverse side.		7. If Unit or CA/Agree	ement, Name and/or No.	
1 Type of Well Gas Well Gother: INJECTION				8. Well Name and No J L KEEL B 042		
Name of Operator LINN OPERATING, INC.		S FITZWATER ergy com		9 API Well No 30-015-25974		
3a. Address 600 TRAVIS ST., SUITE 5100 HOUSTON, TX 77002	one No. (include area code 81-840-4266 81-840-4003	;	10. Field and Pool, or Exploratory GRAYBURG JACKSON;SR-Q-G-S			
4. Location of Well (Footage, Sec., 7	., R , M., or Survey Description)			11 County or Parish,	and State	
Sec 6 T17S R31E Mer NMP N 32.861710 N Lat, 103.910240		·	EDDY COUNTY, NM			
12. CHECK APPI	ROPRIATE BOX(ES) TO INDIC	CATE NATURE OF	NOTICE, RI	EPORT, OR OTHER	R DATA	
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION			
Notice of Intent		Deepen	- P	ion (Start/Resume)	□ Water Shut-Off	
Subsequent Report	, –	Fracture Treat	□ Reclam		☐ Well Integrity	
_	, —	New Construction	□ Recomp		□ Other	
☐ Final Abandonment Notice		Plug and Abandon	_	arily Abandon		
,	Convert to Injection	Plug Back	□ Water I			
RETURN WELL TO INJECTION 3/1/11 - PASS MOCK MIT; IN SEE ATTACHED F CONDITIONS OF A	OR APPROVAL	ENTESTATE O ENTESTATE O 15 2011 DCD ARTESIA	F NEW MEX acce, with 07/0		42411	
14. Thereby certary that the foregoing is	Electronic Submission #111552 v		eli Informatio	n System		
Name (Printed/Typed) NANCY S	Title REGUI	Title REGULATORY COMPLIANCE ADVISOR				
Signature (Electronic S	Submission)	Date 06/27/2	Date 06/27/2011			
	THIS SPACE FOR FEI	DERAL OR STATE	OFFICE U	SE		
Approved By		Title	ACCEP	TED FOR RE	CORD	
onditions of approval, if any, are attached that the applicant holds legal or equivich would entitle the applicant to conditions.	lease Office		1111 5 6 5011			
itle 18 U S.C. Section 1001 and Title 43	U.S.C. Section 1212, make it a crime fo statements or representations as to any n	r any person knowingly ar	nd willfully to m	nake to any department o	r agency of the United	

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

BUREAU OF LAND MANAGEMENT
SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB NO. 1004-0135 Expires. July 31, 2010

Lease Serial No. NMLC029435B

Do not use th						
abandoned we	6. If Indian, Allottee	6. If Indian, Allottee or Tribe Name				
SUBMIT IN TRIPLICATE - Other instructions on reverse side.			7. If Unit or CA/Agre	7. If Unit or CA/Agreement, Name and/or No		
1 Type of Well	 		8. Well Name and No			
Oil Well Gas Well 🔀 Oth			J L KEEL B 042			
2. Name of Operator LINN OPERATING, INC.	E-Mail: nfitzwater@lin		9 API Well No 30-015-25974			
3a Address 600 TRAVIS ST., SUITE 5100 HOUSTON, TX 77002) P	 Phone No. (include area code h: 281-840-4266 x: 281-840-4003 		10. Field and Pool, or Exploratory GRAYBURG JACKSON;SR-Q-G-S		
4 Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11 County or Parish,	11 County or Parish, and State		
Sec 6 T17S R31E Mer NMP NESW 1980FSL 1780FWL 32.861710 N Lat, 103.910240 W Lon			EDDY COUNTY	Y, NM		
12. CHECK APPI	ROPRIATE BOX(ES) TO IN	NDICATE NATURE OF	NOTICE, REPORT, OR OTHE	R DATA		
TYPE OF SUBMISSION	F SUBMISSION TYPE OF ACTION					
Nation of Laterat	Acidize	Deepen	Production (Start/Resume)	☐ Water Shut-Off		
□ Notice of Intent	Alter Casing	Fracture Treat	Reclamation	☐ Well Integrity		
Subsequent Report	Casing Repair	New Construction	Recomplete	Other		
Final Abandonment Notice	Change Plans	Plug and Abandon	☐ Temporarily Abandon	_		
	Convert to Injection	Plug Back	☐ Water Disposal			
following completion of the involved testing has been completed. Final Abdetermined that the site is ready for final RETURN TO INJECTION: 3/1/11 - INJECTION VOLUME SEE ATTACHED CONDITIONS OF	operations. If the operation results candonment Notices shall be filed of inal inspection.) S REPORTED TO STATE CORPORAL	in a multiple completion or recults after all requirements, included the control of the control	A. Required subsequent reports shall be ompletion in a new interval, a Form 316 ding reclamation, have been completed,	60-4 shall be filed once		
14 Thereby certify that the foregoing is	Electronic Submission #1117 For LINN OPER	RATING, INC., sent to the C	Carlsbad .			
Committed to AFMSS for processing by KUF Name (Printed/Typed) NANCY S FITZWATER Title			•			
Name(Printed/Typea) NANCY S	FIIZWAIER	THE REGUL	LATORY COMPLIANCE ADVISO	JH 		
Signature (Electronic S		Date 06/28/2	<u> </u>	R RECORD		
	THIS SPACE FOR	FEDERAL OR STATE	OFFICE USE TO TO	II ILOUND		
Approved By		Title	JUL 13	2011 Date		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent to conditions.	itable title to those rights in the sub	warrant or oject lease	an hit	Inla		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department of agents of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Conditions of Approval: Wells with Packers*

Linn Operating Inc J L Keel B 042

July 08, 2011

- Conduct a Mechanical Integrity Test of the tubing/casing annulus after a tubing, packer or casing seal is established. Repair that seal any time more than five barrels of packer fluid is replaced within 30 days.
 - a. The minimum test pressure should be 500 psig for 30 minutes or 300 psig for 60 minutes, with 200 psig differentials between tubing and casing pressure (at test time) but no more than 70% of casing burst pressure as described by Onshore Order 2.III.B.1.h. (The tubing or reservoir pressure may need to be reduced). An alternate method for a BLM approved MIT is to have the fluid filled system open to atmospheric pressure and have a loss of less than five barrels in 30 days witnessed by a BLM authorized officer.
 - b. Document the pressure test on a calibrated recorder chart registering within 25 to 85 per cent of its full range. Greater than 10% pressure leakoff will be viewed as a failed MIT. Less than 10% pressure leakoff will be evaluated site specifically and may restrict injection approval.
 - c. Notify Paul R. Swartz at 575-234-5985 and/or 575-200-7902 at least 24 hours before the test. If there is no response, notify the BLM on call drilling phone, 575-361-2822.
 - d. Submit a subsequent Sundry Form 3160-5 relating the MIT activity. List the name of the BLM witness, or the notified person and date of notification. NMOCD is to retain the original recorded MIT chart.
 - e. Use of tubing internal protection, on/off tubing equipment just above the packer, and a profile nipple installation is required. The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore work.
 - f. Submit the original subsequent sundry with three copies to BLM Carlsbad.
- 2. Compliance with a NMOCD Administrative Order is required, submit documentation of that authorization.
 - a. Approved injection pressure compliance is required.
 - b. If injection pressure exceeds the approved pressure you are required to reduce that pressure and notify the BLM within 24 hours.
 - c. When injection pressure is within 50 psig of the maximum pressure, install automation equipment that will prevent exceeding that maximum.
 - i. Submit a subsequent report (Sundry Form 3160-5) describing the installed automation equipment.
 - e. Other unexplained significant variations of rate or pressure to be reported within 5 days of notice.

- 3. The casing/tubing annulus is required to be monitored for communication with injection fluid or loss of casing integrity.
 - a. The annulus is to be maintained full of packer fluid at atmospheric pressure. Installation of equipment that will display on site, continuous open to the air fluid level is required. A BLM inspector may request verification of this fluid level at any time.
 - b. Loss of packer fluid above five barrels per month requires notification of the BLM authorized officer within 5 days.
 - c. Gain of annular fluid requires notification within 24 hours. Cease injection and maintain a production casing pressure of Opsia. Notify the BLM's authorized officer (Paul R. Swartz at 575-200-7902). If there is no response, notify the BLM on call drilling phone, 575-361-2822.
 - d. Also submit to this office a (Sundry Form 3160-5) Notice of Intent (NOI) for approval by BLM and NMOCD with a detailed plan for correction and the anticipated date of correction. Verbal approval for the plan may be given by a BLM authorized officer, with the NOI filed within five business days.
 - e. After the repairs submit a (Sundry Form 3160-5) Subsequent report, describing the repair(s) and Mechanical Integrity Test as per item 1 above.
 - f. The operator shall keep accurate and current records documenting that the casing annulus is fluid filled. A suggested format for these records is available from the BLM Carlsbad Field Office. Copies of those records shall be furnished at the request of a BLM authorized officer.

*COA's prepared by Paul R Swartz