

Submit to Appropriate District Office

State Lease - 6 copies

Fee Lease - 5 copies

District I

1625 N. French Dr., Hobbs, NM 88240

District II

1301 W. Grand Avenue, Artesia, NM 88210

District III

1000 Rio Brazos Rd, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural ResourcesOil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

RECEIVED

MAR 09 2005

Form C-105

Revised June 10, 2003

Well API No.	30-015-33444
5. Indicate Type of Lease	<input checked="" type="checkbox"/> STATE <input type="checkbox"/> FEE
State Oil & gas Lease No.	

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

OOD:ARTESIA

1a Type of Well: <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other		7. Lease Name and Unit Agreement Name	
b. Type of Completion: <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr., <input type="checkbox"/> Other		Parkway West Unit	
2. Name of Operator Devon Louisiana Corporation		8. Well No. 20	
3. Address of Operator 20 North Broadway, Ste 1500, Oklahoma City, OK 73102 405-552-8198		9. Pool name or Wildcat Parkway; Morrow West Gas	
4. Well Location Unit Letter <u>M</u> <u>660</u> feet from the <u>SOUTH</u> line and <u>660</u> feet from the <u>WEST</u> line Section <u>27</u> <u>19S</u> Township <u>29E</u> Range <u>NMPM</u> County <u>Eddy</u>			
10. Date Spudded 6/24/2004	11. Date T.D. Reached 7/27/2004	12. Date Completed 9/16/2004	13. Elevations (DR, RKB, RT, GL)* 3306 GL
14. Elev. Casinghead			
15. Total Depth: MD 11,740	16. Plug Back T.D.: 11,480	17. If Multiple Compl. How Many Zones	18. Intervals Drilled BY <u>xx</u>
19. Producing Intervals(s), of this completion - Top, Bottom, Name 11306-11436' Morrow West Gas		20. Was Directional Survey Made No	
21. Type Electric and Other Logs Run SDL/DSN,CSNG,DLL/MGRD,SFTT		22. Was Well Cored No	

23 CASING RECORD (Report all strings set in well)

Casing Size	Weight LB./FT.	Depth Set	Hole Size	Cementing Record	Amount Pulled
13 3/8"	54.5#	1300'	17 1/2"	1000sx CLC, circ 42 sx	
9 5/8"	36#	3240'	12 1/4"	843sx Poz,450sxCLC, circ 386 sx	
5 1/2"	17#	11,729'	7 7/8"	2560sx CLC, circ to surf	

24 Liner Record

25 Tubing Record

Size	top	Bottom	Sacks Cement	Screen	Size	Depth Set	Packer Set

26. Perforation record (interval, size, and number)

11523-11562'; 72 holes

11306-11436; 162 holes

27. Acid, Shot, Fracture, Cement, Squeeze, ETC.

Depth Interval	Amount and Kind Material Used
11523-11562	Acidize w/ 2000 gals of 7.5% HCl
11306-11436	Acidize w/ 2500 gals 7.5% HCl. Frac w/ 58,000 #
	Bauxite

28 PRODUCTION

Date First Production 9/18/2004		Production Method (Flowing, Gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. Or Shut-In) Producing	
Date of Test 9/25/2004	Hours Tested 24	Choke Size 16/64	Prod'n For Test Period	Oil - Bbl 11	Gas - MCF 1548	Water - Bbl 3	Gas - Oil Ratio 140727
Flowing Tubing Press. 1000	Casing Pressure 0	Calculated 24-Hour Rate	Oil - Bbl 11	Gas - MCF 1548	Water - Bbl 3	Oil Gravity - API (Corr.)	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)


SOLD

Test Witnessed By

30. List Attachments

Logs and deviation survey

31. I hereby certify that the information shown on both sides of this form as true and complete to the best of my knowledge and belief

SIGNATURE  Printed Name Norvella Adams Title Sr. Staff Engineering Technician DATE 3/7/2005

E-mail Address: Norvella.adams@dmn.com

This Form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem test. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATIONS TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

In New Mexico		Northwestern New Mexico	
Bone Spring Carbonate	5368	T. Canyon	T. Ojo Alamo
1st Bone Spring Sandstone	6951	T. Strawn	T. Kirtland-Fruitland
2nd Bone Spring Carbonate	7148	T. Atoka	T. Pictured Cliffs
2nd Bone Spring Sandstone	7764	T. Miss	T. Cliff House
3rd Bone Spring Carbonate	8079	T. Devonian	T. Menefee
3rd Bone Spring Sandstone	8698	T. Silurian	T. Point Lookout
Wolfcamp	9200	T. Montoya	T. Mancos
Cisco	10049	T. Simpson	T. Gallup
Strawn	10276	T. McKee	Base Greenhorn
Middle Morrow Clastics	11207	T. Ellenburger	T. Dakota
Lower Morrow	11487	T. Gr. Wash	T. Morrison
Barnett	11594	T. Delaware Sand	T. Todilto
		T. Bone Springs	T. Entrada
		T.	T. Wingate
		T.	T. Chinle
		T.	T. Permian
		T.	T. Penn "A"
			T. Penn "B"
			T. Penn "C"
			T. Penn "D"
			T. Leadville
			T. Madison
			T. Elbert
			T. McCracken
			T. Ignacio Otzte
			T. Granite

OIL OR GAS
SANDS OR ZONES

No. 1, from to.....
No. 2, from to.....

No. 3, from to.....
No. 4, from to.....

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from to feet.....
 No. 2, from to feet.....
 No. 3, from to feet.....

feet.....

feet.....

feet.....

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thicknes In Feet	Lithology	From	To	Thickness in Feet	Lithology

PARKWAY WEST UNIT #20

Eddy County, New Mexico

LEASE & WELL

(Give Unit, Section, Township and Range)

OPERATOR

DEVON ENERGY 20 N BROADWAY, SUITE 1500 OKLAHOMA CITY, OK 73102

DRILLING CONTRACTOR

NABORS DRILLING USA, LP

The Undersigned hereby certifies that he is an authorized representative of the drilling contractor who drilled the above-described well and that he has conducted deviation tests and obtained the following results:

DEGREES @ DEPTH		DEGREES @ DEPTH		DEGREES @ DEPTH		DEGREES @ DEPTH	
1/4	412	1 1/2	4240	1/4	11110		
1	837	1 1/2	4687				
2 1/4	1235	1	5229				
2	1443	1	5700				
3	1956	2	6200				
3	2086	1 1/2	6427				
2 3/4	2209	2	6935				
3	2335	1 3/4	7408				
2 3/4	2462	2	7910				
2	2600	3	8408				
2	2725	2 1/4	8907				
1 1/2	2854	1 1/2	9151				
1	2988	1 1/2	9398				
1 1/4	3240	1 3/4	10110				
1	3693	3/4	10606				


Drilling Contractor

Nabors Drilling USA, LP

By

Troy Blair-District Drilling Superintendent

Subscribed and sworn to before me this 26th day of August, 2004



My Commission Expires

Notary Public

MIDLAND

County

TEXAS