

Hamlet, Robert, EMNRD

From: Michelson, Jason C <JMichelson@chevron.com>
Sent: Monday, July 29, 2019 11:58 AM
To: Hamlet, Robert, EMNRD; Andresen, Rebecca
Cc: Venegas, Victoria, EMNRD; Bratcher, Mike, EMNRD
Subject: [EXT] RE: South Culebra Bluff 14 Fed Well No. 1, Inspection iTM1734233520

Robert,

Can a 12 month extension be granted for this location until abonnement activities take place?

Thanks,

Jason C. Michelson

Project Manager
Upstream-East

Chevron Environmental Management Company

1500 Louisiana Street, Office 38116
Houston, Texas 77002
Office: 832-854-5601
Cell: 281-660-8564
jmichelson@chevron.com

"Do it right or not at all"

**The KEY to success is to "Prioritize"
and "Plan Your Work",
then effectively "Work Your Plan".**

From: Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>
Sent: Tuesday, June 25, 2019 3:55 PM
To: Andresen, Rebecca <rebecca.andresen@arcadis.com>
Cc: Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Michelson, Jason C <JMichelson@chevron.com>
Subject: **[**EXTERNAL**]** RE: South Culebra Bluff 14 Fed Well No. 1, Inspection iTM1734233520

Rebecca,

The reports that were sent to the OCD involving Inspection numbers and "Staining Around the Wellhead" should be fairly straightforward, since they do not qualify for a deferral. Some of these Deferral Requests from Chevron have multiple wells involved in the "Inspection Detail Section". Please make sure all wells are addressed with respect to the staining issues.

The OCD understands that you plan on plugging these wells in the near future. We can give you a 12 month extension if the wells will be plugged and addressed by then. Otherwise, please remove the stained soil and replace with clean soil. Take a picture after the stained soil has been replaced with clean soil. Send in a letter and picture for each well in the "Inspection Detail Section" explaining that the violation has been addressed and we will administrate the violation has been taken care.

Please let us know your decision.

Thank you,

Robert J Hamlet
State of New Mexico
Energy, Minerals, and Natural Resources
Oil Conservation Division
811 S. First St., Artesia NM 88210
(575) 840-5963
Robert.Hamlet@state.nm.us

OCD approval does not relieve the operator of liability should their operations fail to adequately investigate and remediate contamination that may pose a threat to groundwater, surface water, human health or the environment. In addition, OCD approval does not relieve the operator of responsibility for compliance with any other federal, state, or local laws and/or regulations.

From: Andresen, Rebecca <Rebecca.Andresen@arcadis.com>
Sent: Thursday, June 13, 2019 2:02 PM
To: Hamlet, Robert, EMNRD <Robert.Hamlet@state.nm.us>
Cc: Venegas, Victoria, EMNRD <Victoria.Venegas@state.nm.us>; Bratcher, Mike, EMNRD <mike.bratcher@state.nm.us>; Michelson, Jason C <JMichelson@chevron.com>
Subject: [EXT] South Culebra Bluff 14 Fed Well No. 1, Inspection iTM1734233520

Mr. Hamlet,
Please find attached a Site Deferral Request regarding inspection number iTM1734233520, conducted in 2017. This inspection identified a staining violation. Chevron acquired the lease for this well in October 2018 and is planning to plug and abandon this well. The attached letter requests approval to address the violation in conjunction with P&A activities at this well.

Please let us know if you have questions.

Best Regards,

Rebecca Andresen, P.G. | Vice President | rebecca.andresen@arcadis.com
Arcadis | 1100 Olive Way, Suite 800, Seattle, WA | 98101 | USA
T. +1 206 726 4717 | M. +1 206 295 3273

Professional Registration / WA-2588 | GA-1589 | TN-4728

Connect with us! www.arcadis.com | [LinkedIn](#) | [Twitter](#) | [Facebook](#)



This email and any files transmitted with it are the property of Arcadis and its affiliates. All rights, including without limitation copyright, are reserved. This email contains information that may be confidential and may also be privileged. It is for the exclusive use of the intended recipient(s). If you are not an intended recipient, please note that any form of distribution, copying or use of this communication or the information in it is strictly prohibited and may be unlawful. If you have received this communication in error, please return it to the sender and then delete the email and destroy any copies of it. While reasonable precautions have been taken to ensure that no software or viruses are present in our emails, we cannot guarantee that this email or any attachment is virus free or has not been intercepted or changed. Any opinions or other information in this email that do not relate to the official business of Arcadis are neither given nor endorsed by it.