

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

5. Lease Serial No.
NMLC061705B

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2

7. If Unit or CA/Agreement, Name and/or No.
891000303X

1. Type of Well
 Oil Well Gas Well Other

8. Well Name and No.
POKER LAKE UNIT 17 TWR 905H

2. Name of Operator XTO PERMIAN OPERATING LLC Contact: CHERYL ROWELL
E-Mail: Cheryl_rowell@xtoenergy.com

9. API Well No.
30-015-46717-00-X1

3a. Address
6401 HOLIDAY HILL ROAD BLDG 5
MIDLAND, TX 79707

3b. Phone No. (include area code)
Ph: 432-218-3754

10. Field and Pool or Exploratory Area
PURPLE SAGE-WOLFCAMP (GAS)

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Sec 20 T24S R31E NWNE 65FNL 1863FEL
32.209969 N Lat, 103.797318 W Lon

11. County or Parish, State

EDDY COUNTY, NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Drilling Operations
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.

XTO ENERGY SUBMITS THIS SUNDRY AS NOTICE OF DRILLING OPERATIONS ON THE REFERENCED WELL.

Spud well 06/03/20 Drill 14.75 in. to 907 ft.
06/04/20 Run 11.75 in., J55, 54 lb, BTC casing and set at 895 ft.
Cement casing with 325 sxs, 101 bbls, 1.75 yld, Class C cmt followed by 280 sxs, 97 bbls, 1.33 yld, Class C cmt.
Bump plug. Circ 70 bbls cmt to surface. WOC.

06/05/20 Test 11.75 in. casing to 1500 psi, 30 mins (good).

06/05/20 Drill 9.875 in. to 10986 ft.
06/11/20 Run 7.625 in., HCL-80, 29.7 lb, BTC, casing set at 10964 ft.

14. I hereby certify that the foregoing is true and correct.
**Electronic Submission #521365 verified by the BLM Well Information System
For XTO PERMIAN OPERATING LLC, sent to the Carlsbad
Committed to AFMSS for processing by PRISCILLA PEREZ on 07/09/2020 (20PP3381SE)**

Name (Printed/Typed) CHERYL ROWELL Title REGULATORY COORDINATOR

Signature (Electronic Submission) Date 07/09/2020 gc 7/31/2020

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Accepted for record – NMOCD

Approved By **ACCEPTED**

JONATHON SHEPARD
Title PETROLEUM ENGINEER Date 07/14/2020

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office Carlsbad

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Additional data for EC transaction #521365 that would not fit on the form

32. Additional remarks, continued

Cement casing with 2401 sxs, 1434 bbls, 3.34 yld, Class C cmt
followed by 375 sxs, 80 bbls, 1.20 yld, Class C cmt
Bump plug. Circ. 10 bbls cmt to surface.

RD, Skid Rig 6/13/20

Skid Rig, RU

06/21/20 Test 7.625 in. casing to 1500 psi, 30 mins (good).

KOP = 11114

06/22/20 Drill 6.75 in. to 21742 ft.

07/01/20 Run 5.5 in., P110RY, 18 lb, HTQ casing set at 21733 ft.

Cement casing with 1180 sxs, 299 bbls, 1.42 yld, Class H cmt

Bump plug. CTOC = 2664 ft. PBDT = 21731

7/4/20 Rig Release.

Revisions to Operator-Submitted EC Data for Sundry Notice #521365

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	DRG SR	DRG SR
Lease:	NMLC061705B	NMLC061705B
Agreement:		891000303X (NMNM71016X)
Operator:	XTO PERMIAN OPERATING, LLC 6401 HOLIDAY HILL, BLDG 5 MIDLAND, TX 79707 Ph: 432-218-3754	XTO PERMIAN OPERATING LLC 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707 Ph: 432.683 2277
Admin Contact:	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Cell: 713-542-0648 Ph: 432-218-3754	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Ph: 432-218-3754
Tech Contact:	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Cell: 713-542-0648 Ph: 432-218-3754	CHERYL ROWELL REGULATORY COORDINATOR E-Mail: Cheryl_rowell@xtoenergy.com Ph: 432-218-3754
Location:		
State:	NM	NM
County:	EDDY	EDDY
Field/Pool:	PURPLE SAGE; WOLFCAMP	PURPLE SAGE-WOLFCAMP (GAS)
Well/Facility:	POKER LAKE UNIT 17 TWR 905H Sec 20 T24S R31E Mer NMP NWNE 65FNL 1863FEL 32.209969 N Lat, 103.797318 W Lon	POKER LAKE UNIT 17 TWR 905H Sec 20 T24S R31E NWNE 65FNL 1863FEL 32.209969 N Lat, 103.797318 W Lon