Form 3160-5 (February 2005)

## OCD-ARTESIA

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT** 

FORM APPROVED OMB No 1004-0137 Expires. March 31, 2007

Lease Serial No

NMNM-112268

### SUNDRY NOTICES AND REPORTS ON WELLS

6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals. 7 If Unit of CA/Agreement, Name and/or No SUBMIT IN TRIPLICATE - Other instructions on page 2. 1. Type of Well 8. Well Name and No. Other Oil Well Gas Well Habanero 17 Federal 2H 2 Name of Operator Devon Energy Production Co., LP 9 API Well No. 3b Phone No. (include area code) 10. Field and Pool or Exploratory Area 3a. Address 20 North Broadway OKC, OK 73102 Black River; Wolfcamp (405)-552-7802 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 17-T24S-R27E 11 Country or Parish, State SL NESE 1500' FSL & 355' FEL BHL: NWSW 1500' FSL & 660' FWL Eddy County, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION \_\_\_ Deepen Production (Start/Resume) Water Shut-Off Acıdıze ✓ Notice of Intent Well Integrity Fracture Treat Reclamation Alter Casing Revise Access Casing Repair New Construction Recomplete Subsequent Report Road Temporarily Abandon Change Plans Plug and Abandon Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13 Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection ) Devon-Energy Production Co,. LP respectfully requests to move the proposed access per the request of the BLM. See attached plat that depicts the new proposed access road for the Habanero 17 Federal 1H & Habanero 17 Federal 2H.


> Accepted for record - NMOCD 11-0E-8 KG

AUG 29 2011 NMOCD ARTESIA

14 I hereby certify that the foregoing is true and correct.	
Name (Printed/Typed)	
Stephanie A. Ysasaga	Title Sr. Staff Engineering Technician
Signature	Date 06/29/2011
/	
/ /THIS SPACE FOR FEDE	RAL OR STATE OFFICE USE
Approved by // /	<u> </u>
/s/ Don P∉terson	Title AFM Date AUG 2 4 2011
Conditions of approval, if any, are attached Approval of this notice does not warrant or c	office CARLSBAD FIELD OFFICE
that the applicant holds legal or equitable title to those rights in the subject lease which we	uld Office CARICRAILEIFIII UFFICE
entitle the applicant to conduct operations thereon	OMILOUND FILLS OFFICE
and appropriate to consecut operations moved.	

Title 18 U S C Section 1001 and Title 43 U.S C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JUNE 23, 2011



STRIP OF LAND 30 FEET WIDE CROSSING FEE LAND AND STATE OF NEW MEXICO LAND IN SECTION 9, TOWNSHIP 24 SOUTH, RANGE 7 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE

BEGINNING AT A POINT WITHIN THE NW/4 NE/4 OF SAID SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE SOUTHEAST CORNER OF SAID SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N66'15'38"E, A DISTANCE OF 2671.21 FEET;

THENCE S19'19'45"E A DISTANCE OF 251.06 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S02'10'10"W A DISTANCE OF 185.78 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S02'24'47"E A DISTANCE OF 786.53 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S02'24'47"E A DISTANCE OF 378.52 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S11'48'38"W A DISTANCE OF 378.52 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S22'59'01"W A DISTANCE OF 202.34 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S28'04'08"W A DISTANCE OF 203.03 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S79'47'30"W A DISTANCE OF 200.11 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S88'28'06"W A DISTANCE OF 200.11 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S88'28'06"W A DISTANCE OF 205.79 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S88'28'105"W A DISTANCE OF 205.79 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S76'28'15"W A DISTANCE OF 205.79 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S62'31'22"W A DISTANCE OF 408.80 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S62'31'22"W A DISTANCE OF 408.80 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S62'31'22"W A DISTANCE OF 408.80 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S44'47'24"W A DISTANCE OF 404.04 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;

CONTINUED NEXT SHEET (2-6)

#### SURVEYOR CERTIFICATE

#### GENERAL NOTES

- 1) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT ACROSS FEE LAND AND STATE LAND.
- 2.) BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST ZONE MODIFIED TO SURFACE COORDINATES.

SURVEY NO. 504 1-6

BAD, NEW MEXICO MADRON SURVEYING, INC. 301 (575)

MON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, TIFY THAT I HAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, JURYOF IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND WHE STATE FOR NEW MEXICO.

MESS WHEREOF THIS CERTIFICATE IS EXECUTED AT CARLSBAD, THE STATE OF JUNE 2011

MADRON SURVEYING, INC 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 706-9672

加

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JUNE 23, 2011

FROM PREVIOUS SHEET (1-6)

THENCE S61'46'48"W A DISTANCE OF 189.31 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S66'34'13"W A DISTANCE OF 195.26 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE N85'09'12"W A DISTANCE OF 79.65 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED, THENCE S89'59'45"W A DISTANCE OF 428.85 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHWEST CORNER OF SAID SECTION 9, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS BEARS S00'08'02"E, A DISTANCE OF 1178.97 FEET,

SAID STRIP OF LAND BEING 5073.86 FEET OR 307.51 RODS IN LENGTH, CONTAINING 3.494 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

248.61 L.F. 0.171 ACRES 0.920 ACRES 0.387 ACRES 15.07 RODS FFF 
 NW/4
 NE/9
 240.81
 L.F.
 15.07
 RODS

 SW/4
 NE/4
 1336.43
 L.F.
 16.00
 RODS

 NW/4
 SE/4
 562.21
 L.F.
 34.07
 RODS

 NE/4
 SW/4
 1405.60
 L.F.
 85.19
 RODS

 NW/4
 SW/4
 627.89
 L.F.
 38.05
 RODS
 FEE STATE 0.968 ACRES 0.432 ACRES FEE SW/4 SW/4 893.08 L.F. 54.13 RODS 0 615 ACRES

GENERAL NOTES

1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT ACROSS FEE LAND AND STATE LAND.

2.) BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST ZONE MODIFIED TO SURFACE COORDINATES.

SURVEY NO. 504 2-6


INC. SOI SOUTH CAPT CARLSBAD; NEW MEXICO MADRON SURVEYING,

SURVEYOR CERTIFICATE I, FILIMON H. JARMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CHRITICHTHAIN TAVE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THIS FORVEY S'TRUE MAD CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF, AND THAT THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO

MADRON SURVEYING, INC
301 SOUTH CANAL
CARLSBAD, NEW MEXICO 88220
Phone (575) 706-9672

1911

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 8, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO JUNE 23, 2011



DESCRIPTION A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 8, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE

BEGINNING AT A POINT WITHIN THE SE/4 SE/4 OF SAID SECTION 8, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE SOUTHEAST CORNER OF SAID SECTION 8, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS SOO'08'02"E, A DISTANCE OF 1178.97 FEET:

FEET;
THENCE S89:59'45"W A DISTANCE OF 50.55 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE S00'24'21"W A DISTANCE OF 1042.59 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED;
THENCE S24'37'26"W A DISTANCE OF 150 07 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHEAST CORNER OF SAID SECTION 8, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N89'59'19"E, A DISTANCE OF 123.21 FEET;

SAID STRIP OF LAND BEING 1243.21 FEET OR 75.35 RODS IN LENGTH, CONTAINING 0.856 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

SE/4 SE/4 1243.21 L.F. 75.35 RODS 0.856 ACRES

# SURVEYOR CERTIFICATE I, FILIMON F. JARAMILLO, A NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, HEREBY CERTIFY THAT LIMITE CONDUCTED AND AM RESPONSIBLE FOR THIS SURVEY, THAT THE SURVEY BAT DE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BENER AND SHAP THIS SURVEY AND PLAT MEET THE MINIMUM STANDARDS FOR LAND SURVEYING IN THE STATE OF NEW MEXICO TO WITHE STATE OF THIS CERTIFICATE IS EXECUTED AT CARLSBAD, NEW MEXICO. THE


#### GENERAL NOTES

- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT ACROSS BLM LAND.
- 2.) BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST ZONE MODIFIED TO SURFACE COORDINATES.

SURVEY NO. 504 3-6 MADRON SURVEYING,

MADRON SURVEYING, INC 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 706-9672 INC. 301 Superior PLS 12797 Phone (575) 706-9677

DEVON ENERGY PRODUCTION COMPANY, L.P. CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. EDDY COUNTY, STATE OF NEW MEXICO



A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE NORTHEAST CORNER OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N89'59'19"E, A DISTANCE OF 123.21 FEET; THENCE S24'37'26"W A DISTANCE OF 30.76 FEET TO AN ANGLE POINT OF THE LINE HEREIN DESCRIBED; THENCE S01'12'51"W A DISTANCE OF 3609.83 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE SOUTHEAST CORNER OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS S07'51'12"E, A DISTANCE OF 1665.91 FEET,

SAID STRIP OF LAND BEING 3640.59 FEET OR 220.64 RODS IN LENGTH, CONTAINING 2.507 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS.

NE/4 NE/4 1318.60 L.F. 79.91 RODS 0.908 ACRES SE/4 NE/4 1315.16 L.F. 79.71 RODS 0.906 ACRES NE/4 SE/4 1006.14 L.F. 60.98 RODS 0.693 ACRES

A STRIP OF LAND 30 FEET WIDE CROSSING BUREAU OF LAND MANAGEMENT LAND IN SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., EDDY COUNTY, STATE OF NEW MEXICO AND BEING 15 FEET EACH SIDE OF THE FOLLOWING DESCRIBED CENTERLINE SURVEY:

BEGINNING AT A POINT WITHIN THE NE/4 NE/4 OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M., WHENCE THE NORTH CORNER OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N10\*19\*52\*E, A DISTANCE OF 854.17 FEET, THENCE N89\*59\*31\*W A DISTANCE OF 359.16 FEET THE TERMINUS OF THIS CENTERLINE SURVEY, WHENCE THE NORTHEAST CORNER OF SAID SECTION 17, TOWNSHIP 24 SOUTH, RANGE 27 EAST, N.M.P.M. BEARS N31\*22\*19\*E, A DISTANCE OF 984.15 FEET;

SAID STRIP OF LAND BEING 359.16 FEET OR 21 77 RODS IN LENGTH, CONTAINING 0.247 ACRES MORE OR LESS AND BEING ALLOCATED BY FORTIES AS FOLLOWS:

NE/4 NE/4 359.16 L.F. 21.77 RODS 0.247 ACRES

#### GENERAL NOTES


- 1.) THE INTENT OF THIS ROUTE SURVEY IS TO ACQUIRE AN EASEMENT ACROSS BLM LAND.
- 2.) BASIS OF BEARING IS NEW MEXICO STATE PLANE EAST ZONE MODIFIED TO SURFACE COORDINATES.

SURVEY NO. 504 4-6


INC. 301 SOUTH CARLSBAD, NEW MEXICO MADRON SURVEYING,

CERTUFICATA SURVEYOR HEREBY O NEW MEXICO PROFESSIONAL SURVEYOR NO. 12797, BUDGED AND AM RESPONSIBLE FOR THIS SURVEY, ORRECT TO THE BEST OF MY KNOWLEDGE AND OF PLAT MEET THE MINIMUM STANDARDS FOR LAND ERTHICATE IS EXECUTED AT CARLSBAD,

MADRON SURVEYING, INC 301 SOUTH CANAL CARLSBAD, NEW MEXICO 88220 Phone (575) 706-9672



DEVON ENERGY PRODUCTION COMPANY, L.P.
CENTERLINE SURVEY OF AN ACCESS ROAD CROSSING
SECTION 9, 8, & 17 TOWNSHIP 24 SOUTH,
RANGE 27 EAST, N.M.P.M.
EDDY COUNTY, STATE OF NEW MEXICO
JUNE 23, 2011



SURVEY NO. 504 6-6 AERIAL PHOTO
MADRON SURVEYING, INC. 501 SOUTH CANAL CARLSBAD, NEW MEXICO