

Submit 1 Copy To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

| |
|---|
| WELL API NO. 30-015-02231 |
| 5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/> |
| 6. State Oil & Gas Lease No. E-7668 |
| 7. Lease Name or Unit Agreement Name: East Millman Pool Unit Tract 7 8910169240 |
| 8. Well Number 4 |
| 9. OGRID Number 019958 |
| 10. Pool name or Wildcat Millman Yates-SR-QN-GB-SA, East |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3383' GR |

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH
PROPOSALS)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other Water Injection

2. Name of Operator
Stephens & Johnson Operating Co.

3. Address of Operator
P.O. Box 2249, Wichita Falls, TX 76307-2249

4. Well Location
Unit Letter L ; 2310 feet from the South line and 660 feet from the West line
Section 13 Township 19S Range 28E NMPM County Eddy

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

OTHER: ☐


SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC.. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attachment



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE William M. Kincaid TITLE Petroleum Engineer DATE 9-16-11

Type or print name William M. Kincaid E-mail address: mkincaid@sjoc.net PHONE (940) 723-2166

For State Use Only

APPROVED BY Richard Large TITLE Compliance Officer DATE 9/21/11

Conditions of Approval (if any):

Page 2 (C-103 Attachment)

Stephens & Johnson Operating Co.
East Millman Unit No. 7-4 (30-015-02231)
Eddy County, New Mexico

Well Data:

Surf Csg: 7 5/8", 24 lb/ft, set @ 609' w/450 sx cmt,
TOC @ surface
Prod Csg: 4 1/2", 9.5 lb/ft, set @ 2250' w/375 sx cmt,
TOC @ surface
Perfs: 1734'-1736'; 2054'-2200'
Tubing: 53 jts (1,694.77') 2 3/8" plastic lined tbg.
Packer: 4 1/2" Nickel plated AD-1 packer set @1704' KB,
csg-tbg annulus filled w/corrosion inhibited fluid.

Proposed Remedial Work To Repair Casing

1. TOH w/injection tbg and pkr.
2. TIH w/RBP, pkr and workstring. Set RBP @ $\pm 1650'$ and locate csg leak with pkr and tbg.
3. Cement squeeze csg leak.
4. Drill out cement and test squeeze to 500 psi.
5. Remove RBP and run injection tbg and pkr.
6. Circulate pkr fluid and perform MIT.
7. Resume water injection.

Stephens + Johnson Operating Co.

East Millman Pool Unit Millman Yates-SR-QN-GB-SA East

9-15, 2011

WELL 7-4

FIELD

DATE

PRESENT COMPLETION ☒

SUGGESTED COMPLETION ☐

WELL CLASS

KB ELEVATION 3392'

DF ELEVATION

GL ELEVATION 3383'


PERMANENT WELL BORE DATA

DATA ON THIS COMPLETION

7 5/8" 24# Surf. Csg.
Set @ 609' w/450 sx cmt
TDC @ surface

53 ts (1694.77') 2 3/8" Rice
Duo line tbg w/4 1/2" AD-1
Nickel plated pkr set @
1704' KB

4 1/2" 9.5# Prod. Csg.
Set @ 2250' w/375 sx cmt
TDC @ surface
(Hole size - 6 3/4")



QN Perfs: 1734'-1736'

GB Perfs: 2054'-2056'
2088'-2090'
2106'-2108'
2198'-2200'

PBTD - 2222'

TD - 2250'