

Submit 1 Copy To Appropriate District Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised August 1, 2011

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-20920
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Fanning
8. Well Number 1
9. OGRID Number 239190
10. Pool name or Wildcat
11. Elevation (Show whether DR, RKB, RT, GR, etc.)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other SWD

2. Name of Operator
Roemann SWD Inc.

3. Address of Operator
1315 Lera Circle Carlsbad Nm 88220

4. Well Location

Unit Letter K : feet from the 1980' FSL line and 1980' feet from the West line
Section 4 Township 19S Range 26E NMPM County Eddy

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:


REMEDIAL WORK ☒ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

9-21-2011 ttoh rih with rbp set at 7950' started testing csg. Found hole at 1615'.
9-23-2011 Pumped 700 sks of class C cement. SDFD
9-24-2011 Waited 24 Hrs before start drilling. drilled out cement would not hold pressure found another hole at 3670'
9-27-2011 Squeezed hole with 50 sks of class C cement.
9-28-2011 waited 24 hrs drilled out cement pressure up on csg did hold .
9-29-2011 re squeezed hole at 3670' with 100 sks sdfd.
9-30-2011 do cement test csg to 500# held. TIh with 2 7/8" coated tubing set packer at 7935' circ packer fluid. Re leased rig.
10-10-2011 Darrel Gray OCD witness mit test. Mit passed Darrel took chart.
10-11-2011 Put well back into production.



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Frank Beekman TITLE Manager DATE 10-13-11

Type or print Frank Beekman E-mail address: fbeekman@live.com PHONE: 575-200-5420
For State Use Only

APPROVED BY: Rebecca Ince TITLE Compliance Officer DATE 10/20/11
Conditions of Approval (if any):

