

Submit 1 Copy To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
October 13, 2009

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-32827
5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Righthand Canyon 35 Fee Com
8. Well Number 2
9. OGRID Number 192463
10. Pool name or Wildcat Indian Basin, Up. Penn (Pro Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☐ Other ☐

2. Name of Operator
OXY USA WTP LP

3. Address of Operator
P.O. Box 50250 Midland, TX 79710

4. Well Location
Unit Letter **L** : **1347** feet from the **South** line and **1177** feet from the **West** line
Section **35** Township **21S** Range **24E** NMPM County


11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3849' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input checked="" type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

See Attached



Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE David Stewart TITLE Regulatory Advisor DATE 10/19/11

Type or print name David Stewart E-mail address: david_stewart@oxy.com PHONE: 432-685-5717

For State Use Only

APPROVED BY DR. [Signature] TITLE Dist. Reg. Supervisor DATE 11/02/11

Conditions of Approval (if any):

Righthand Canyon 35 Fee #2

- 9/13/11 MIRU PU, NDWH, NU BOP, RIH & set CIBP @ 7848', circ hole.
- 9/14/11 RIH & tag CIBP @ 7848', Circ hole w/ 10# MLF, spot 100sx CL H cmt to 7315', POOH, WOC.
RIH w/ pkr & set @ 4866', pressure csg under pkr to Calc TOC @ 7315', no test, SION.
- 9/15/11 RIH w/ WL to tag cmt, no tag on cmt or CIBP, POOH w/ WL, rel pkr POOH. RIH 7 set CIBP @ 7840', POOH w/ WL, RIH w/ tbg & tag CIBP @ 7840'. Circ w/ 10# MLF, Spot 25sx CL H cmt, POOH, WOC.
- 9/16/11 RIH & tag cmt @ 7700', load hole w/ 10# MLF, spot 75sx CL H cmt @ 7700', POOH, WOC. RIH & set pkr @ 4540', RIH w/ WL & tag cmt @ 7205'. PUH & perf @ 5040' w/ 8 SPF, POOH w/ WL. EIR @ 1.5BPM @ 1500#, sqz 55sx CL C cmt, WOC.
- 9/17/11 RIH w/ WL & tag cmt @ 4740', POOH w/ WL, Rel pkr & POOH. RIH w/ WL & perf @ 3554', RDWL. RIH & set pkr @ 3002', attempt to EIR @ 2300# w/ no loss. Rec approval Phil Hawkins-NMOCD to spot plug. Rel Pkr & POOH. RIH to 3602' & spot 45sx CL C cmt w/ 2% CaCl₂, POOH, WOC. RIH & set pkr @ 2022', RIH w/ WL & tag cmt @ 3098', PUH & perf @ 2698', attempt to EIR @ 2300# w/ no loss, Rec approval Phil Hawkins-NMOCD to spot plug. Rel pkr & POOH. RIH to 2749' & spot 45sx CL C cmt w/ 2% CaCl₂, POOH, WOC. RIH & set pkr @ 1011', RIH & tag cmt @ 2370', PUH & perf @ 1670', attempt to EIR @ 2400#, w/ no loss, SION.
- 9/18/11 Rel pkr, POOH. RIH w/ WL & run CBL from 2370'-Surface, shows poor cmt or dehydrated mud behind csg. Reperf @ 1670', RIH w/ pkr & set @ 1011', EIR @ 2 BPM w/ 1/2BPM returns up 7" X 9-5/8", sqz 200sx CL C cmt w/ 2% CaCl₂, SI, WOC. Pressure test to 500#, held OK. Rel pkr, POOH, RIH w/ WL & tag cmt @ 1384', PUH & perf @ 500', POOH. NDBOP, NUWH, EIR @ 2BPM w/ full returns, circ 200sx CL C cmt to surface. NDWH, top off csg, RDPU.