Form 3160-5 (August 2007)

# UNITED STATES OCD-ARTESIA

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT FORM APPROVED OMB No. 1004-0137 Expires: July 31, 2010

BUREAU OF LAND MANAGEMENT

CARLSBAD FIELD OFFICE

5. Lease Serial No.

# 6. If Indian, Allottee or Tribe Name

# SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an

abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2. NMNM101361X 1. Type of Well 8. Well Name and No. Oil Well Other Gas Well EAST SHUGART DELAWARE UNIT #025 2. Name of Operator 9. API Well No 30-015-34212 SM ENÉRGY COMPANY 3a. Address 3b. Phone No. (include area code) 10. Field and Pool or Exploratory Area SHUGART DELAWARE, EAST 3300 N "A" ST BLDG 7-200 MIDLAND TX 79705 (432)688-1709 4. Location of Well (Footage, Sec., T.R.,M., or Survey Description)
(A) SEC 24 T18S R31E 11. Country or Parish, State NM EDDY COUNTY <u> 250' FNL & 1125' FEL</u> 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF ACTION TYPE OF SUBMISSION Acidize Deepen Production (Start/Resume) Water Shut-Off X Notice of Intent Well Integrity Alter Casing Fracture Treat Reclamation Other STEP RATE Casing Repair New Construction Recomplete Subsequent Report **TEST** Plug and Abandon Temporarily Abandon Change Plans Final Abandonment Notice Convert to Injection Plug Back Water Disposal 13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) THIS IS TO NOTIFY YOU THAT SM ENERGY COMPANY WILL BE DOING A STEP RATE TEST TO DETERMINE POSSIBLE PRESSURE INCREASE FOR EXISTING INJECTION PERMIT ON THE EAST SHUGART DELAWARE UNIT #025 ON WEDNESDAY, NOVEMBER 30TH IN THE AM. DONNA HUDDLESTON AND I CALLED RICHARD INGE ON HIS CELL ON WEDNESDAY, NOVEMBER 16TH AT 11: 30 AM CST TO INQUIRE ABOUT REGULATORY PROCEDURES FOR A STEP RATE TEST AND RECEIVED A VERBAL APPROVAL TO DO THIS STEP RATE. ONCE WE HAVE THE RESULTS OF THE STEP RATE TEST, WE WILL FOLLOW UP WITH A C108. RECEIVED Accepted for record SEE ATTACHED FOR DEC 06 2011 CONDITIONS OF APPROVAL NMOCD ARTES!A 14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) VICKIE MARTINEZ Title ENGINEER TECH II Signature Date 11/17/2011 THIS SPACE FOR FEDERAL OR STATE OFFICE USE DEC 4 2011 s/ JD Whitlock Jr Approved by Title

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office

entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would

# **Conditions of Approval**

# SM Energy Company East Shugart Delaware Unit 3025 API 3001534212

December 01, 2011

## General Conditions of Approval: Well with a Packer

- 1) Conduct a Mechanical Integrity Test of the tubing/casing annulus after a tubing, packer or casing seal is established. Repair that seal any time more than five barrels of packer fluid is replaced within 30 days.
  - a) The minimum test pressure should be 500 psig for 30 minutes or 300 psig for 60 minutes, with 200 psig differentials between tubing and casing pressure (at test time) but no more than 70% of casing burst pressure as described by Onshore Order 2.III.B.1.h. (The tubing or reservoir pressure may need to be reduced). An alternate method for a BLM approved MIT is to have the fluid filled system open to atmospheric pressure and have a loss of less than five barrels in 30 days witnessed by a BLM authorized officer.
  - b) Document the pressure test on a calibrated recorder chart registering within 25 to 85 per cent of its full range. Greater than 10% pressure leakoff will be viewed as a failed MIT. Less than 10% pressure leakoff will be evaluated site specifically and may restrict injection approval.
  - c) At least 24 hours before the test: In Eddy County email Paul R. Swartz <u>paul\_swartz@blm.gov</u>, (phone 575-200-7902). If there is no response phone 575-361-2822. In Lea County email Andy Cortez <u>andy\_cortez@blm.gov</u>, (phone 575-393-3612 or 575-631-5801). Note the contact notification method, time, & date in your subsequent report.
  - d) Submit a subsequent Sundry Form 3160-5 relating the MIT activity. Include a copy of the recorded MIT pressure chart. List the name of the BLM witness, or the notified person and date of notification. NMOCD is to retain the original recorded MIT chart.
  - e) Use of tubing internal protection, on/off tubing equipment just above the packer, and a profile nipple installation is required. The setting depths and descriptions of each are to be included in the subsequent sundry. List (by date) descriptions of daily activity of any previously unreported wellbore workover.
  - f) Submit the original subsequent sundry with three copies to BLM Carlsbad.
- 2) Compliance with a NMOCD Administrative Order is required, submit documentation of that authorization.
  - a) Approved injection pressure compliance is required.
  - b) If injection pressure exceeds the approved pressure you are required to reduce that pressure and notify the BLM within 24 hours.
  - c) When injection pressure is within 50 psig of the maximum pressure, install automation equipment that will prevent exceeding that maximum.
    - i) Submit a subsequent report (Sundry Form 3160-5) describing the installed automation equipment within 30 days.
- 3) Other unexplained significant variations of rate or pressure to be reported within 5 days of notice.
- 4) The casing/tubing annulus is required to be monitored for communication with injection fluid or loss of casing integrity.



## Use of Form 3160-5 "Sundry Notices and Reports on Wells"

## § 43 CFR 3162.3-2 Subsequent Well Operations.

- (a) A proposal for further well operations shall be submitted by the operator on Form 3160–5 for approval by the authorized officer prior to commencing operations to redrill, deepen, perform casing repairs, plug-back, alter casing, perform fracturing jobs, recomplete in a different interval, perform water shut off, commingling production between intervals and/or conversion to injection. If there is additional surface disturbance, the proposal shall include a surface use plan of operations. A subsequent report on these operations also will be filed on Form 3160–5. The authorized officer may prescribe that each proposal contain all or a portion of the information set forth in §3162.3–1 of this title.
- (b) Unless additional surface disturbance is involved and if the operations conform to the standard of prudent operating practice, prior approval is not required for routine fracturing or acidizing jobs, or recompletion in the same interval; however, a subsequent report on these operations must be filed on Form 3160–5.
- (c) No prior approval or a subsequent report is required for well cleanout work, routine well maintenance, or bottom hole pressure surveys.

[47 FR 47765, Oct. 27, 1982. Redesignated and amended at 48 FR 36583–36586, Aug. 12, 1983, further amended at 52 FR 5391, Feb. 20, 1987; 53 FR 17363, May 16, 1988; 53 FR 22847, June 17, 1988]

#### § 43 CFR 3160.0-9 (c)(1) Information collection.

(c)(1) The information collection requirements contained in part 3160 have been approved by the Office of Management and Budget under 44 U S.C. 3507 and assigned the following Clearance Numbers:

#### **Operating Forms**

Form No.	Name and filing date	OMB No.
3160–3	Application for Permit to Drill, Deepen, or Plug Back—Filed 30 days prior to planned action	1004-0136
3160-4	With Completion of Recompletion Report and Log—Due 30 days after well completion	1004–0137
3160-5	Sundry Notice and Reports on Wells—Subsequent report due 30 days after operations completed	1004-0135

The information will be used to manage Federal and Indian oil and gas leases. It will be used to allow evaluation of the technical, safety, and environmental factors involved with drilling and producing oil and gas on Federal and Indian oil and gas leases. Response is mandatory only if the operator elects to initiate drilling, completion, or subsequent operations on an oil and gas well, in accordance with 30 U.S.C. 181 et seq.

### § 3162.4-1 (c) Well records and reports.

Not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160–5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed